





2016 BASSMASTER CLASSIC® CHAMPION

"The reliability of my NITRO was key in helping me make that crucial run to the Elk River in my 2016 Classic win."

EDWIN EVERS

NITRO® Elite Pro 2016 Bassmaster Classic® Champion

2016 ST. JOHNS RIVER, FL ELITE CHAMPION

"I've helped NITRO develop boats for over 20 years, and we've designed them to allow anyone to become a champion."

RICK CLUNN


NITRO® Elite Pro 4-time Bassmaster Classic® Champion

2016 LA CROSSE, WI ELITE CHAMPION

"NITRO boats have had my back for almost a decade now—and they're a critical part of my success."

ntt nefne

NITRO® Elite Pro 6-time Bassmaster Classic® Qualifier







BASS PRO SHOPS. YOUR ADVENTURE STARTS HERE.

As part of the Bass Pro Shops® family, NITRO® boats are backed by a leader in the outdoor industry. With 80 Bass Pro Shops and over 200 NITRO dealers worldwide, the strength of our company means that we'll be here to serve you for a very long time.


Anyone that's visited one of our Bass Pro Shops Outdoor World stores knows that these destinations are one-of-a-kind retail experiences filled with the finest outdoor gear—a trip you and your family will never forget whether you're browsing boats, perusing premium fishing gear, or dining at one of our unique restaurants.

Buying a NITRO is easy and rewarding. We offer each boat at a nationally advertised, NO HAGGLE NO HASSLE® price. We also

offer in-house financing to make your boat purchase fast and easy, and our award-winning customer service culture makes any visit a pleasure. Our sales people do not work on commission, meaning pressure-free shopping as you choose your new boat.

And as both the #1 recreational boat builder and the #1 Mercury® dealer in the world, we're able to offer unparalleled access to service for your boat and outboard.

All this, combined with the legacy and stability of Bass Pro Shops, means that the experience of buying and owning a NITRO boat is simply second to none.



VIP DISCOUNT CARD



Buying a NITRO is easy and rewarding. We offer each boat at a nationally advertised, NO HAGGLE NO HASSLE® price. And with the purchase of any new NITRO, you'll

receive a VIP owner's discount card, valid for up to two years. This card gives you 20% off leading Bass Pro Shops brands like Johnny Morris® Signature Series rods and reels, RedHead® clothing, ASCEND® kayaks, XPS® lures and more.



BY MAKING NO
COMPROMISES AND
TAKING NO SHORTCUTS,
WE BUILD THE BEST
POSSIBLE BOAT AT THE
BEST POSSIBLE VALUE."

JOHNNY MORRIS, FOUNDER, BASS PRO SHOPS





A 1-piece system is double bonded to the hull to produce a unitized structure for

strength and durability.

- TRANSOM SUPPORTS
 Transom knee supports (part of the stringer system) provide maximum support for the transom.
- 3 UNITIZED STRUCTURE
 Deck and hull are chemically bonded 360°
 and mechanically fastened with stainless
 steel fasteners every 6".
- FOAM-FILLED STRINGER

 The stringer system and other cavities in the hull are foam-filled for superior safety and level flotation if swamped.
- 5 MAXIMIZED FUEL CAPACITY
 Fuel tank is strategically placed for
 maximum capacity and better stability
 and tracking.
- CONTOURED BALSA DECKING
 The best strength-to-weight ratio,
 encapsulated in fiberglass for a lifetime
 of durability.

OUR CUSTOMERS HAVE SPOKEN

For four consecutive years, NITRO® fiberglass outboard boats have been recognized for excellence in customer satisfaction by the National Marine Manufacturers Association® (NMMA®).

This means that hundreds of feedback surveys returned by actual purchasers of NITRO fiberglass fishing boats reported average satisfaction ratings above 90 points on a scale of 100. With a NITRO, you get a steadfast dedication to quality that you can see in the fit and finish, feel in the smooth ride, and count on for a lifetime. Thanks to the skill and experience of our master fiberglass craftspeople, care is taken at every step in the process to ensure the finest, longest-lasting boat at the best price.

The CSI award from NMMA is a tribute to our skilled and dedicated boat makers and to the thousands of people in our company and dealer network who provide support to our customers. By working hard and working smart, they are delivering the promise of quality and value that has placed NITRO solidly among the leaders in performance fishing boats.



RECOGNIZED FOR
EXCELLENCE
IN CUSTOMER SATISFACTION
FOUR YEARS IN A ROW

OPTIMIZED FOR MAXIMUM COMFORT AND

COMFORT

Padded, anti-fatigue bow decks (Z20, Z21), NASCAR®-inspired bucket seating, recessed trolling-motor pedals, heavily-insulated coolers with trash receptacles, and optional removable port console keep you and your fishing partner comfortable on long, fast-paced tournament days.

FISHABILITY

Every NITRO® is designed with an interior built with one thing in mind—catching fish efficiently. Enormous front decks allow maximum mobility when battling unruly bass, and the low-profile gunnels mean less interference when flipping, pitching or landing a fish. In-deck storage holds more rods and gear than you'll ever need, and NITRO-exclusive Guardian™ livewells keep your catch healthy all the way to the weigh-in.





EXPLORE THE INTERIOR OF THE NITRO 221

From decks to seating to storage to livewells, we've designed each NITRO performance fishing boat to help optimize your productivity on the water. Here's a detailed breakdown of the features of our flagship boat, the Z21.

MINN KOTA® MAXXUM® TROLLING MOTOR 24V 80-lh thrust 42" shaft

24V, 80-lb. thrust, 42" shaft trolling motor

2 BOW COMMAND CENTER w/trim, fan & navigation light switches, room for optional 12" flush-mount fishfinder & tool/drink holder

RECESSED FOOT PEDAL for easy & comfortable trolling

4 DUAL-POSITION BICYCLE SEAT w/hydraulic pedestal

NAV LIGHTS INTEGRATED INTO LOW-PROFILE GUNNELS create more interior casting space & less hassle w/nav light poles

6 ANTI-FATIGUE BOW DECK PADDING for all-day fishing comfort

7 ROD HOLD-DOWN STRAPS keep rods handy & secure

8 4 PULL-UP MOORING CLEATS to reduce possible snags

UCKABLE DUAL ROD STORAGE w/lid assists & port organizer to neatly hold rods & gear up to 8' (2.44 m)

Ockable Center Storage
oversized, w/Tackle Management
System, magnetic lure holders
& ventilation fan to keep all bow
storage compartments dry

10 LOCKABLE DUAL GEAR STORAGE BOXES W/automatic lights

12 TOOL & DRINK HOLDERS on both sides of step-up cooler

(3) STEP-UP BOW DECK COOLER heavily insulated w/trash receptacle & snap-in sandwich tray

14 INNOVATIVE CONSOLE
w/flush-mounted Lowrance® Elite-7
Ti fishfinder, room for an optional 12"
flush-mount fishfinder, illuminated gauges,
digital keypad, tilt hydraulic steering & cell
phone holder beneath

OPTIONAL REMOVABLE
 PORT CONSOLE
 W/hardware, tinted windscreen
 & glovebox

LARGE PULL-OUT STORAGE DRAWER beneath port console **GRAB HANDLES** engineered composite handles provide peace of mind

DELUXE 3-ACROSS SEATING
 w/adjustable helm & passenger bucket seats
 & removable center cushion

19 BEHIND SEAT NET STOW
easy access to net stored in an
unobtrusive location

20 INTEGRATED TOURNAMENT RULER located right next to livewell for faster culling

21 MOLDED, DROP-IN STORAGE w/lock & tackle tray holders, shown w/optional livewell cooler starboard side

DELUXE FOLD-DOWN FISHING SEAT w/composite frame & hydraulic pedestal

23 TW0 19-GAL. (71.92 L)
GUARDIAN™ LIVEWELLS
w/anti-slosh lip, freshwater fill pump,
recirculator pump, timers, oxygen generation
system & pump-out

BATTERY STORAGE AREA w/drop-in trays for gear/tools

to quickly & efficiently remove bilge water

45 HAND-LAID PERFORMANCE HULL for maximum durability & a smooth, dry ride in rough conditions

27 ANGLED, FOLDING BOARDING LADDER accommodates Power-Pole™ or Talon™ mounting

REMOTE OIL FILL maximizes convenience (OptiMax® only)

PRAPID PLANING SYSTEM™ TRANSOM provides superior planing w/little or no bow rise & extreme shallow-water performance

30 RIGGING TUBE for clean & neat cable routing

ADJUSTABLE JACK PLATE
 so you can change the height of the motor for
 maximum performance w/varying loads

BATTERY ON/OFF SWITCH w/emergency jump start



GET PAID TO FISH

It's everyone's dream, and the Bass Pro Shops®
Tournament Rewards® program makes it real.
Win or hit the top ten in a NITRO® at an approved tournament and get cash!

DURING THE 2006 TO 2016 SEASONS, MORE THAN 1,700 PAYMENTS WERE MADE TO MORE THAN 470 ANGLERS—OVER \$1.9 MILLION IN TOTAL PAYOUTS.

The Bass Pro Shops Tournament Rewards program can help you enhance your tournament winnings! Through participation in this industry-leading program, you can receive up to \$7,000 in extra cash and Bass Pro Shops Rewards Points when you compete and win eligible tournaments from your NITRO boat.

FOR MORE INFORMATION AND A COMPLETE LIST OF ELIGIBLE TOURNAMENTS,

GO TO TOURNAMENT-REWARDS.COM



Breakdown of Winnings:

UP TO \$7,000 [\$6,500 CASH + \$500 BASS PRO SHOPS® REWARD POINTS]
For winning a Bassmaster® Elite Series, Bass Pro Shops Bassmaster Open, FLW Tour®, or FLW Costa Series event from your NITRO®, TRACKER® or MAKO® boat powered by a 250HP or larger Mercury® outboard. Win \$5,000 (\$4,500, \$500 BPS reward points) with a victory in other program-eligible events listed in the Tournaments section of TOURNAMENT-REWARDS.CO

UP TO \$5,000 [\$4,500 CASH + \$500 BASS PRO SHOPS REWARD POINTS]

For winning a Bassmaster Elite Series, Bass Pro Shops Bassmaster Open, FLW Tour, or FLW Costa Series event from your NITRO, TRACKER or MAKO boat powered by a 225HP or larger Mercury outboard. Win \$3,000 (\$2,500, \$500 BPS reward points) with a victory in other program-eligible events listed in the Tournaments section of TOURNAMENT-REWARDS.COM.

UP TO \$3,000 [\$2,500 CASH + \$500 BASS PRO SHOPS REWARD POINTS]

For winning from your NITRO, TRACKER or MAKO boat powered by a 200HP Mercury outboard in any program-eligible event.

\$1,000 [\$750 CASH + \$250 BASS PRO SHOPS REWARD POINTS]

For winning from your NITRO, TRACKER or MAKO boat powered by a 60-175HP Mercury outboard in any program-eligible event.

\$500 [\$400 CASH + \$100 BASS PRO SHOPS REWARD POINTS]

For winning any program-eligible event with a 20-59 boat field from your NITRO, TRACKER or MAKO boat powered by a 60HP or larger Mercury outboard.

For being the highest top ten finisher in a minimum 60 boat field from your NITRO, TRACKER or MAKO boat powered by a 60HP or larger Mercury outboard in any program-eligible event.

Registration must be completed and submitted prior to participation in a qualifying event in order to be eligible for prizes. Program term begins January 1, 2017, and ends December 31, 2017.







HULL DESIGN REDEFINED

Throughout its history, NITRO® has been known for smooth-riding boats that run dry and stable in rough water—and that fish with the best of them. Now, new design technology is raising the bar, retaining NITRO strength and adding speed, agility and even quicker holeshots. The NITRO Vortex Technology™ (NVT™) hull is a revolutionary design that uses a series of parabolic curves instead of traditional strakes. The result is a hull with exceptional top-end speed and lift—plus improved acceleration—all while maintaining superior control and handling. The organic shape of the NVT hull also enhances consistency in the manufacturing process and provides exceptional strength-to-weight ratio. Available exclusively on the Z17, Z18, Z19 and Z20.



NITRO-EXCLUSIVE RAPID PLANING SYSTEM (RPS) TRANSOM




The Z17, Z18, Z19, Z20, Z21 and ZV21 all feature our exclusive Rapid Planing System™ (RPS) transom. The notch in the center of the transom releases trapped air on takeoff, and the set-back design of the transom delivers maximum water flow to the propeller. The result is a faster holeshot, enhanced performance at the top end and increased overall efficiency.











1. There's room for an optional flush-mounted 12" fishfinder on the bow panel and on the driver's console. 2. Easy-to-access, integrated net storage behind the NASCAR®-inspired seating. 3. 2 NITRO®-exclusive 19-gal. (71.92 L) Guardian™ livewells with rounded corners and soothing blue interiors keep fish healthy during long tournament days.

STANDARD PACKAGE: w/Mercury® 225 L OptiMax® Pro XS w/Torque Master & Custom Trailer (plus freight & prep)

ADDITIONAL MOTORS: 250 L OptiMax® Pro XS w/Torque Master....... 300 L Verado® Pro FourStroke..... .\$47,995 .\$52,895

Fish like a pro w/tons of upgrades & extra features, see details on pg. 119

w/Mercury® 225 L OptiMax® Pro XS w/Torque Master & Custom Trailer (plus freight & prep)









1. Center bow Tackle Management System allows for efficient organization of tackle boxes and bags for quick access. 2. Bow command center with trim, fan and navigation light switches, room for optional 12" flush-mount fishfinder and tool/drink holder. 3. 2 NITRO®-exclusive 19-gal. (71.92 L) Guardian™ livewells with anti-slosh lip, freshwater pump, recirculator, timers and pump-out.

\$38,995

STANDARD PACKAGE: w/Mercury® 200 L OptiMax® Pro XS & Custom Trailer (plus freight & prep)

ADDITIONAL MOTORS: 225 L OptiMax® Pro XS w/Torque Master.......\$41,995 250 L Verado® Pro FourStroke.....\$46,295

Fish like a pro w/tons of upgrades & extra features, see details on pg. 121

w/Mercury® 200 L OptiMax® Pro XS & Custom Trailer (plus freight & prep)









1. There's room for an optional 12" flush-mounted fishfinder on the bow panel and on the driver's console. 2. NASCAR®-inspired seating for all-day comfort on long runs and rough water. 3. 2 aft storage boxes that will each hold seven 3700-style tackle boxes and lift out to allow roomy access to the rigging compartment.

\$34,995

STANDARD PACKAGE: w/Mercury® 200 L OptiMax® Pro XS & Custom Trailer (plus freight & prep)

ADDITIONAL MOTORS: 175 L OptiMax® Pro XS......200 L Verado® Pro FourStroke.... \$33,695 \$39,695

Fish like a pro w/tons of upgrades & extra features, see details on pg. 123


^{\$}41,495

w/Mercury® 200 L OptiMax® Pro XS & Custom Trailer (plus freight & prep)









1. Lockable port and starboard bow rod lockers with lift assists for rods up to 8' (2.44 m). 2. Step to bow deck with 62-qt. (58.7 L) insulated cooler, removable trash receptacle and optional sandwich tray. 3. 30-gal. (113.56 L) Guardian™ livewell with rounded corners keeps fish healthy during long tournament days.

\$28,995


STANDARD PACKAGE: w/Mercury® 150 L OptiMax® Pro XS & Custom Trailer (plus freight & prep)

ADDITIONAL MOTORS: 150 L FourStroke......175 L OptiMax® Pro XS...... \$29,195









1. Convenient gelcoated storage compartments under driver and passenger seats. 2. Lockable center bow rod storage for rods up to 7'6" (2.3 m).
3. Navigation lights integrated into the gunnels for simple activation.

\$24,595


STANDARD PACKAGE: w/Mercury® 115 ELPT FourStroke & Custom Trailer (plus freight & prep)

ADDITIONAL MOTORS: 90 ELPT FourStroke..... \$23,595 115 ELPT Pro XS FourStroke Command Thrust... \$25,145









1. Full-width aft storage compartment for skis, rods and more. 2. Stowable ski tow pylon for towing tubers, skiers and kneeboarders. 3. Cushioned backrests (seats are optional) plus gelcoated storage beneath.

\$31,795

STANDARD PACKAGE: w/Mercury® 150 L OptiMax Pro® XS & Custom Trailer (plus freight & prep)

ADDITIONAL MOTORS: 175 L OptiMax® Pro XS...... 200 L OptiMax® Pro XS..... \$33,195

2017









1. Protective dual consoles with high windshields and optional wrap-around walk-thru windshield. 2. 3-level center rod locker with organizers for rods up to 8' (2.44 m) long. 3. Aft 26-gal. (98.42 L) insulated Guardian™ anti-slosh rotomolded livewell with rounded corners, removable divider and bait bucket.

\$51,995

STANDARD PACKAGE: w/Mercury® 250 XL OptiMax® Pro XS & Custom Trailer (plus freight & prep)

ADDITIONAL MOTORS: 300 XL Verado® Pro FourStroke.. 350 XL Verado®...... \$57,195 \$59,895


Fish like a pro w/tons of upgrades & extra features, see details on pg. 131

w/Mercury[®] 250 XL OptiMax[®] Pro XS & Custom Trailer (plus freight & prep)









Battery storage along keel in center cockpit floor for proper weight distribution and tracking.
 Driver's side tool organizer and drink holder.
 2 aft storage boxes that will each hold seven 3700-style tackle boxes.

\$37,995

STANDARD PACKAGE: w/Mercury® 150 XL FourStroke & Custom Trailer (plus freight & prep)

ADDITIONAL MOTORS: 200 XL OptiMax®......200 XL Verado®..... \$40,995\$43,395 Fish like a pro w/tons of upgrades & extra features, see details on pg. 133

PACKAGE

w/Mercury® 150 XL FourStroke & Custom Trailer (plus freight & prep)

CUSTOM-MATCHED TRACES TRACES

UNMATCHED QUALITY OF CONSTRUCTION

Every NITRO trailer is built from heavy-duty steel tubing protected with our exclusive new GALVASHIELD® Impact corrosion and chip protection—a thick, baked on powder coat finish that shields your trailer from the road and the water. This results in an extremely durable finish for maximum longevity through many trips to the lake.

Other features include radial tires, an outboard motor support, safety winch strap on the heavy-duty winch, swing-away tongue, low-maintenance hubs, safety cables, pivoting tongue jack and more. So, when you're ready to leave home and head to the water, your NITRO boat package is too!



New GALVASHIELD® Impact powder coat finish for improved corrosion and chip protection.



Submersible, angled LED backup lights for long life and improved visibility.

IN OUR DEDICATED TRAILER PLANT IN OZARK, MISSOURI, we custom-build trailers for every NITRO® boat so you know the fit will be perfect. This results in a smooth, solid ride to

and from the water year after year.



COLD-FORMED STEEL FOR EXTRA STRENGTH

GALVANIZED (ZINC COATED)
INSIDE AND OUT

CONVERSION COAT FOR SUPERIOR ADHESION

DURABLE POWDER-COAT FINISH

3-YEAR WARRANTY PROTECTION

Our exclusive GALVASHIELD trailers, with their baked-on powder-coat finish, offer industry-leading warranty protection (3 years) against failure due to corrosion.



BLACKOUT WHEELS

18" (45.7 cm) custom matte black aluminum alloy wheel upgrade and Hercules RAPTIS® R-T5 tires and spare. 17" chrome wheels also available. Available on Z Series and ZV21 boats. Must order fiberglass fenders.



NO TOUCH VORTEX HUBS W/6-YEAR, 100,000-MILE WARRANTY

All NITRO® trailers come with our No Touch Vortex hub lubrication system, so you no longer need to re-grease or inspect your hubs! These hubs feature a lithium complex fortified with rust and oxidation inhibitors, high-pressure additives and great water resistance. They are also covered by a 6-year or 100,000-mile warranty!

Completely sealed lubrication reservoir permits maximum lubrication.

Easily accessible internal lubrication port fitting.

Threaded cap for twist on/off removal, should the need arise due to an accident.

Internal lubrication channel allows for maximum flushing of the existing lubricant while flushing the system with new lubricant, when the time comes to change grease.



Triple-lip, spring-loaded seal provides improved sealing over single- and double-lip seals.

WE'VE GOT YOU CONTROL THE STATE OF THE STA

Every NITRO® boat is available with a high-quality cover specially made to fit it just right. Ratchet covers with marine-grade materials ensure your cover will protect your boat from the elements for years to come.



PRO SERIES ROPE RATCHET COVERS

We've got you covered with a custom tournament cover. The solution-dyed polyester cover looks sharp and fits your boat and motor like a glove. It includes mildew-block treatment, UV inhibitors and accommodates motors and consoles. Available for all Z and ZV Series boats.



ROPE RATCHET COVERS

NITRO rope ratchet covers are made to perfectly fit the models they are designed for. They are manufactured from marine-grade, water-resistant polyester fabrics. Available for all Z and ZV Series boats

Z19 Sport standard cover and cover for boat with Bimini top are also available.



A NITRO LOOKS AS GOOD AS IT PERFORMS.

Throughout the interior of every NITRO, you'll find details that will improve your fishing experience—and look amazing all the way. Carefully-stitched upholstery crafted in our facilities. Illuminated switches and gauges. Custom steering wheels. Embossed seating. Your boat will ride the leading edge of luxurious good looks. In addition to their aggressive performance attributes, top-tier fishing features and rugged construction, NITRO boats also ride the leading edge of style with eye-catching color schemes and a lustrous, extremely durable finish. PLUS they're all customizable to fit your own personality and tastes, visit NITRO.COM to customize yours today.

STANDARD GEAR AND OPTIONS FROM OUR

To ensure that your NITRO® provides industry-leading value and maximum fishability, we pack it full of products from the leaders in the fishing industry.



Mercury® Outboards

We offer a full line of Mercury FourStroke, OptiMax® and Verado® outboards to help power you to the top of the leaderboard.



MINININ MOTER

Minn Kota® Trolling Motors

Minn Kota makes the toughest, most innovative trolling motors on the market—and we make them standard on all NITRO models.



LOWRANCE°

Lowrance® Fishfinders

The first and finest marine electronics manufacturer since 1957, installed on every NITRO boat.



NOCO® Genius Chargers

Standard NOCO waterproof battery chargers keep you powered up and ready to fish in the most demanding tournament conditions.



Interstate® Batteries

Interstate batteries provide reliable starting and worry-free trolling for long days on the water—installed standard on all NITRO boats.



Power-Pole™ Anchors

Rock-solid and fast-deploying Power-Pole shallow-water anchors keep you locked in place in up to 10' of water.

ADDITIONAL OPTIONS

We offer the same options that pros like Kevin VanDam use in their professional tournament careers. From the functional to the aesthetic to the protective, we've got everything you need to join the big leagues.

Comprehensive option availability can be found on pages 116–133 and at NITRO.COM



NITRO® Removable Port Console Available on all Z Series boats. Easily removable by one person without tools.



Jack Plates Add speed, stability and fuel economy with hydraulic or manual jack plates.



Minn Kota® Talon™ Anchors Stay on the fish when you find them with Minn Kota shallow-water anchors.



MotorGuide® Trolling Motors Powerful and reliable trolling for tournament competition or a weekend at the lake.



Bluetooth®-Capable Stereo Stream tunes from your phone while you're chasing your next record.



Hot Foot™ Throttle Control Free up your throttle hand for easier control and better responsiveness.



Humminbird® Fishfinders A leader in advanced marine electronics. We offer a full range of Humminbird products.



Loc-R-Bar Gear Protection Provides an extra level of security for your expensive fishing tackle.



Keel Protector Protect your keel from scratches with a durable keel protector in black or white.

SELECT YOUR COLOR COMBINATION

NITRO® gelcoat is hand-applied in multiple layers at precise thicknesses by skilled technicians, and the result is a lustrous, highly durable finish that will dazzle onlookers—and last for a lifetime. Chose from over 30 custom colors to make your boat stand out at the lake. Configurations include popular 3-Color Premium, 4-Color Elite and fully customized colors. Literally hundreds of combinations are possible, and our color selector tool online at NITRO.COM will let you see a preview of what your new boat will look like! (Custom colors not available on the Z19 Sport.)

Z SERIES PREMIUM COLORS STANDARD ON: Z18, Z19, Z20 and Z21



Z SERIES ELITE COLORS STANDARD ON: Z21, OPTIONAL ON: Z18, Z19 AND Z20



113

Z SPORT COLORS 10 MORE Z SPORT COLOR OPTIONS AVAILABLE AT NITRO.COM



ZV SERIES PREMIUM COLORS 6 MORE ZV PREMIUM COLOR OPTIONS AVAILABLE AT NITRO.COM



ZV SERIES ELITE COLORS 6 MORE ZV ELITE COLOR OPTIONS AVAILABLE AT NITRO.COM



CUSTOMIZE YOUR BOAT TODAY

Choose from hundreds of custom color combinations at NITRO.COM. Not available for Z19 Sport.

CUSTOM COLOR EXAMPLES





AVAILABLE COLORS





FULL NITRO LINEUP CONTROL INFUP CONTROL INFU CONT

Use this comparison chart to decide which NITRO® boat is right for you.

The usage chart offers suggestions aligning with the design intent of the boat, but other uses are possible.

SPECIFICATIONS

INTERIOR

	DESCRIPTION	Z21	Z20	Z19	
	Walleye Fishing	X	X		
	Muskie/Pike Fishing	X	X		
	Bass Fishing	X	X	X	
	Watersports				
	Tournament Fishing	X	X	X	
	Big Water (Great Lakes)	X	X		
	Length	21" 2" (6.45 m)	20' 2" (6.15 m)	19' 4" (5.89 m)	
	Beam	95" (2.41 m)	96" (2.44 m)	94" (2.39 m)	
	Storage Length	24' 4" (7.42 m)	23' 8" (7.21 m)	22' 7" (6.88 m)	
	Max. Person Capacity	4	4	4	
	Max. Weight Capacity	1,800 lbs. (816.47 kg)	1,525 lbs. (691.73 kg)	1,375 lbs. (623.69 kg)	
;	Fuel Capacity	55 gal. (208.20 L)	55 gal. (208.20 L)	50 gal. (189.27 L)	
	Approx. Weight	2,150 lbs. (975.22 kg)	2,000 lbs. (907.18 kg)	1,850 lbs. (839.15 kg)	
	Approx. Package Weight	4,050 lbs. (1,837.05 kg)	4,050 lbs. (1,837.05 kg)	3,249 lbs. (1,473.72 kg)	
	Single Console	X	X	X	
	Dual Console				
	Walk-Thru Windshield				
;	Removable Port console	Optional	Optional	Optional	
	Bow Deck Square Footage	45 (4.18 sq. m)	38 (3.53 sq. m)	34 (3.16 sq. m)	
	Drainage Channels Around Bow Storage	X	X	X	
	Rod Storage	8' (2.44 m)	8' (2.44 m)	8' (2.44 m)	
	Livewells	Two 19 gal. (71.92 L)	Two 19 gal. (71.92 L)	Two 19 gal. (71.92 L)	
	Number of Seats	5	5	5	
,	Standard Mercury® Motor	225 L OptiMax® Pro XS w/Torque Master	200 L OptiMax® Pro XS	200 L OptiMax® Pro XS	
	Max. Recommended Horsepower	300	250	200	
ELECT KUNICS	Standard Minn Kota® Trolling Motor	24V, 80-lb. thrust, 42"	24V, 80-lb. thrust, 42"	24V, 70-lb. thrust, 42"	
	Standard Lowrance® Fishfinder	Elite-7 Ti	HOOK-5x	HOOK-5x	
	Optional Fishfinders	12" Bow & Console	12" Bow & Console	12" Bow & Console	

^{*}The usage category consists of suggestions only. Our boats are built to be highly versatile and very capable in a variety of situations. These suggestions are just a starting point. Boats may be shown with optional equipment.





STANDARD FEATURES & OPTION

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations and features.

HULL LENGTH 21' 2" (6.45 m)

BEAM 95" (2.41 m) **TRANSOM HEIGHT 22.5**" (0.57 m)

MAX. HP

MAX. PERSON CAPACITY

4/825 lbs. (374.21 kg)

FUEL CAPACITY

55 gal. (208.20 l)

MAX. WEIGHT CAPACITY

1,800 lbs. (816.47 kg)

STORAGE LENGTH

24' 4"[7.42 m]

SPECIFICATIONS

74" (1.88 m)
18.5" (0.47 m)
16 degrees
16" (0.41 m)
2,150 lbs. (975.22 kg)
4,050 lbs. (1,837.05 kg)
8' 6" (2.59 m)

MOTOR OPTIONS

MERCURY® MOTOR EST.	SPEED (MPH)	PRICE
225 L OptiMax® Pro XS w/Torque Master	66–68	\$44,995
250 L OptiMax® Pro XS w/Torque Master	70–72	\$47,995
300 L OptiMax® Pro XS w/Torque Master	73–75	\$54,995
250 L Verado® Pro FourStroke	69–71	\$50,895
300 L Verado® Pro FourStroke	73–75	\$52,895

Estimated speeds are variable, depending on load, passengers, elevation, weather and water conditions.

Boat may be shown with optional equipment. Specs and features subject to change without notice.

STANDARD FEATURES



COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Anti-fatigue, padded-comfort bow deck
- Non-skid mats bow & stern
- Remote oil fill (OptiMax® motors only)
- Spare prop holder
- 5 drink holders
- 4 stainless steel pull-up cleats
- Integrated fold-down stainless steel reboarding ladder
- NEW 4 grab handles (1 at passenger, 2 at center seat, 1 at transom)
- Built-in tournament ruler & holder
- Fire extinguisher, horn & paddle



CONSOLE

- Flush-mounted Lowrance® Elite-7 Ti Combo fishfinder w/GPS
- Hydraulic steering w/tilt
- Removable acrylic, tinted windscreen
- Ready to accept optional removable port console
- Custom-molded modular console w/2-tone gelcoat
- Veethree® multi-function instrumentation w/speedometer/fuel gauge, tach/trim gauge, water pressure gauge & oil level indicator
- Digital switch panel w/blue backlight & soft-touch shroud
- Dash light dimmer
- Soft-touch waterproof digital switches
- LED courtesy light Below-console RAM® X-Grip® phone holder & 12V outlet



CONSTRUCTION & EXTERIOR

- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Low-profile gunnels to maximize deck size & for easier casting



ELECTRICAL

- E-Start emergency jump start system
- Bow panel w/anchor/light switch, trim switch & room to flush-mount 12" (30.5 cm) graph
- 1,600 GPH (6,057 LPH) automatic bilge pump
- LED console courtesy light
- Bow navigation lights integrated into gunnels w/stowable stern light
- Automatic LED-lighted bow storage
- Automotive-style labeled fuse panel w/cover
- Interstate® cranking battery
- 2 heavy-duty Interstate® Series 29 trolling batteries

- 3-bank, 30-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch plugin gauge connectors
- Water & abrasion-resistant connectors



- 45-sq.-ft., (4.2-sq.-m) anti-fatigue, padded bow deck for comfort & mobility
- 86-qt. (81 L) insulated cooler, removable trash receptacle & snap-in sandwich tray
- NASCAR®-inspired 3-across seating w/adjustable, sliding helm & passenger bucket seats
- Bike seat w/hydraulic pedestal
- Folding fishing seat w/composite frame & hydraulic pedestal
- Designated net storage behind seating Trolling motor pedal recess for Minn Kota® & MotorGuide® trolling motors
- Oversized, lockable port & starboard bow rod lockers w/lift assists for 8' (2.44 m) rods
- Rod organizer in port rod locker
- Molded-in drainage channels around bow storage compartments
- Port & starboard bow rod hold-down straps
- Oversized lockable center bow storage locker w/Tackle Management System
- Center bow magnetic under-lid lure organizer
- 2 large, lockable center bow storage lockers w/lift assists Partner rod ramp w/rod handle organizer & rod holder strap
- Port below-console pull-out storage drawer
- 1 lift-out aft port box that will accept four 3700 tackle trays w/propeller storage beneath
- 1 lift-out, molded aft starboard storage box that will accept seven 3700 tackle trays
- Molded utility rigging compartment w/removable storage tray
- 24-oz. (.68 kg) plush, marine-grade cut-pile carpet on deck & floor
- Stainless steel lockable compression latches
- Footrest w/non-skid mat under console(s)
- Insulated aluminum lids w/welded corners



LIVEWELL SYSTEMS

- 2 insulated aft 19-gal. (71.92 L) Guardian™ livewells w/digital timers
- 750 GPH (2,840 LPH) livewell recirculation/pump-out system
- 500 GPH (1,893 LPH) aerator/fill pump
- Oxygen generator in each livewell
- Dual remote drain controls

PERFORMANCE

- 16° variable deadrise hull
- Rapid Planing System™ for quicker holeshots & maximized speed
- 8" (20.0 cm) adjustable jack plate (Verado® only)
- 12" (30.5 cm) adjustable jack plate (OptiMax® only)
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

TRAILER

- Custom-fit, factory-matched, tandem-axle NITRO® trailer w/powder-coat finish & NEW GALVASHIELD® Impact corrosion protection for improved durability

 14" (35.6 cm) custom aluminum wheels w/radial tires & surge disc brakes on 1 axle

 No Touch Vortex hub lubrication system w/6-yr., 100,000-mile limited warranty

 Spare tire carrier w/matching spare

 All-welded rectangular GALVASHIELD® frame

- Space-saving swing-away tongue to reduce storage length
- 1,600-lb. (726 kg) swing-up locking jack w/swivel wheel

- Heavy-duty winch w/nylon strap, bow safety strap & safety cables
- Integrated winch stand step w/handle for easier boarding at bow while boat is on trailer
- Outboard motor support to reduce hull & transom stress while towing
- Fiberglass fender design w/integrated back-up lights
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights



Minn Kota® Maxxum® 24V, 80-lb. thrust, 42" (1.07 m), foot-control trolling motor

OPTIONS

Lowrance Elite-7 Ti (RAM mounted) \$1,390	Z PRO PACKAGE (w/Package, other options may not be available)	
Lowrance		\$1.390
- Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted) \$1,140 - Humminbird® HELLX® 7 SI (RAM mounted) \$1,140 - Humminbird® HELLX® 10 SI (RAM mounted) \$2,075 - Humminbird® HELLX® 10 SI (RAM mounted) \$2,075 - Humminbird® HELLX® 10 SI (RAM mounted) \$3,000 DASH GRAPH EXCHANGE - Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted) \$770 - Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted) \$770 - Lowrance® HDS-7 Touch w/StructureScan® (ministalled) \$710 - Lowrance® HDS-9 Touch w/StructureScan® (uninstalled) \$1,920 - Lowrance® HDS-9 Touch w/StructureScan® (uninstalled) \$1,920 - Lowrance® HDS-9 Touch w/StructureScan® (uninstalled) \$1,920 - Lowrance® HDS-12 Touch w/StructureScan® (uninstalled) \$3,025 - Humminbird® HELLX® 7 SI (GIMBAL or RAM mounted) \$1,820 - Humminbird® HELLX® 7 SI (GIMBAL or RAM mounted) \$1,8375 - Humminbird® HELLX® 9 SI (GIMBAL or RAM mounted) \$1,8375 - Humminbird® HELLX® 9 SI (GIMBAL or RAM mounted) \$1,8375 - Humminbird® HELLX® 10 SI (GIMBAL or RAM mounted) \$1,830 - Humminbird® HELLX® 10 SI (GIMBAL or RAM mounted) \$1,840 - Humminbird® HELLX® 10 SI (GIMBAL or RAM mounted) \$1,440 - Humminbird® HELLX® 10 SI (GIMBAL or RAM mounted) \$1,430 2ND DASH GRAPH - Lowrance® Elite-7 Ti (RAM mounted) \$1,430 2ND DASH GRAPH - Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) \$1,890 - Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) \$1,890 - Lowrance® HDS-19 SI (GIMBAL or RAM mounted) \$1,530 - Humminbird® HELLX® 10 SI (RAM mounted) \$1,530	- Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted)	\$1,680
Humminbird		
- Humminbird® HELIX® 19 SI (RAM mounted) \$2,075 - Humminbird® HELIX® 19 SI (RAM mounted) \$3,000 DASH GRAPH EXCHANGE - Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted) \$770 - Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted) \$770 - Lowrance® HDS-9 Touch w/StructureScan® (uninstalled) \$710 - Lowrance® HDS-9 Touch w/StructureScan® (uninstalled) \$1,920 - Lowrance® HDS-9 Touch w/StructureScan® (uninstalled) \$1,920 - Lowrance® HDS-9 Touch w/StructureScan® (uninstalled) \$1,920 - Lowrance® HDS-12 Touch w/StructureScan® (uninstalled) \$3,025 - Lowrance® HDS-12 Touch w/StructureScan® (uninstalled) \$3,025 - Humminbird® HELIX® 7 SI (GIMBAL or RAM mounted) \$2,965 - Humminbird® HELIX® 7 SI (Ininstalled) \$2,965 - Humminbird® HELIX® 9 SI (GIMBAL or RAM mounted) \$2,965 - Humminbird® HELIX® 9 SI (GIMBAL or RAM mounted) \$3,025 - Humminbird® HELIX® 9 SI (GIMBAL or RAM mounted) \$3,025 - Humminbird® HELIX® 10 SI (GIMBAL or RAM mounted) \$4,000 - Humminbird® HELIX® 10 SI (GIMBAL or RAM mounted) \$4,000 - Humminbird® HELIX® 10 SI (GIMBAL or RAM mounted) \$4,000 - Humminbird® HELIX® 10 SI (GIMBAL or RAM mounted) \$1,490 - Humminbird® HELIX® 12 SI (GIMBAL or RAM mounted) \$1,490 - Humminbird® HELIX® 12 SI (GIMBAL or RAM mounted) \$1,490 - Humminbird® HELIX® 12 SI (GIMBAL or RAM mounted) \$1,490 - Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) \$1,490 - Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) \$1,490 - Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) \$1,400 - Humminbird® HELIX® 10 SI (RAM mounted) \$1,500 - Tim lever on wheel for OptiMax® motor \$1,500 - Tim lever on wheel for OptiMax® motor \$1,500 - Tim lever on wheel for OptiMax® motor \$1,500 - Tim lever on wheel for OptiMax® motor \$1,500 - Tim lever on wheel for Op		
- Humminbird* HELIX** 10 SI (RAM mounted) \$3,000 DASH GRAPH EXCHANGE		
DASH GRAPH EXCHANGE - Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted)	- Humminbird® HELIX™ 10 SI (RAM mounted)	\$2,075
Lowrance	- Humminbird® HELIX™ 12 SI (RAM mounted)	\$3,000
- Lowrance® HDS-7 Touch w/StructureScan® (Ininstalled). \$710 - Lowrance® HDS-9 Touch w/StructureScan® (Ininstalled). \$1,860 - Lowrance® HDS-12 Touch w/StructureScan® (Ininstalled). \$3,025 - Lowrance® HDS-12 Touch w/StructureScan® (Ininstalled). \$3,025 - Lowrance® HDS-12 Touch w/StructureScan® (Ininstalled). \$2,965 - Humminbird® HELIX™ 7 SI (IGIMBAL or RAM mounted). [-\$375] - Humminbird® HELIX™ 7 SI (IGIMBAL or RAM mounted). [-\$440] - Humminbird® HELIX™ 9 SI (IGIMBAL or RAM mounted). [-\$440] - Humminbird® HELIX™ 9 SI (IGIMBAL or RAM mounted). [-\$155] - Humminbird® HELIX™ 10 SI (IGIMBAL or RAM mounted). [-\$140] - Humminbird® HELIX™ 10 SI (IGIMBAL or RAM mounted). \$480 - Humminbird® HELIX™ 10 SI (IGIMBAL or RAM mounted). \$140 - Humminbird® HELIX™ 12 SI (IGIMBAL or RAM mounted). \$140 - Humminbird® HELIX™ 12 SI (IGIMBAL or RAM mounted). \$1,490 - Humminbird® HELIX™ 12 SI (IGIMBAL or RAM mounted). \$1,490 - Humminbird® HELIX™ 12 SI (IGIMBAL or RAM mounted). \$1,680 - Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted). \$1,680 - Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted). \$2,880 - Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted). \$1,680 - Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted). \$1,140 - Humminbird® HELIX™ 9 SI (RAM mounted). \$1,140 - Humminbird® HELIX™ 9 SI (RAM mounted). \$1,140 - Humminbird® HELIX™ 12 SI (RAM mounted). \$1,140 - Humminbird® HELIX™ 12 SI (RAM mounted). \$2,075 - Humminbird® HELIX™ 12 SI (RAM mounted). \$3,000 - Stealth 1,20-amp battery charger \$2,075 - Trim lever on wheel for Verado® w/standard jack plate. \$2,075 - Trim lever on wheel for Verado® w/standard jack plate. \$2,075 - Trim lever on wheel for Verado® w/standard jack plate. \$2,075 - Trim lever on wheel for Verado® w/standard jack plate. \$2,075 - Trim lever on wheel for Verado® w/		
Lowrance		
- Lowrance® HDS-9 Touch w/StructureScan® (flush or RAM mounted) Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted) Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted) S2,965 - Humminbird® HELIX™ 7 SI (gIMBAL or RAM mounted) F375 - Humminbird® HELIX™ 9 SI (gIminstalled) Humminbird® HELIX™ 9 SI (gIMBAL or RAM mounted) Humminbird® HELIX™ 9 SI (gIMBAL or RAM mounted) Humminbird® HELIX™ 10 SI (gIMBAL or RAM mounted) Humminbird® HELIX™ 12 SI (gIMBAL or RAM mounted) Humminbird® HELIX™ 12 SI (gIMBAL or RAM mounted) Humminbird® HELIX™ 12 SI (gIMBAL or RAM mounted) S420 - Humminbird® HELIX™ 12 SI (gIMBAL or RAM mounted) S1,430 2ND DASH GRAPH - Lowrance® Elite-7 Ti (RAM mounted) Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted) S1,580 - Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) S1,535 - Humminbird® HELIX™ 7 SI (RAM mounted) S1,535 - Humminbird® HELIX™ 10 SI (RAM mounted) S3,000 ELECTRONICS - Bluetooth®-capable Sony® stereo system \$530 PERFORMANCE & STEERING - Hot Foot™ (verado® motors only) Hot Foot™ (verado® motors only) S150 - Trim lever on wheel for OptiMax® motor \$255 - Trim lever on wheel for Verado® w/standard jack plate Time lever on wheel for Verado® w/standard jack plate \$150 - Trim lever on wheel for Verado® w/standard jack plate \$150 - Trim lever on wheel for Verado® w/standard jack plate \$250 BATTERY CHARGER EXCHANGE - 4-bank, 40-amp battery charger \$75 - Dual Pro® international battery charger \$75 - Stealth 1, 20-amp battery charger \$75 - Dual Pro® international battery charger \$75 - Stealth 1, 20-amp battery charger w/out gauge \$500 - HARDWARE & EQUIPMENT - \$100 - \$100 - \$100 - \$100 - \$100 - \$100 - \$100 - \$100 - \$10		
- Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted) Lowrance® HDS-12 Touch w/StructureScan® (uninstalled) S2,965 - Humminbird® HELIX™ 7 SI (gIMBAL or RAM mounted) Humminbird® HELIX™ 9 SI (uninstalled) Humminbird® HELIX™ 9 SI (gIMBAL or RAM mounted) Humminbird® HELIX™ 9 SI (uninstalled) Humminbird® HELIX™ 10 SI (gIMBAL or RAM mounted) Humminbird® HELIX™ 10 SI (uninstalled) Humminbird® HELIX™ 10 SI (uninstalled) Humminbird® HELIX™ 10 SI (uninstalled) Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted) Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted) Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted) Humminbird® HELIX™ 12 SI (Ininstalled) S1,490 - Humminbird® HELIX™ 12 SI (uninstalled) Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted) Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) Humminbird® HELIX™ 7 SI (RAM mounted) Humminbird® HELIX™ 5 SI (RAM mounted) Humminbird® HELIX™ 10 SI (RAM mounted) S1,535 - Humminbird® HELIX™ 10 SI (RAM mounted) S2,075 - Humminbird® HELIX™ 12 SI (RAM mounted) S2,075 - Humminbird® HELIX™ 12 SI (RAM mounted) S3,000 - ELECTRONICS - Bluetooth®-capable Sony® stereo system \$530 - PERFORMANCE & STEERING - Hot Foot™ (non-Verado® motors only) Steering wheel hub extension \$25 - Trim lever on wheel for OptiMax® motor \$85 - Trim lever on wheel for Verado® w/hydraulic jack plate Trim lever on wheel for Verado® w/standard jack plate Trim lever on wheel for Verado® w/standard jack plate S50 - BATTERY CHARGER EXCHANGE - 4-bank, 40-amp battery charger \$75 - Dual Pro® international battery charger \$75 - Dual Pro® international battery charger \$75 - Stealth 1, 20-amp battery charger w/out gauge \$350 - Stealth 1, 20-amp battery charger w/out gauge \$500 - HARDWARE & EQUIPMENT - 2 automatic bilde pumps.		
Humminbird® HELIX™ 7 SI (uninstalled) [-\$375] Humminbird® HELIX™ 9 SI (uninstalled) [-\$4440] Humminbird® HELIX™ 9 SI (gimBAL or RAM mounted) [-\$75] Humminbird® HELIX™ 9 SI (gimBAL or RAM mounted) [-\$75] Humminbird® HELIX™ 10 SI (gimBAL or RAM mounted) \$480 Humminbird® HELIX™ 10 SI (uninstalled) \$480 Humminbird® HELIX™ 12 SI (uninstalled) \$1,490 Humminbird® HELIX™ 12 SI (uninstalled) \$1,490 Humminbird® HELIX™ 12 SI (uninstalled) \$1,490 Humminbird® HELIX™ 12 SI (uninstalled) \$1,430 2ND DASH GRAPH Lowrance® HIbL™ 12 SI (uninstalled) \$1,430 2ND DASH GRAPH Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) \$1,680 Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) \$2,880 Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) \$2,880 Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) \$1,140 Humminbird® HELIX™ 13 I (RAM mounted) \$1,153 Humminbird® HELIX™ 10 SI (RAM mounted) \$2,075 Humminbird® HELIX™ 10 SI (RAM mounted) \$2,075 Humminbird® HELIX™ 12 SI (RAM mounted) \$3,000 ELECTRONICS Bluetooth®-capable Sony® stereo system \$530 PERFORMANCE & STEERING Hot Foot™ (Non-Verado® motors only) \$150 Hot Foot™ (Verado® motors only) \$150 Tirm lever on wheel for OptiMax® motor \$25 Tirm lever on wheel for Verado® w/standard jack plate \$25 BATTERY CHARGER EXCHANGE 4-bank, 40-amp battery charger \$75 Dual Pro® international battery charger \$75 Dual Pro® international battery charger \$75 Dual Pro® international battery charger \$375 Stealth 1, 20-amp battery charger w/out gauge \$375 Stealth 1, 20-amp battery charger w/out gauge \$375 Stealth 1, 20-amp battery charger w/out gauge \$350 HARDWARE & EQUIPMENT 2 automatic bilde pumps	- Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted)	\$3,025
- Humminbird® HELIX™ 7 SI (uninstalled). [-\$440] - Humminbird® HELIX™ 9 SI (GIMBAL or RAM mounted). [-\$75] - Humminbird® HELIX™ 10 SI (uninstalled). [-\$140] - Humminbird® HELIX™ 10 SI (uninstalled). \$480 - Humminbird® HELIX™ 10 SI (uninstalled). \$420 - Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted). \$1,490 - Humminbird® HELIX™ 12 SI (uninstalled). \$1,430 2ND DASH GRAPH - Lowrance® Elite-7 Ti (RAM mounted). \$1,390 - Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted). \$1,680 - Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted). \$2,880 - Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted). \$4,120 - Humminbird® HELIX™ 7 SI (RAM mounted). \$1,140 - Humminbird® HELIX™ 7 SI (RAM mounted). \$1,535 - Humminbird® HELIX™ 10 SI (RAM mounted). \$2,075 - Humminbird® HELIX™ 10 SI (RAM mounted). \$2,075 - Humminbird® HELIX™ 12 SI (RAM mounted). \$3,000 ELECTRONICS - Bluetooth®-capable Sony® stereo system. \$530 PERFORMANCE & STEERING - Hot Foot™ (non-Verado® motors only). \$425 - Steering wheel hub extension. \$25 - Trim lever on wheel for OptiMax® motor. \$25 - Trim lever on wheel for OptiMax® motor. \$25 - Trim lever on wheel for Verado® w/standard jack plate. \$250 BATTERY CHARGER EXCHANGE - 4-bank, 40-amp battery charger. \$75 - Dual Pro® international battery charger. \$75 - Dual Pro® international battery charger. \$75 - Stealth 1, 20-amp battery charger w/out gauge. \$500 HARDWARE & EQUIPMENT - 2 automatic bilde pumps. \$130		
- Humminbird® HELIX™ 9 SI (GIMBAL or RAM mounted). [-\$75] - Humminbird® HELIX™ 10 SI (Ininstalled). [-\$140] - Humminbird® HELIX™ 10 SI (Ininstalled). \$480 - Humminbird® HELIX™ 10 SI (Ininstalled). \$420 - Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted). \$1,490 - Humminbird® HELIX™ 12 SI (Ininstalled). \$1,430 2ND DASH GRAPH - Lowrance® Elite-7 Ti (RAM mounted). \$1,680 - Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted). \$1,680 - Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted). \$2,880 - Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted). \$4,120 - Humminbird® HELIX™ 7 SI (RAM mounted). \$1,535 - Humminbird® HELIX™ 9 SI (RAM mounted). \$1,535 - Humminbird® HELIX™ 10 SI (RAM mounted). \$2,075 - Humminbird® HELIX™ 12 SI (RAM mounted). \$3,000 ELECTRONICS - Bluetooth®-capable Sony® stereo system. \$530 PERFORMANCE & STEERING - Hot Foot™ (non-Verado® motors only). \$425 - Steering wheel hub extension. \$25 - Trim lever on wheel for OptiMax® motor. \$25 - Trim lever on wheel for Verado® w/standard jack plate. \$150 - Trim lever on wheel for Verado® w/standard jack plate. \$250 BATTERY CHARGER EXCHANGE - 4-bank, 40-amp battery charger. \$75 - Dual Pro® international battery charger. \$75 - Stealth 1, 20-amp battery charger w/out gauge. \$375 - Stealth 1, 20-amp battery charger w/out gauge. \$500 HARDWARE & EQUIPMENT - 2 automatic bilde pumps. \$130	- Humminbird® HELIX™ / SI (GIMBAL or KAM mounted)	[-\$3/5]
- Humminbird® HELIX™ 10 SI (gIMBAL or RAM mounted) \$480 - Humminbird® HELIX™ 10 SI (gIMBAL or RAM mounted) \$480 - Humminbird® HELIX™ 12 SI (gIMBAL or RAM mounted) \$1,490 - Humminbird® HELIX™ 12 SI (gIMBAL or RAM mounted) \$1,490 - Humminbird® HELIX™ 12 SI (uninstalled) \$1,430 2ND DASH GRAPH - Lowrance® Elite-7 Ti (RAM mounted) \$1,390 - Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted) \$1,680 - Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted) \$2,880 - Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) \$2,880 - Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) \$1,140 - Humminbird® HELIX™ 7 SI (RAM mounted) \$1,140 - Humminbird® HELIX™ 9 SI (RAM mounted) \$1,1535 - Humminbird® HELIX™ 10 SI (RAM mounted) \$2,075 - Humminbird® HELIX™ 12 SI (RAM mounted) \$3,000 ELECTRONICS - Bluetooth®-capable Sony® stereo system \$530 PERFORMANCE & STEERING - Hot Foot™ (Verado® motors only) \$1,500 - Hot Foot™ (Verado® motors only) \$2,500 - Trim lever on wheel for OptiMax® motor \$2,500 - Trim lever on wheel for Verado® w/standard jack plate \$2,50 BATTERY CHARGER EXCHANGE - 4-bank, 40-amp battery charger \$3,75 - Dual Pro® International battery charger \$3,75 - Stealth 1, 20-amp battery charger \$3,75 - Stealth 1, 20-amp battery charger w/out gauge \$5,500 HARDWARE & EQUIPMENT - 2 automatic bilge pumps \$130	- Humminbird® HELIX™ 9 SI (GIMBAL or RAM mounted)	[-\$75]
- Humminbird® HELIX™ 10 SI (uninstalled)	 Humminbird® HELIX™ 9 SI (uninstalled) 	[-\$140]
- Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted)	- Humminbird® HELIX™ 10 SI (GIMBAL or RAM mounted)	\$480
- Humminbird® HELIX™ 12 SI (uninstalled)	- Humminbird® HELIX 10 SI (uninstalled) - Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted)	\$420 \$1 490
- Lowrance® Elite-7 Ti (RAM mounted)		
- Lowrance® Elite-7 Ti (RAM mounted)	2ND DASH GRAPH	
- Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted) \$2,880 - Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted) \$4,120 - Humminbird® HELIX™ 7 SI (RAM mounted) \$1,140 - Humminbird® HELIX™ 9 SI (RAM mounted) \$1,535 - Humminbird® HELIX™ 10 SI (RAM mounted) \$2,075 - Humminbird® HELIX™ 12 SI (RAM mounted) \$3,000 ELECTRONICS - Bluetooth®-capable Sony® stereo system \$530 PERFORMANCE & STEERING - Hot Foot™ (non-Verado® motors only) \$425 - Steering wheel hub extension \$25 - Steering wheel hub extension \$25 - Trim lever on wheel for OptiMax® motor \$85 - Trim lever on wheel for Verado® w/standard jack plate \$150 - Trim lever on wheel for Verado® w/hydraulic jack plate \$250 BATTERY CHARGER EXCHANGE - 4-bank, 40-amp battery charger \$75 - Dual Pro® international battery charger \$75 - Stealth 1, 20-amp battery charger w/out gauge \$375 - Stealth 1, 20-amp battery charger w/out gauge \$500 HARDWARE & EQUIPMENT - 2 automatic bilge pumps \$130	- Lowrance® Flite-7 Ti (RAM mounted)	\$1,390
- Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted)	- Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted)	\$1,680
- Humminbird® HELIX™ 7 SI (RAM mounted)	- Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted)	\$2,880
- Humminbird® HELIX™ 9 SI (RAM mounted)	- Humminbird® HELIX™ 7 SI (RAM mounted)	\$1,140
- Humminbird® HELIX™ 12 SI (RAM mounted)	- Humminbird® HELIX™ 9 SI (RAM mounted)	\$1,535
ELECTRONICS - Bluetooth®-capable Sony® stereo system	- Humminbird® HELIX™ 10 SI (RAM mounted)	\$2,075
Bluetooth®-capable Sony® stereo system		\$3,000
PERFORMANCE & STEERING - Hot Foot* (non-Verado® motors only)		# E20
- Hot Foot™ (non-Verado® motors only)		\$530
- Hot Foot™ (Verado® motors only)		¢1E0
Steering wheel hub extension		
- Trim lever on wheel for Verado® w/standard jack plate	- Steering wheel hub extension	\$25
- Trim lever on wheel for Verado® w/hydraulic jack plate \$250 BATTERY CHARGER EXCHANGE - 4-bank, 40-amp battery charger \$75 - Dual Pro® international battery charger \$700 - Stealth 1, 20-amp battery charger w/out gauge \$375 - Stealth 1, 20-amp battery charger w/gauge \$500 HARDWARE & EQUIPMENT - 2 automatic bijde pumps \$130	- Trim lever on wheel for OptiMax® motor	\$85
BATTERY CHARGER EXCHANGE - 4-bank, 40-amp battery charger	- Irim lever on wheel for Verado® w/standard_jack plate	\$150 \$250
- 4-bank, 40-amp battery charger \$75 - Dual Pro® international battery charger \$700 - Stealth 1, 20-amp battery charger w/out gauge \$375 - Stealth 1, 20-amp battery charger w/gauge \$500 HARDWARE & EQUIPMENT - 2 automatic bilge pumps \$130		φ250
- Dual Pro® international battery charger		¢75
- Stealth 1, 20-amp battery charger w/out gauge	- Dual Pro® international battery charger	\$700
HARDWARE & EQUIPMENT - 2 automatic bilge pumps\$130	- Stealth 1, 20-amp battery charger w/out gauge	\$375
- 2 automatic bilge pumps\$130		\$500
- 2 automatic bilge pumps		
	- 2 automatic bilge pumps	\$130
- CoolGuard™ livewell cooling system (factory installed only)		
- HydroWave® electronic fish attractor\$540	- HydroWave® electronic fish attractor	\$540
- Keel protector (Black or White)\$315	- Keel protector (Black or White)	\$315
- Line spooler\$50	- Line spooler	\$50

- Loc-R-Bar® w/alarm	¢220
	φΖ30
CUSHIONS & SEATING	
- 2 bike seats (exchange)	
- 2 jump seats (exchange)	\$230
FUNCTIONAL	
- 6" (15.24 cm) BMS hydraulic jack plate (available w/Verado® motors only)	
- 12" (30.48 cm) Atlas hydraulic jack plate (not available w/Verado® motors)	
- 12" (30.48 cm) BMS hydraulic jack plate (not available w/Verado® motors)	
- Minn Kota® 8' (2.44 m) Talon shallow-water anchor (dealer installed)	
- 2 Minn Kota® 8' (2.44 m) Talon shallow-water anchors (dealer installed)	
- Minn Kota® 12' (3.66 m) Talon shallow-water anchor (dealer installed)	
- 2 Minn Kota® 12' (3.66 m) Talon shallow-water anchors (dealer installed) - Power-Pole® Blade 8' shallow-water anchor (dealer installed)	
- 2 Power-Pole® Blade 8' shallow-water anchors (dealer installed)	
- Power-Pole® Blade 10' shallow-water anchor (dealer installed)	
- 2 Power-Pole® Blade 10' shallow-water anchors (dealer installed)	
- Carpet embroidery	
- Removable port console & hardware (factory installed)	
- Sarasota electric lid latches	
- SmartCraft® gauges	
TROLLING MOTOR - Minn Kota® Fortrex® 24V, 80-lb. thrust, 45" (1.14 m) shaft trolling motor w/Universal Sr	
- Minn Kota® Fortrex® 24V, 80-ID. thrust, 45 (1.14 m) shart trolling motor w/ Universal So	
- Minn Kota® Fortrex® 24V, 80-lb. thrust, 52" (1.32 m) shaft trolling motor w/Universal S	
William Notes Torrion 211, 55 lb. timest, 52 (1.52 lil) share doming motor wy oniversal o	
- Minn Kota® Fortrex® 36V, 112-lb. thrust, 45" (1.14 m) shaft trolling motor w/Universal S	
	\$550
- Minn Kota® Fortrex® 36V, 112-lb. thrust, 52" (1.32 m) shaft trolling motor w/Universal S	
- MotorGuide® X5 36V, 105-lb. thrust, 45" (1.14 m) shaft trolling motor	
- MotorGuide® X5 36V, 105-lb. thrust, 50" (1.27 m) shaft trolling motor	\$260
COVERS	
- Genuine NITRO® rope ratchet cover for side or dual consoles—Charcoal	\$840
- Genuine NITRO® Pro Series rope ratchet cover for side or dual consoles—Charcoal	
- Genuine NITRO® w/Minn Kota® Fortrex® trolling motor rope ratchet cover for side or d	
consoles—Charcoal	\$840
- Genuine NITRO® w/Minn Kota® Fortrex® trolling motor Pro Series rope ratchet cover for	or side or
dual consoles—Charcoal	\$970
TRAILER	
- 17" (43.18 cm) custom chrome tire/wheel upgrade & spare tire (must order fiberglass fe	enders)
17 (10.10 still) decision still other than whost applicate a spare the (mast state into the	
- 18" (45.72 cm) custom matte black aluminum alloy wheel upgrade & Hercules RAPTIS I	
tire (must order fiberglass fenders)	
- Retractable trailer tie downs	\$65

- Retractable trailer tie downs.....

Tandem-axle 2 brake ..

.\$325



STANDARD FEATURES & OPTIONS

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations and features

HULL LENGTH 20' 2" (6.15 m)

96" (2.44 m)

TRANSOM HEIGHT 22" (0.56 m)

MAX. HP 250

MAX. PERSON CAPACITY

4/575 lbs. (260,82 kg)

FUEL CAPACITY

55 gal. (208.20 l)

MAX. WEIGHT CAPACITY

1,525 lbs. (691.73 kg)

STORAGE LENGTH

23' 8" (7.21 m)

SPECIFICATIONS

Bottom width	75" (1.91 m)
Depth inside	18" (0.46 m)
Deadrise	16 degrees
Draft	16" (0.41 m)
Approx. weight	2,000 lbs. (907.18 kg)
Approx. package weight	4,050 lbs. (1,837.05 kg)
Package width	8' 6" (2.59 m)

MOTOR OPTIONS

MERCURY® MOTOR	EST. SPEED (MPH)	PRICE
200 L OptiMax® Pro XS	65–67	\$38,995
225 L OptiMax® Pro XS w/Torque N	Master 69–71	\$41,995
250 L OptiMax® Pro XS w/Torque N	Master 72–74	\$43,395
250 L Verado® Pro FourStroke	71–73	\$46,295

Estimated speeds are variable, depending on load, passengers, elevation, weather and water conditions

Boat may be shown with optional equipment. Specs and features subject to change without notice.



STANDARD FEATURES



COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Anti-fatigue, padded-comfort bow deck
- Non-skid mats bow & stern
- Spare prop holder
- 5 drink holders
- 4 stainless steel pull-up cleats
- Integrated fold-down stainless steel reboarding ladder
- NEW 4 grab handles (1 at passenger, 2 at center seat, 1 at transom)
- Built-in tournament ruler & holder
- Fire extinguisher, horn & paddle



CONSOLE

- Flush-mounted Lowrance® HOOK-5x fishfinder w/480x480 pixel display, surface
- temperature & down imaging
- Hydraulic steering w/tilt
 Removable acrylic, tinted windscreen
- Ready to accept optional removable port console
- Custom-molded modular console w/2-tone gelcoat
- Veethree® multi-function instrumentation w/speedometer/fuel gauge, tach/trim gauge, water pressure gauge & oil level indicator
- Digital switch panel w/blue backlight & soft-touch shroud
- Dash light dimmer
- Soft-touch waterproof digital switches
- LED courtesy light
- Below-console 12V outlet



CONSTRUCTION & EXTERIOR

- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Low-profile gunnels to maximize deck size & for easier casting



ELECTRICAL

- E-Start emergency jump start system
- Bow panel w/anchor/light switch, trim switch & room to flush-mount 12" (30.5 cm) graph
 1,600 GPH (6,057 LPH) bilge pump
- LED console courtesy light
- Bow navigation lights integrated into gunnels w/stowable stern light
- Automatic LED-lighted bow storage
- Automotive-style labeled fuse panel w/cover
- Interstate® cranking battery

- 2 heavy-duty Interstate® Series 29 trolling batteries
- 2-bank, 8-amp battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch plugin gauge connectors - Water & abrasion-resistant connectors

INTERIOR

- 38-sq.-ft. (3.5-sq.-m) bow deck
- 74-qt. (70 L) insulated cooler, removable trash receptacle & snap-in sandwich tray
- NASCAR®-inspired helm & passenger bucket seats, helm only w/adjustable seat slide
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Designated net storage behind seating
- Trolling motor pedal recess for Minn Kota® & MotorGuide® trolling motors
- Oversized, lockable port & starboard bow rod lockers w/lift assists for 8' (2.44 m) rods
- Rod organizer in port rod locker
- Molded-in drainage channels around bow storage compartments
- Port & starboard bow rod hold-down straps
- Oversized lockable center bow storage locker w/Tackle Management System
- Partner rod ramp w/rod handle organizer & rod holder strap
- 1 lift-out aft port box that will accept four 3700 tackle trays w/propeller storage beneath
- 1 lift-out, molded aft starboard storage box that will accept seven 3700 tackle trays
- Molded rigging compartment for easy access to batteries & pumps & easy cleanup
- 24-oz. (.68 kg) plush, marine-grade cut-pile carpet on deck & floor
- Stainless steel lockable compression latches
- Footrest w/non-skid mat under console(s) - Insulated aluminum lids w/welded corners



LIVEWELL SYSTEMS

- 2 insulated aft 19-gal. (71.92 L) Guardian™ livewells w/digital timers 750 GPH (2,840 LPH) livewell recirculation/pump-out system
- 500 GPH (1,893 LPH) aerator/fill pump
- Dual remote drain controls



PERFORMANCE

- NITRO® Vortex Technology™ (NVT™) hull for a smoother, drier ride
- Rapid Planing System™ for quicker holeshots & maximized speed
- 8" (20.0 cm) adjustable jack plate (Verado® only)
- 12" (30.5 cm) adjustable jack plate (OptiMax® only)
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller



TRAILER

- Custom-fit, factory-matched, tandem-axle NITRO® trailer w/powder-coat finish & NEW GALVASHIELD® Impact corrosion protection for improved durability
- Surge disc brakes on 1 axle
- Inside-the-frame brake line system w/1-point bleed
- 14" (35.6 cm) custom aluminum wheels w/radial tires
- No Touch Vortex hub lubrication system w/6-yr., 100,000-mile limited warranty
- Spare tire carrier w/matching spare
 All-welded rectangular GALVASHIELD® frame

- Space-saving swing-away tongue to reduce storage length

- Space-saving swing-away tongue to reduce storage length
 1,200-lb. (544 kg) swing-up locking jack w/swivel wheel
 Heavy-duty winch w/nylon strap, bow safety strap & safety cables
 Winch stand step w/handle for easier boarding/reboarding at bow while boat is trailered
 Outboard motor support to reduce hull & transom stress while towing
 Carpeted bunks & fender boards to protect hull

- Submersible LED lights



TROLLING MOTOR

Minn Kota® Maxxum® 24V, 80-lb. thrust, 42" (1.07 m), foot-control trolling motor

OPTIONS

0		
7 PRO PACK AGE (w/Package other ontions may not be available)	\$46 QQ5_\$51 3Q5	BATTERY CHARGER EXCHANGE
Z PRO PACKAGE (w/Package, other options may not be available)		- 2-bank, 20-amp battery charger
Power-Pole® 8' Blade Edition shallow-water anchor Minn Kota® Fortrex® 36V, 112-lb. thrust, 45" (1.14 m) shaft, foot-control trolling motor		- 3-bank, 30-amp battery charger
	notor	- 4-bank, 40-amp battery charger
- Factory-applied keel protector	10101	- Dual Pro® international battery charger
- 4-bank, 40-amp battery charger		- Stealth 1, 20-amp battery charger w/out gauge
- 4-bank, 40-amp battery charger - Bow tool/drink holder		- Stealth 1, 20-amp battery charger w/out gauge
- Bow tool/drink holder - Hot Foot™ throttle & Pro-Trim lever		- Stearth 1, 20-amp battery charger w/gauge
		HARDWARE & EQUIPMENT
- 1 automatic bilge pump		- 2 oxygen generators
BOW GRAPH		- 2 oxygen generators w/shut-off switch
- Lowrance® HOOK-5 (flush mounted)	\$360	- Automatic bilge pump
- Lowrance® Elite-7 Ti (flush mounted)	\$1 390	- Bow tool/drink holder
- Lowrance® Elite-7 Ti (RAM mounted)	\$1 390	- CoolGuard™ livewell cooling system (factory installed only)
- Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted)		- Hydraulic pedestal (exchange)
- Lowrance® HDS-9 Touch w/StructureScan® (flush or RAM mounted)		- HydroWave® electronic fish attractor
- Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted)	φ2,000 ¢4.120	- Keel protector (Black or White)
- Humminbird® HELIX™ 7 SI (RAM mounted)		- Loc-R-Bar® w/alarm
- Humminbird® HELIX™9 SI (RAM mounted)		- Port under deck storage drawer
- Humminbird® HELIX™ 10 SI (RAM mounted)		- Yort under deck storage drawer
		- X-arip° priorie notaer
- Humminbird® HELIX™ 12 SI (RAM mounted)	\$3,000	CUSHIONS & SEATING
DASH GRAPH EXCHANGE		- 2 bike seats (exchange)
- Lowrance® Elite-7 Ti (flush or RAM mounted)	\$1.055	- 2 jump seats (exchange)
- Lowrance® Elite-7 Ti (uninstalled)		- Adjustable passenger seat
- Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted)	\$1,980	- Center seat
- Lowrance® HDS-7 Touch w/StructureScan® (uninstalled)	\$1,000 \$1,000	
- Lowrance® HDS-9 Touch w/StructureScan® (flush or RAM mounted)		FUNCTIONAL
- Lowrance® HDS-9 Touch w/StructureScan® (uninstalled)		- 6" (15.24 cm) BMS hydraulic jack plate (available w/Verado® mo
- Lowrance® HDS-9 rouch w/StructureScan® (flush or RAM mounted)		- 12" (30.48 cm) Atlas hydraulic jack plate (not available w/Verado
- Lowrance® HDS-12 Touch w/StructureScan® (uninstalled)		- 12" (30.48 cm) BMS hydraulic jack plate (not available w/Verado
		- Minn Kota® 8' (2.44 m) Talon shallow-water anchor (dealer insta
- Humminbird® HELIX™ 7 SI (GIMBAL or RAM mounted)		- 2 Minn Kota® 8' (2.44 m) Talon shallow-water anchors (dealer in
- Humminbird® HELIX™ 7 SI (uninstalled)		- Minn Kota® 12' (3.66 m) Talon shallow-water anchor (dealer inst
- Humminbird® HELIX™ 9 SI (GIMBAL or RAM mounted)		- 2 Minn Kota® 12' (3.66 m) Talon shallow-water anchors (dealer in
- Humminbird® HELIX™ 9 SI (uninstalled)	\$930	- Power-Pole® Blade 8' shallow-water anchor (dealer installed)
- Humminbird® HELIX™ 10 SI (GIMBAL or RAM mounted)	\$1,510	- 2 Power-Pole® Blade 8' shallow-water anchors (dealer installed)
- Humminbird® HELIX™ 10 SI (uninstalled)	\$1,450	- Power-Pole® Blade 10' shallow-water anchor (dealer installed)
- Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted)		- 2 Power-Pole® Blade 10' shallow-water anchors (dealer installed)
- Humminbird® HELIX™ 12 SI (uninstalled)	\$2,365	- Carpet embroidery
2ND DASH GRAPH		- Removable port console & hardware (factory installed)
- Lowrance® Elite-7 Ti (RAM mounted)	¢1 200	- SmartCraft® gauges
- Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted)		- Magnetic under-lid lure holder/organizer
- Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted)	የኃ በበበ	- Magnetic under-nu lure noider/organizer
		TROLLING MOTOR
- Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted)	\$4,120	- Minn Kota® Fortrex® 24V, 80-lb. thrust, 45" (1.14 m) shaft trolling
- Humminbird® HELIX™ 7 SI (RAM mounted)	\$1,140	This rota Total X 211/00 10: and of 10 (111111) order to an in-
- Humminbird® HELIX™ 9 SI (RAM mounted)		- Minn Kota® Fortrex® 24V, 80-lb. thrust, 52" (1.32 m) shaft trolling
- Humminbird® HELIX™ 10 SI (RAM mounted)		William Rota Tortick 244, 60 lb. tilrast, 52 (1.52 lil) shart trolling
- Humminbird® HELIX™ 12 SI (RAM mounted)	\$3,000	- Minn Kota® Fortrex® 36V, 112-lb. thrust, 45" (1.14 m) shaft trollin
ELECTRONICS		- Willin Kota Tortiex Sov, 112-ib. tiliust, 45 (1.14 iii) Shart tioilli
- Bluetooth®-capable Sony® stereo system	¢ E20	- Minn Kota® Fortrex® 36V, 112-lb. thrust, 52" (1.32 m) shaft trollin
- Dide tootiicapable Solly- steleo system		- Willin Kuta- Furtiex- 30V, 112-ib. tillust, 32 (1.32 iii) shart tidili
PERFORMANCE & STEERING		
- Hot Foot™ (non-Verado® motors only)	\$150	- Minn Kota® Maxxum® 24V, 80-lb. thrust, 42" (1.07 m) shaft trolli
- Hot Foot™ (Verado® motors only)		- MotorGuide® X5 36V, 105-lb. thrust, 45" (1.14 m) shaft trolling m
- Steering wheel hub extension	\$25	- MotorGuide® X5 36V, 105-lb. thrust, 50" (1.27 m) shaft trolling m
- Trim lever on wheel for OptiMax® motor		COVERS
- Trim lever on wheel for Verado® w/standard jack plate		- Genuine NITRO® rope ratchet cover for side or dual consoles—(
- Trim lever on wheel for Verado® w/hydraulic jack plate		- Genuine NITRO® Pro Series rope ratchet cover for side or dual co
- THILLEVEL OH WHEELTOL VELAUUT WALLAUTE JACK PLATE	⊅∠5U	Genuine NITRO® w/Minn Kota® Fortrex® trolling motor rope rate
		consoles—Charcoal - Genuine NITRO® w/Minn Kota® Fortrex® trolling motor Pro Serie
		dual consoles—Charcoal
		TDAII FD

DAI IERY CHANGER EXCHANGE	***
- 2-bank, 20-amp battery charger	
- 3-bank, 30-amp battery charger	\$130
- 4-bank, 40-amp battery charger	\$180
- Dual Pro® international battery charger	
- Stealth 1, 20-amp battery charger w/out gauge	\$500
- Stealth 1, 20-amp battery charger w/gauge	\$625
HARDWARE & EQUIPMENT	
	¢210
- 2 oxygen generators	UI &
- 2 oxygen generators w/shut-off switch	
- Automatic bilge pump	
- Bow tool/drink holder	
- CoolGuard™ livewell cooling system (factory installed only)	
- Hydraulic pedestal (exchange)	
- HydroWave® electronic fish attractor	
- Keel protector (Black or White)	\$315
- Loc-R-Bar® w/alarm	\$230
- Port under deck storage drawer	\$400
- X-Grip® phone holder	\$45
CUSHIONS & SEATING	6400
- 2 bike seats (exchange)	
- 2 jump seats (exchange)	
- Adjustable passenger seat	
- Center seat	\$300
FUNCTIONAL	
- 6" (15.24 cm) BMS hydraulic jack plate (available w/Verado® motors only)	¢1 000
- 12" (30.48 cm) Atlas hydraulic jack plate (not available w/Verado® motors)	\$990
- 12" (30.48 cm) BMS hydraulic jack plate (not available w/Verado® motors)	
- Minn Kota® 8' (2.44 m) Talon shallow-water anchor (dealer installed)	
- 2 Minn Kota® 8' (2.44 m) Talon shallow-water anchors (dealer installed)	
- Minn Kota® 12' (3.66 m) Talon shallow-water anchor (dealer installed)	
- 2 Minn Kota® 12' (3.66 m) Talon shallow-water anchors (dealer installed)	
- Power-Pole® Blade 8' shallow-water anchor (dealer installed)	\$2,050
- 2 Power-Pole® Blade 8' shallow-water anchors (dealer installed)	\$4,105
- Power-Pole® Blade 10' shallow-water anchor (dealer installed)	\$2,400
- 2 Power-Pole® Blade 10' shallow-water anchors (dealer installed)	\$4,800
- Carpet embroidery	\$215
- Removable port console & hardware (factory installed)	
- SmartCraft® gauges	\$725
- Magnetic under-lid lure holder/organizer	\$75
TROLLING MOTOR	
- Minn Kota® Fortrex® 24V, 80-lb. thrust, 45" (1.14 m) shaft trolling motor w/Universal So	nor?
- IVIIIII Kuta Furtiex 244, 60-ib. tiliust, 45 (1.14 iii) silait tiuliiiig iliutui w/ Uliveisai 50	
- Minn Kota® Fortrex® 24V, 80-lb. thrust, 52" (1.32 m) shaft trolling motor w/Universal Sc	
- IVIIIII KOLA - FULLIEX - 244, 60-ID. UIIUSE, 32 (1.32 III) SHALE UOIIIIII IIIUUU W/OIIIVEISAI SE	
- Minn Kota® Fortrex® 36V, 112-lb. thrust, 45" (1.14 m) shaft trolling motor w/Universal S	
- Minn Kota® Fortrex® 36V, 112-lb. thrust, 52" (1.32 m) shaft trolling motor w/Universal S	
M. K. M. MONION II. II. MONION III.	
- Minn Kota® Maxxum® 24V, 80-lb. thrust, 42" (1.07 m) shaft trolling motor	
- MotorGuide® X5 36V, 105-lb. thrust, 45" (1.14 m) shaft trolling motor	
- MotorGuide® X5 36V, 105-lb. thrust, 50" (1.27 m) shaft trolling motor	\$600
COVERS	
- Genuine NITRO® rope ratchet cover for side or dual consoles—Charcoal	\$785
- Genuine NITRO® Pro Series rope ratchet cover for side or dual consoles—Charcoal	\$703 \$070
- Genuine NITRO® w/Minn Kota® Fortrex® trolling motor rope ratchet cover for side or du	
- definite witho w/willin kota Fortiex trolling motor rope ratchet cover for side of ut	#70E
consoles—Charcoal	
- Genuine Ni i NO W/Niinn Kota Fortrex troiling motor Pro Series rope ratchet cover 10	r side or
dual consoles—Charcoal	\$9/0
TRAILER	
- Fiberglass fenders for tandem-axle trailer	\$1.000
- 17" (43.18 cm) custom chrome tire/wheel upgrade & spare tire (only w/fiberglass fender	
- 18" (45.72 cm) custom matte black aluminum alloy wheel upgrade	υ,ψι,υυυ
& Hercules RAPTIS R-T5 spare tire (must order fiberglass fenders)	\$1.850
- Retractable trailer tie downs	ቁ.,,050
- Tandem-axle 2 brake	
8847 NITO 881	. 191



STANDARD FEATURES & OPTIOI

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations and features.

HULL LENGTH 19' 4" (5.89 m)

94" (2.39 m)

TRANSOM HEIGHT 23" (0.58 m)

MAX. HP **7NN**

MAX. PERSON CAPACITY

4/500 lbs. (226.80 kg)

FUEL CAPACITY

50 qal. (189.27 l)

MAX. WEIGHT CAPACITY

1,375 lbs. (623.69 kg)

STORAGE LENGTH

22′ **7**″(6.88 m)

SPECIFICATIONS

7/!! /1 00 m\
74" (1.88 m)
18.5" (0.47 m)
16 degrees
15" (0.38 m)
1,850 lbs. (839.15 kg)
3,249 lbs. (1,473.72 kg)
8′ 6" (2.59 m)

MOTOR OPTIONS

MERCURY® MOTOR	EST. SPEED (MPH)	PRICE
150 L OptiMax® Pro XS	56–58	\$32,295
175 L OptiMax® Pro XS	62–63	\$33,695
200 L OptiMax® Pro XS	68–70	\$34,995
200 L Verado® Pro FourStroke	65–66	\$39,695

Estimated speeds are variable, depending on load, passengers, elevation, weather and water conditions

Boat may be shown with optional equipment. Specs and features subject to change without notice.

STANDARD FEATURES



COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Non-skid mats bow & stern
- 6 drink holders
- 4 stainless steel pull-up cleats
- Integrated fold-down stainless steel reboarding ladder
- NEW 2 grab handles (1 at passenger, 1 at transom)
- Built-in tournament ruler & holder
- Fire extinguisher, horn & paddle



CONSOLE

- Flush-mounted Lowrance® HOOK-5x fishfinder w/480x480 pixel display, surface temperature & down imaging
- Hydraulic steering w/tilt
- Removable acrylic, tinted windscreen
- Ready to accept optional removable port console
- Custom-molded modular console w/2-tone gelcoat
- Veethree® multi-function instrumentation w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Dash light dimmer
- Water-resistant switch panels
- LED courtesy light



CONSTRUCTION & EXTERIOR

- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Low-profile gunnels to maximize deck size & for easier casting



ELECTRICAL

- Bow panel w/anchor/light switch, trim switch & room to flush mount 12" (30.5 cm) graph
- 1,000 GPH (3,785 LPH) bilge pump
- LED console courtesy light
- Bow navigation lights integrated into gunnels w/stowable stern light
- Manual LED-lighted bow storage
- Automotive-style labeled fuse panel w/cover
- Interstate® cranking battery
- 2 heavy-duty Interstate® Series 29 trolling batteries
- 2-bank, 8-amp battery charger w/exterior receptacle - 6-gauge trolling motor wiring w/50-amp circuit breaker
- Master power switch

- Waterproof Deutsch plugin gauge connectors
- Water & abrasion-resistant connectors - 12V outlet behind driver

INTERIOR

- 34-sq.-ft. (3.2-sq.-m) bow deck
- Step to bow deck w/62-qt. (58.7 L) insulated cooler & removable trash receptacle
- NASCAR®-inspired helm & passenger bucket seats
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Designated net storage behind seating
- Trolling motor pedal recess for Minn Kota® & MotorGuide® trolling motors
- Oversized, lockable port & starboard bow rod lockers w/lift assists for 8' (2.44 m) rods
- Molded-in drainage channels around bow storage compartments
- Port & starboard bow rod hold-down straps
- Oversized lockable center bow storage locker
- Partner rod ramp w/rod handle organizer & rod holder strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded rigging compartment for easy access to batteries & pumps & easy cleanup
- 16-oz. (.45 kg) plush, marine-grade cut-pile carpet on decks & floor
- Lockable compression latches
- Footrest w/non-skid mat under console(s)
- Insulated aluminum lids w/welded corners



LIVEWELL SYSTEMS

- 2 insulated aft 19-gal. (71.92 L) Guardian™ livewells w/digital timers
- 750 GPH (2,840 LPH) livewell recirculation/pump-out system
- 500 GPH (1,893 LPH) aerator/fill pump
- Dual remote drain controls



PERFORMANCE

- NITRO® Vortex Technology™ (NVT™) hull for a smoother, drier ride
- Rapid Planing System™ for quicker holeshots & maximized speed
- 3" (7.6 cm) adjustable jack plate (Verado® only)
- 8" (20.0 cm) adjustable jack plate (OptiMax® only)
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller



TRAILER

- Custom-fit, factory-matched, single-axle NITRO® trailer w/powder-coat finish & GALVASHIELD® corrosion protection
- Surge disc brakes
 Inside-the-frame brake line system w/1-point bleed
 15" (38.1 cm) chrome wheels w/radial tires
- No Touch Vortex hub lubrication system w/6-yr., 100,000-mile limited warranty
 Spare tire carrier (spare tire avail. at additional cost)
- All-welded rectangular GALVASHIELD® frame

- Space-saving swing-away tongue to reduce storage length
- 1,200-lb. (544 kg) swing-up locking jack w/swivel wheel
 Heavy-duty winch w/nylon strap, bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible lights



TROLLING MOTOR

Minn Kota® Maxxum® 24V, 70-lb. thrust, 42" (1.07 m), foot-control trolling motor

OPTIONS

Z PRO PACKAGE (w/Package, other options may not be available)	5-\$41,495	HARDWARE & EQUIPMENT	
- 2 Lowrance® HDS-7 Gen 3Touch w/StructureScan® flush mounted (bow & console)		- 2 oxygen generators	
- Power-Pole™ 8' Blade Edition shallow-water anchor		- Automatic bilge pump	
- Minn Kota® Fortrex® 24V, 80-lb. thrust, 45" (1.14 m) trolling motor w/Universal Sonar 2		- Bow tool/drink holder	
- Factory-applied keel protector		- CoolGuard™ livewell cooling system (factory installed only)	\$525
- 2 oxygen generators		- Hydraulic pedestal (exchange)	\$125
- 3-bank, 30-amp battery charger		- HydroWave® electronic fish attractor	
- Port rod organizer		- Keel protector (Black or White)	
- Bow tool/drink holder		- Loc-R-Bar® w/alarm	
- Hot Foot™ throttle & Pro-Trim lever		- Port under deck storage drawer	\$250
- Tandem-axle trailer w/steel fender, surge brakes on 1 axle & ratchet tie downs		- Snap-in sandwich tray	\$30
- Custom 14" (35.56 cm) aluminum wheel upgrade for tandem-axel trailer w/spare tire		- X-Grip® phone holder	\$45
BOW GRAPH		CUSHIONS & SEATING	
- Lowrance® HOOK-5 (flush mounted)	\$360	- 2 bike seats (exchange)	\$100
- Lowrance® Elite-7 Ti (flush or RAM mounted)		- 2 jump seats (exchange)	
- Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted)		- Center seat	
- Lowrance® HDS-9 Touch w/StructureScan® (flush or RAM mounted)			.ψ200
- Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted)		FUNCTIONAL	
- Humminbird® HELIX™ 7 SI (RAM mounted)		- Anti-fatigue mat	\$75
- Humminbird® HELIX™ 9 SI (RAM mounted)		- Ventilation fan in bow storage box	
- Humminbird® HELIX™ 10 SI (RAM mounted)		- 8" (20.32 cm) Atlas hydraulic jack plate (not available w/Verado® motors)\$	\$1,065
- Humminbird® HELIX™ 12 SI (RAM mounted)		- 8" (20.32 cm) BMS hydraulic jack plate (not available w/Verado® motors)\$	
	ψυ,υυυ	- Minn Kota® 8' (2.44 m) Talon shallow-water anchor (dealer installed)\$	
DASH GRAPH EXCHANGE		- 2 Minn Kota® 8' (2.44 m) Talon shallow-water anchors (dealer installed)\$	
- Lowrance® Elite-7 Ti (flush or RAM mounted)	\$975	- Minn Kota® 12' (3.66 m) Talon shallow-water anchor (dealer installed)\$	2,250
- Lowrance® Elite-7 Ti (uninstalled)	\$915	- 2 Minn Kota® 12' (3.66 m) Talon shallow-water anchors (dealer installed)\$	4,500
- Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted)	\$1,750	- Power-Pole® Blade 8' shallow-water anchor (dealer installed)\$	
- Lowrance® HDS-7 Touch w/StructureScan® (uninstalled)	\$1,690	- 2 Power-Pole® Blade 8' shallow-water anchors (dealer installed)\$	4,750
- Lowrance® HDS-9 Touch w/StructureScan® (flush or RAM mounted)	\$2,825	- Power-Pole® Blade 10' shallow-water anchor (dealer installed)\$	2,500
- Lowrance® HDS-9 Touch w/StructureScan® (uninstalled)	\$2,765	- 2 Power-Pole® Blade 10' shallow-water anchors (dealer installed)\$	5,000
- Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted)		- Carpet embroidery	\$225
- Lowrance® HDS-12 Touch w/StructureScan® (uninstalled)	\$4,000	- Remote oil fill (not available w/150 OptiMax® or 150 OptiMax Pro XS)	\$80
- Humminbird® HELIX™ 7 SI (GIMBAL or RAM mounted)	\$575	- Removable port console & hardware (factory installed)\$	31,095
- Humminbird® HELIX™ 7 SI (uninstalled)	\$515	- SmartCraft® gauges	
- Humminbird® HELIX™ 9 SI (GIMBAL or RAM mounted)	\$1,000	- Rod organizer	
- Humminbird® HELIX™ 9 SI (uninstalled)	\$940	- Magnetic under-lid lure holder/organizer	\$90
- Humminbird® HELIX™ 10 SI (GIMBAL or RAM mounted)	\$1,575	TROULING MOTOR	
- Humminbird® HELIX™ 10 SI (uninstalled)	\$1,515	TROLLING MOTOR	
- Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted)	\$2,525	- Minn Kota® Fortrex® 24V, 80-lb. thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2	
- Humminbird® HELIX™ 12 SI (uninstalled)			\$690
2ND DASH GRAPH		- Minn Kota® Fortrex® 24V, 80-lb. thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2	
	#4.050	No. 17 - 25 - 2007 440 H. J 451/444 J. J. Gr. W 411 J 10 - 4	.\$/40
- Lowrance® Elite-7 Ti (RAM mounted)	\$1,250	- Minn Kota® Fortrex® 36V, 112-lb. thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2	
- Lowrance® HDS-7 Touch w/StructureScan® (RAM mounted)		NP 1/ - 05 - 000//40 H	
- Lowrance® HDS-9 Touch w/StructureScan® (RAM mounted)		- Minn Kota® Fortrex® 36V, 112-lb. thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2	
- Lowrance® HDS-12 Touch w/StructureScan® (RAM mounted)			
- Humminbird® HELIX™ 7 SI (RAM mounted)		- MotorGuide® X5 24V, 80-lb. thrust, 45" (1.14 m) shaft trolling motor	
- Humminbird® HELIX™ 9 SI (RAM mounted)		- MotorGuide® X5 36V, 105-lb. thrust, 45" (1.14 m) shaft trolling motor	\$845
- Humminbird® HELIX™ 10 SI (RAM mounted)	\$1,975	COVERS	
- Humminbird® HELIX™ 12 SI (RAM mounted)	\$2,950	- Genuine NITRO® rope ratchet cover for side or dual consoles—Charcoal	\$750
ELECTRONICS		- Genuine NITRO® Pro Series rope ratchet cover for side or dual consoles—Charcoal	
- Bluetooth®-capable Sony® stereo system	\$375	- Genuine NITRO® w/Minn Kota® Fortrex® trolling motor rope ratchet cover for side or dual	.ψυ10
	υψυ/ υ	consoles—Charcoal	\$750
PERFORMANCE & STEERING		- Genuine NITRO® w/Minn Kota® Fortrex® trolling motor Pro Series rope ratchet cover for side	
- Hot Foot™ (non-Verado® motors only)		dual consoles—Charcoal	\$970
- Trim lever on wheel for OptiMax® motor	\$85		.ψυ10
- Trim lever on wheel for Verado® w/standard jack plate	\$150	TRAILER	
BATTERY CHARGER EXCHANGE		- Fiberglass fenders for tandem-axle trailer\$	
	фoг.	- 17" (43.18 cm) custom chrome tire/wheel upgrade & spare tire (must order fiberglass fenders	3)
- 2-bank, 20-amp battery charger		\$	\$1,500
- 3-bank, 30-amp battery charger		- 18" (45.72 cm) custom matte black aluminum alloy wheel upgrade & Hercules RAPTIS R-T5 sp	pare
		ting (mount and on the analysis for a dear)	1 850
- 4-bank, 40-amp battery charger		tire (must order fiberglass fenders)\$,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
- 4-bank, 40-amp battery charger - Battery maintenance system	\$220	tire (must order liberglass renders)	
4-bank, 40-amp battery charger Battery maintenance system. Dual Pro® international battery charger	\$220 \$690		\$65
- 4-bank, 40-amp battery charger - Battery maintenance system	\$220 \$690 \$475	- Retractable trailer tie downs	\$65 \$145



STANDARD FEATURES & OPTIO

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations and features.

HULL LENGTH 18' 8" (5.69 m)

BEAM 94" (2.39 m) **TRANSOM HEIGHT 22.5**" (0.57 m)

MAX. HP

MAX. PERSON CAPACITY

4/550 lbs. [249.48 kg]

FUEL CAPACITY

40 gal. (151.42 l)

MAX. WEIGHT CAPACITY

1,350 lbs. (612.35 kg)

STORAGE LENGTH

21' 3"(6.48 m)

SPECIFICATIONS

Bottom width	75" (1.91 m)
Depth inside	18.5" (0.47 m)
Deadrise	16 degrees
Draft	15" (0.38 m)
Approx. weight	1,700 lbs. (771.11 kg)
Approx. package weight	3,200 lbs (1,451.50 kg).
Package width	8′ 6" (2.59 m)

MOTOR OPTIONS

MERCURY® MOTOR	EST. SPEED (MPH)	PRICE
150 L FourStroke	60–63	\$29,195
150 L OptiMax® Pro XS	60–63	\$28,995
175 L OptiMax® Pro XS	65–67	\$30,395

Estimated speeds are variable, depending on load, passengers, elevation, weather and water conditions.

Boat may be shown with optional equipment. Specs and features subject to change without notice.

STANDARD FEATURES



COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Non-skid mats bow & stern
- 6 drink holders
- 4 stainless steel pull-up cleats
- Integrated fold-down stainless steel reboarding ladder
- NEW 2 grab handles (1 at passenger, 1 at transom)
- Fire extinguisher, horn & paddle



CONSOLE

- Flush-mounted Lowrance® HOOK-5x fishfinder w/480x480 pixel display, surface temperature & down imaging
- Hydraulic steering w/tilt
- Removable acrylic, tinted windscreen
- Ready to accept optional removable port console
- Custom-molded modular console w/2-tone gelcoat
- Veethree® multi-function instrumentation w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Dash light dimmer
- Water-resistant switch panels
- LED courtesy light
- Below-console 12V outlet



CONSTRUCTION & EXTERIOR

- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Low-profile gunnels to maximize deck size & for easier casting



ELECTRICAL

- Bow panel w/anchor/light switch, trim switch & room to flush mount 12" (30.5 cm) graph
- 1,000 GPH (3,785 LPH) bilge pump
- LED console courtesy light
- Bow navigation lights integrated into gunnels w/stowable stern light
- Automotive-style labeled fuse panel w/cover

- Interstate® cranking battery
- 2 heavy-duty Interstate® Series 29 trolling batteries
- 2-bank, 8-amp battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Master power switch
- Waterproof Deutsch plugin gauge connectors
- Water & abrasion-resistant connectors



INTERIOR

- 34-sq.-ft. (3.2-sq.-m) bow deck for casting mobility w/lots of storage
- 62-qt. (58.7 L) insulated cooler & removable trash receptacle
- NASCAR®-inspired helm & passenger bucket seats
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Trolling motor pedal recess for Minn Kota® & MotorGuide® trolling motors
- Oversized, lockable port & starboard bow rod lockers w/lift assists for 8' (2.44 m) rods
- Molded-in drainage channels around bow storage compartments
- Port & starboard bow rod hold-down straps
- Oversized lockable center bow storage locker
- Partner rod ramp w/rod handle organizer & rod holder strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded rigging compartment for easy access to batteries & pumps & easy cleanup
- 16-oz. (.45 kg) plush, marine-grade cut-pile carpet on decks & floor
- Lockable compression latches
- Footrest w/non-skid mat under console(s)
- Insulated aluminum lids w/welded corners

LIVEWELL SYSTEMS

- Aft 30-gal. (114 L) Guardian™ aerated, divided livewell w/timer
- 500 GPH (1,893 LPH) livewell recirculation/pump-out system
- 500 GPH (1,893 LPH) aerator/fill pump
- Rotomolded w/rounded corners



PERFORMANCE

- Rapid Planing System™ for quicker holeshots & maximized speed
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller



TRAILER

- Custom-fit, factory-matched, single-axle NITRO® trailer w/powder-coat finish & NEW GALVASHIELD® Impact corrosion protection for improved durability
 14" (35.6 cm) chrome wheels w/radial tires
- No Touch Vortex hub lubrication system w/6-yr. 100,000-mile limited warranty
 Spare tire carrier (spare tire avail. at additional cost)
 All-welded rectangular GALVASHIELD® frame

- Space-saving swing-away tongue to reduce storage length

- 1,200-lb. (544 kg) swing-up locking jack w/swivel wheel Heavy-duty winch w/nylon strap, bow safety strap & safety cables Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible lights



TROLLING MOTOR

Minn Kota® Maxxum® 24V, 70-lb. thrust, 42" (1.07 m) foot-control trolling motor

OPTIONS

BOW GRAPH	
- Lowrance® HOOK-5 (flush mounted)	\$360
- Lowrance® Elite-7 Ti (flush or RAM mounted)	
- Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted)	\$1.620
Lowrance® HDS-9 Touch w/StructureScan® (flush or RAM mounted)	\$3,395
Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted)	\$4,120
Humminbird® HELIX™ 7 SI (RAM mounted)	\$1,140
Humminbird® HELIX™ 9 SI (RAM mounted)	
Humminbird® HELIX™ 10 SI (RAM mounted)	
Humminbird® HELIX™ 12 SI (RAM mounted)	\$3,000
DASH GRAPH EXCHANGE	
Lowrance® Elite-7 Ti (flush or RAM mounted)	
Lowrance® Elite-7 Ti (uninstalled)	
Lowrance® HDS-7 Touch w/StructureScan® (flush or RAM mounted)	\$1,980
Lowrance® HDS-7 Touch w/StructureScan® (uninstalled)	\$1,920
Lowrance® HDS-9 Touch w/StructureScan® (flush or RAM mounted)	\$3,360
Lowrance® HDS-9 Touch w/StructureScan® (uninstalled)	\$3,300
Lowrance® HDS-12 Touch w/StructureScan® (flush or RAM mounted) Lowrance® HDS-12 Touch w/StructureScan® (uninstalled)	\$4,UZU
Humminbird® HELIX™ 7 SI (GIMBAL or RAM mounted)	
Humminbird® HELIX™ 7 SI (uninstalled)	
Humminbird® HELIX™ 9 SI (GIMBAL or RAM mounted)	
Humminbird® HELIX™ 9 SI (uninstalled)	
Humminbird® HELIX™ 10 SI (GIMBAL or RAM mounted)	
Humminbird® HELIX™ 10 SI (RAM mounted)	
Humminbird® HELIX™ 10 SI (uninstalled)	
Humminbird® HELIX™ 12 SI (GIMBAL or RAM mounted)	
Humminbird® HELIX™ 12 SI (uninstalled)	\$2,365
PERFORMANCE & STEERING	
Hot Foot™ (non-Verado® motors only)	\$150
Trim lever on wheel	\$65
BATTERY CHARGER EXCHANGE	
2-bank, 20-amp battery charger	
3-bank, 30-amp battery charger	
D-44	
Dual Pro® international battery charger	\$565
Dual Pro® international battery charger Stealth 1, 20-amp battery charger w/out gauge	\$475
Dual Pro® international battery charger	\$475
Dual Pro® international battery charger	\$475 \$625
Dual Pro® international battery charger	\$475 \$625 \$315
Dual Pro® international battery charger	\$475 \$625 \$315 \$315
Dual Pro® international battery charger	\$475 \$625 \$315 \$125 \$30
Dual Pro® international battery charger Stealth 1, 20-amp battery charger w/out gauge. Stealth 1, 20-amp battery charger w/gauge HARDWARE & EQUIPMENT 2 oxygen generators Automatic bilge pump Bow tool/drink holder Livewell control valve	\$475 \$625 \$315 \$125 \$30 \$30 \$95
Dual Pro® international battery charger	\$475 \$625 \$315 \$125 \$30 \$995 \$140
Dual Pro® international battery charger	\$475 \$625 \$315 \$125 \$30 \$95 \$140 \$540
Dual Pro® international battery charger	\$475 \$625 \$315 \$125 \$30 \$95 \$140 \$540
Battery maintenance system. Dual Pro® international battery charger. Stealth 1, 20-amp battery charger w/out gauge Stealth 1, 20-amp battery charger w/gauge. HARDWARE & EQUIPMENT 2 oxygen generators. Automatic bilge pump Bow tool/drink holder Livewell control valve. Hydraulic pedestal (exchange). HydroWave® electronic fish attractor Keel protector (Black or White). Loc-R-Bar® w/alarm Port under deck storage drawer	\$475 \$625 \$315 \$125 \$30 \$95 \$140 \$540 \$315 \$230

- 2 bike seats (exchange) \$100 - 2 jump seats (exchange) \$230
- Center seat\$300
FUNCTIONAL
- 8" (20.32 cm) adjustable jack plate (not available w/Verado® motors)\$360
- 8" (20.32 cm) Atlas hydraulic jack plate (not available w/Verado® motors)\$1,425
- 8" (20.32 cm) BMS hydraulic jack plate (not available w/Verado® motors)\$1,460
- Carpet embroidery \$165
- Remote oil fill (not available w/150 OptiMax® or 150 OptiMax Pro XS) \$80 - Removable port console & hardware (factory installed) \$1,095
- SmartCraft® gauges
- Rod organizer\$220
- Tackle Management System\$75
TROLLING MOTOR
- Minn Kota® Fortrex® 24V, 80-lb. thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2
S690
- Minn Kota® Fortrex® 24V, 80-lb. thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2
\$740
- MotorGuide® X5 24V, 80-lb. thrust, 45" (1.14 m) shaft trolling motor\$440
COVERS
- Genuine NITRO® rope ratchet cover for side or dual consoles—Charcoal\$690
- Genuine NITRO® w/Minn Kota® Fortrex® trolling motor rope ratchet cover for side or dual
consoles—Charcoal\$690
TRAILER
- Fiberglass fenders for tandem-axle trailer\$1,000
- 14" (35.56 cm) tandem-axle custom wheels w/spare tire
- 17" (43.18 cm) custom chrome tire/wheel upgrade & spare tire (must order fiberglass fenders)
\$1,500
- 18" (45.72 cm) custom matte black aluminum alloy wheel upgrade & Hercules RAPTIS R-T5 spare
tire (must order fiberglass fenders)\$1,850
- Retractable trailer tie downs\$65 - Single-axle spare tire kit\$145
- Single-axie spare tire kit
- Tandem-axle 1 brake \$1.100
- Tandem-axle 2 brake\$1,425



NDARD FEATURES & OPTI

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations and features,

HULL LENGTH 17' 4" (5.28 m)

BEAM 90" (2.29 m) **TRANSOM HEIGHT 20.5**" (0.52 m)

MAX. HP 115

MAX. PERSON CAPACITY

3/460 lbs. (208.65 kg)

FUEL CAPACITY 24 gal. (90.85)) **MAX. WEIGHT CAPACITY**

1,100 lbs. [499 kg]

STORAGE LENGTH

21′ **3**″(6.48 m)

SPECIFICATIONS

Bottom width	72" (1.83 m
Depth inside	16.25" (0.41 m
Deadrise	16 degrees
Draft	15" (0.38 m
Approx. weight	1,450 lbs. (657.71 kg
Approx. package weight	2,950 lbs. (1,338.10 kg
Package width	8' (2.44 m

MOTOR OPTIONS

MERCURY® MOTOR	EST. SPEED (MPH)	PRICE
90 ELPT FourStroke	40–42	\$23,595
115 ELPT Pro XS FourStroke	48–50	\$24,595
115 ELPT Pro XS FourStroke CT	50–52	\$25,145

Estimated speeds are variable, depending on load, passengers, elevation, weather and water conditions.

Boat may be shown with optional equipment. Specs and features subject to change without notice.



STANDARD FEATURES



COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Non-skid mats bow & stern
- 2 drink holders
- 4 stainless steel, angled cleats flushed w/gunnels
- Integrated fold-down stainless steel reboarding ladder, angled for allowing optional Power-Pole™ shallow-water anchor
- NEW 2 grab handles (1 at passenger, 1 at transom)
- Fire extinguisher, horn & paddle



CONSOLE

- Flush-mounted Lowrance® HOOK-4x fishfinder w/480x272 pixel display
- Single cable rotary steering w/tilt
- Removable acrylic, tinted windshield exterior
- Ready to accept optional removable port console
- Custom-molded modular console w/2-tone gelcoat
- Angled, Veethree® multi-function instrumentation w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Dash light dimmer
- Water-resistant switch panels
- LED courtesy light
- Below-console 12V outlet
- Room to flush-mount optional, exchanged 9" (22.9 cm) graph



CONSTRUCTION & EXTERIOR

- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Low-profile gunnels to maximize deck size & for easier casting



ELECTRICAL

- Bow panel w/anchor/light switch, trim switch & room to flush mount 9" (22.9 cm) graph 1,000 GPH (3,785 LPH) bilge pump
- LED console courtesy light
- Bow navigation lights integrated into gunnels w/stowable stern light
- Automotive-style labeled fuse panel w/cover
- 1 heavy-duty Interstate® Series 27 trolling batteries
- 1 24M-RD cranking battery

- 2-bank, 8-amp battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Master power switch
- Waterproof Deutsch plugin gauge connectors
- Water & abrasion-resistant connectors



INTERIOR

- 32-sq.-ft. (3.0-sq.-m) bow deck for casting mobility w/lots of storage
- 62-at. (58.7 L) insulated cooler & removable trash receptacle
- NASCAR®-inspired helm & passenger seats w/molded-in storage below
- Step up to aft deck w/polymer lid
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Trolling motor pedal recess for Minn Kota® & MotorGuide® trolling motors
- Oversized, lockable port & starboard bow rod lockers for rods up to 7' (2.13 m)
- Molded-in drainage channels around bow storage compartments
- Port & starboard bow rod hold-down straps
- Oversized lockable center bow storage locker w/lid assist & organizer for 7' 6" (2.29 m) rods
- Partner rod ramp & rod holder strap
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- 16-oz. (.45 kg) plush, marine-grade cut-pile carpet on decks & floor
- Lockable compression latches
- Footrest w/non-skid under console(s)
- Insulated aluminum lids w/welded corners



LIVEWELL SYSTEMS

- Aft 23-gal. (87 L) Guardian™ aerated, divided livewell w/timer
- 500 GPH (1,893 LPH) livewell recirculation/pump-out system
- 500 GPH (1,893 LPH) aerator/fill pump



PERFORMANCE

- NITRO® Vortex Technology™ (NVT™) hull for a smoother, drier ride
- Rapid Planing System™ for quicker holeshots & maximized speed
- Rigging tube for organized wiring & abrasion resistance
- Stainless steel propeller

TRAILER

- Custom-fit, factory-matched, single-axle NITRO® trailer w/powder-coat finish & NEW GALVASHIELD® Impact corrosion protection for improved durability
- 14" (35.6 cm) chrome wheels w/radial tires
- No Touch Vortex hub lubrication system w/6-yr., 100,000-mile limited warranty
 Spare tire carrier (spare tire avail. at additional cost)
 All-welded rectangular GALVASHIELD® frame

- Space-saving swing-away tongue to reduce storage length

- 1,200-lb. (544 kg) swing-up locking jack w/swivel wheel Heavy-duty winch w/nylon strap & safety cables
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible lights



TROLLING MOTOR

Miinn Kota® Edge® 12V, 55-lb. thrust, 42" (1.07 m), foot-control trolling motor

OPTIONS

OPTIONS ARE STILL BEING DEVELOPED FOR THE Z17 AND MAY VARY FROM WHAT IS SHOWN. SEE MORE DETAILS AT NITRO.COM EARLY 2017.

DOM/ CD A DU

DUW UNAFII	
- Lowrance® HOOK-4x (flush mounted)	\$295
- Lowrance® HOOK-5 (flush mounted)	\$360
- Lowrance® Elite-7 Ti (flush or RAM mounted)	\$1,200
- Humminbird® HELIX™ 7 SI (RAM mounted)	\$1,140
DASH GRAPH EXCHANGE	
- Lowrance® HOOK-5 (uninstalled)	\$65
- Lowrance® HOOK-5 (flush mounted)	\$75
- Lowrance® Elite-7 Ti (flush or RAM mounted)	\$1,055
- Lowrance® Elite-7 Ti (uninstalled)	\$995
- Humminbird® HELIX™ 7 SI (GIMBAL or RAM mounted)	
- Humminbird® HELIX™ 7 SI (uninstalled)	\$605
PERFORMANCE & STEERING	
- Hydraulic steering	\$345
BATTERY CHARGER EXCHANGE	
- 2-bank, 20-amp battery charger	\$65
- Dual Pro® international battery charger	\$700

HARDWARE & EQUIPMENT

- 2 oxygen generators..

- Automatic bilge pump - Bow tool/drink holder - Hydraulic pedestal (exchange) Keel protector (Black or White) - Loc-R-Bar® w/alarm	.\$125 \$30 .\$140 .\$315
CUSHIONS & SEATING - 2 bike seats (exchange) - 2 jump seats (exchange) - Center seat	\$230
FUNCTIONAL - Removable port console & hardware (factory installed)\$	1,095
TROLLING MOTOR - MotorGuide® X3 24V, 70-lb. thrust, 45" (1.14 m) shaft trolling motor	.\$100
COVERS - Genuine NITRO® rope ratchet cover for side or dual consoles—Charcoal - Genuine NITRO® w/Minn Kota® Fortrex® trolling motor rope ratchet cover for side or dual	\$690

consoles—Charcoal...

IKAILEK	
- 13" (33.02 cm) single-axle custom wheels w/spare tire	\$300
- Retractable trailer tie downs	\$65
- Single-axle spare tire kit	\$145
- Single-axle brake upgrade	\$500

.\$690

STANDARD FEATURES & OPTIONS

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations and features,

HULL LENGTH 19' 5" (5.92 m)

93" (2.36 m)

FUEL CAPACITY

TRANSOM HEIGHT 22" (0.56 m)

MAX. HP

MAX. PERSON CAPACITY

26 gal. (98.42 l) **5/750 lbs.** (340.19 kg)

MAX. WEIGHT CAPACITY

1,700 lbs. (771.11 kg)

STORAGE LENGTH

21′ (6.40 m)

SPECIFICATIONS

Bottom width	75" (1.91 m)
Depth inside	24" (0.61 m)
Deadrise	16 degrees
Draft	15" (0.38 m)
Approx. weight	1,675 lbs. (759.77 kg)
Approx. package weight	3,236 lbs. (1,467.83 kg)
Package width	8′ 3" (2.51 m)

MOTOR OPTIONS

MERCURY® MOTOR	EST. SPEED (MPH)	PRICE
115 ELPT FourStroke CT	42–45	\$29,595
150 L FourStroke	52–55	\$31,995
150 L OptiMax® Pro XS	52–55	\$31,795
175 L OptiMax® Pro XS	58–60	\$33,195
200 L OptiMax® Pro XS	64–65	\$34,495

Estimated speeds are variable, depending on load, passengers, elevation, weather and water conditions.

Boat may be shown with optional equipment. Specs and features subject to change without notice.

STANDARD FEATURES



COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Removable tournament-style ski pylon
- Port & starboard swim platforms w/integrated boarding ladder
- 10 drink holders
- 4 pull-up cleats
- Cockpit grab handles
- Fire extinguisher, horn & paddle



CONSOLE

- Flush-mounted Lowrance® HOOK-5x fishfinder w/480x480 pixel display, surface temperature & down imaging
- Tilt hydraulic steering
- Radiused walk-thru, tempered-glass windshield
- 2 Custom-molded consoles
- Port console w/storage tray & insulated cooler
- AM/FM Bluetooth®-capable stereo w/USB & MP3 ports
- Veethree® multi-function instrumentation gauges
- Water-resistant switch panels



CONSTRUCTION & EXTERIOR

- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom



- ,000 GPH (3,785 LPH) bilge pump
- Port & starboard cockpit courtesy lighting
- Interstate® starting battery
- Interstate® Series 27 trolling battery
- Heavy-duty 6-gauge trolling motor harness
- Master power switch
- Waterproof Deutsch gauge plugin connectors
- Automotive-style labeled fuse panel w/cover
- Water & abrasion-resistant connectors
- Main & trolling motor harness circuit breaker protection Stowable navigation light



INTERIOR

- NASCAR®-inspired helm (swivel & sliding) & passenger (swivel) bucket seats
- Aft bench seating w/2 convertible, removable fishing seats
- 3 bow storage compartments
- Port & starboard bow bolsters
- Forward in-floor rod locker w/organizer
- Midship in-floor wakeboard/ski storage
- 2 aft storage compartments w/drop-in boxes
- Full-width, lockable rod/ski storage in aft deck - 16-oz. (.45 kg) marine-grade cut-pile carpet w/edging
- Lockable compression latches
- Insulated aluminum lids w/welded corners
- 44-qt. (41.6 L) insulated cooler below aft seat

LIVEWELL SYSTEMS

- 16-gal. (61 L) aerated, recirculated aft rotomolded livewell w/rounded corners, pump-out & timer
- 500 GPH (1,893 LPH) aerator/fill pump
- 750 GPH (2,839 LPH) recirculator/pump-out pump



PERFORMANCE

Stainless steel propeller

TRAILER

- Custom-fit, factory-matched, single-axle NITRO® trailer w/powder-coat finish & NEW GALVASHIELD® Impact corrosion protection for improved durability
 14" (35.6 cm) chrome wheels w/radial tires
 No Touch Vortex hub lubrication system w/6-yr., 100,000-mile limited warranty

- Spare tire carrier (spare tire optional)
 All-welded rectangular GALVASHIELD® frame
- Space-saving swing-away tongue to reduce storage length

- Heavy-duty winch w/nylon strap & safety cables
 Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull
- Submersible lights
- Nylon tie-down straps (supplied w/boat package)



TROLLING MOTOR

Minn Kota® PowerDrive™ 12V, 55-lb. thrust, 54" (1.37 m), foot-control trolling motor w/Universal Sonar transducer

OPTIONS

BOW GRAPH - Lowrance® HOOK-5x (flush mounted) - Lowrance® Elite-7 Ti (flush mounted) - Lowrance® HDS-7 Touch w/StructureScan® (flush mounted) - Lowrance® HDS-9 Touch w/StructureScan® (flush mounted)	\$1,175 \$1,680
DASH GRAPH EXCHANGE - Lowrance® Elite-7 Ti (flush mounted)	\$1,560
BATTERY CHARGER EXCHANGE - 2-bank 8-amp battery charger	\$150 \$210
- Duai i to iliterilational battery charger system	\$/50

CUSHIONS & SEATING

\$650
\$450 \$550
\$550
\$325
\$335
\$225
\$150 \$90
\$65 \$500 \$260 \$145



STANDARD FEATURES & OPTI

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations and features.

HULL LENGTH 21′ **7**″ (6.58 m) **BEAM 100**" (2.54 m) **TRANSOM HEIGHT 28**" (0.71 m)

MAX. HP 350

MAX. PERSON CAPACITY

6/1,200 lbs. [544.31 kg] **64 gal.** [242.27 l]

FUEL CAPACITY

MAX. WEIGHT CAPACITY

2,500 lbs. (1,133.98 kg) **24**′ **7**″(7.49 m)

STORAGE LENGTH

SPECIFICATIONS

77" (1.96 m)
25" (0.64 m)
18 degrees
18" (0.46 m)
2,900 lbs. (1,315.42 kg)
5,500 lbs. (2,494.76 kg)
8′ 6" (2.59 m)

MOTOR OPTIONS

MERCURY® MOTOR	EST. SPEED (MPH)	PRICE
250 XL OptiMax® Pro XS	54–57	\$51,995
250 XL Verado® Pro FourStroke	56–57	\$54,795
300 XL Verado® Pro FourStroke	60–61	\$57,195
350 XL Verado® FourStroke	62–64	\$59,895

Estimated speeds are variable, depending on load, passengers, elevation, weather and water conditions.

Boat may be shown with optional equipment. Specs and features subject to change without notice.



STANDARD FEATURES



COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Gunnels designed to maximize interior space & fishing room
- 3 stainless steel drink holders
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Anti-fatigue matting below bow & cockpit carpet
- Emergency boarding ladder
- Passenger grab handle - Fire extinguisher & horn

CONSOLE

- RAM®-mounted Lowrance® Elite-7 Ti Combo fishfinder w/GPS
- Hydraulic steering w/custom tilt wheel
- Heavy-duty molded, tinted windscreens
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Oversized, carpeted, lockable port glovebox
- Below-console footrest w/non-skid mat
- Port & starboard below-console shelves
- Helm below-console recess for optional Hot Foot™ pedal
- Veethree® multi-function instrumentation gauges w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Digital keypads w/integrated master power switch
- Side-mounted LED courtesy light
- Soft-touch waterproof digital switches
- Space to mount additional electronics



CONSTRUCTION & EXTERIOR

- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides



ELECTRICAL

- E-Start emergency jump start system
- Bow panel w/vent fan, bilge, navigation light, anchor light & trim switches
- Redundant automatic bilge pump system w/dual 1,600 GPH (6,057 LPH) pumps
- Stowable navigation lights
- Heavy-duty Interstate® 27M-XHD starting battery

- 3 heavy-duty Interstate® Series SRM-29 trolling batteries
- 4-bank, 35-amp onboard battery charger w/exterior receptacle
- Automotive-style, labeled fuse panel w/cover
- Manual LED lighting in bow storage compartments
- Master power switch
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Ventilation fan system in bow storage
- Console-mounted 12V outlet
- Waterproof Deutsch gauge plugin connectors
- Water & abrasion-resistant connectors



INTERIOR

- NASCAR®-inspired helm & passenger bucket seats
- Bike seat w/hydraulic pedestal
- Folding molded fishing seat w/hydraulic pedestal
- Bow & aft lockable storage compartments Port & starboard bow lockers w/lift assists
- 3-level center rod locker w/organizers for 8' (2.44 m) rods
- Passenger rod ramp w/rod handle organizer & hold-down strap
- Port & starboard midship insulated storage boxes designed to accept tackle trays
- Between-console foldout storage drawer w/two 3600 tackle boxes Starboard tool holder
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Extra-large integrated port net holder
- Port bow cooler w/removable tray
- 24-oz. (.68 kg) plush, marine-grade, cut-pile carpet on decks & floor
- Insulated aluminum lids w/welded corners
- Room to RAM®-mount additional electronics at bow
- Stainless steel fore & aft rails (port & starboard)
- Stainless steel lockable compression latches



LIVEWELL SYSTEMS

- 5.5-gal. (21 L) insulated bow baitwell w/removable bucket
- Aft 26-gal. (98 L) insulated Guardian™ anti-slosh rotomolded livewell w/rounded corners. removable divider & bait bucket
- Two 500 GPH (1,892 LPH) aerator/fill pumps w/timers (1 for baitwell, 1 for livewell)
- Two 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Pump-out systems (baitwell & livewell)
- Oxygen generators (baitwell & livewell)
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded corners



- Deep V performance hull w/Rapid Planing System™ transom
- 3" (7.6 cm) adjustable jack plate (Verado® motors only)
- 10" (25.4 cm) adjustable jack plate (OptiMax® motor only)
- Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

📅 TRAILER

- Custom-fit, factory-matched, tandem-axle NITRO® trailer w/powder-coat finish & NEW GALVASHIELD® Impact corrosion protection for improved durability
- Surge disc brakes on 2 axles

- GEN 2-bank, 10-amp + 3-bank, 10-amp charger...

- Inside-the-frame brake line system w/1-point bleed 14" (35.6 cm) custom NITRO® aluminum wheels w/radial tires

- No Touch Vortex hub lubrication system w/6-yr. 100,000-mile limited warranty
- Spare tire carrier w/matching spare tire
 All-welded rectangular GALVASHIELD® frame
- Space-saving swing-away tongue to reduce storage length
- 1,600-lb. (726 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/non-binding nylon strap & safety cables
 Outboard motor support to reduce hull & transom stress while towing
- Fiberglass fender design w/integrated, submersible LED back-up lights
 Carpeted bunks & fender boards to protect hull
- Submersible lights



TROLLING MOTOR

- Pedal recess that will accommodate Minn Kota® or MotorGuide® trolling motor pedal
- Minn Kota® Terrova® 36V, 112-lb. thrust, 60" (1.52 m), foot-control trolling motor w/Universal

OPTIONS

7 DDO DACKACE / 10 I ii i	HADDIMADE & FOUNDMENT
Z PRO PACKAGE (w/Package, other options may not be available)\$51,995–\$59,895 - Lowrance® HDS-9 Gen 3 Touch w/StructureScan® bow fishfinder RAM® mount	HARDWARE & EQUIPMENT - Bimini top
- Lowrance® HDS-12 Gen 3 Touch w/StructureScan® console fishfinder RAM® mount	- Thumbscrew rail mount rod holders (set of 2)
- Lowrance® Point-1 GPS antenna	- Thumbscrew rail mount rod holders (set of 4)
- MotorGuide® Xi5 36V, 105-lb. thrust, 60" (1.52 m), trolling motor w/sonar	- Thumbscrew rail mount rod holders (set of 6)\$1,350
- Networking between fishfinders & trolling motor	- Canvas enclosure (must have windshield option)
- Mercury® 9.9 remote ProKicker w/built-in fuel tank	- Canvas enclosure w/curtain (must have windshield option)\$875
- Kicker stereo system w/speakers	- Aft deck rail\$145
- Factory-applied keel protector	- Keel protector (Black or White)\$315
- Walk-thru windshield	- Tournament ruler\$65
- 2-bank, 20-amp battery charger	- Walk-thru windshield\$540
- 3-bank, 30-amp battery charger	CUSHIONS & SEATING
- Retractable trailer tie downs	- Fishing chair & pedestal\$430
- 1 extra SRM29 trolling battery	- Smooth Moves seat suspension
- 31M-AGM cranking battery upgrade	
- w/Verado® motor: Verado electric hydraulic tilt steering & Verado digital gauges	FUNCTIONAL
BOW GRAPH	- 6" (15.24 cm) BMS hydraulic jack plate (available w/Verado® motors only)\$1,200
- Lowrance® Elite-7 Ti & RAM mount	- Remote oil fill (available w/OptiMax® motors only)\$85
 Lowrance® HDS-7 Touch w/StructureScan® (dash StructureScan® must be chosen also) 	- Single console (removes standard port console)
& RAM mount\$2,280	- SmartCraft® gauges (standard w/Verado® motors)
- Lowrance® HDS-9 Touch w/StructureScan® (dash StructureScan® must be chosen also)	- Sony® sound system\$500
& RAM mount\$3,360	TROLLING MOTOR EXCHANGE
- Lowrance® HDS-12 Touch w/StructureScan® (dash StructureScan® must be chosen also)	- MotorGuide® TR109 Digital Tour Series 36V, 109-lb. thrust, 60" shaft trolling motor[-\$303]
& RAM mount\$4,320	- Minn Kota® Terrova™ 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Pilot\$385
- Humminbird® HELIX™ 7 SI & RAM mount	- Minn Kota® Terrova™ 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Link (does not include
- Humminbird® HELIX™ 9 SI & RAM mount	connections for Humminbird® graphs)\$780
- Humminbird® HELIX™ 10 SI & RAM mount\$1,920 - Humminbird® HELIX™ 12 SI & RAM mount\$2,880	- Minn Kota® Terrova™ 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Link (compatible
	w/2 Humminbird® dash graphs, sold separately)\$1,415
DASH GRAPH EXCHANGE	- Minn Kota® Terrova™ 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Link (compatible
- Lowrance® HDS-7 Touch w/StructureScan® & RAM mount\$660	w/Humminbird® bow graph, sold separately)\$940 - Minn Kota® Terrova™ 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Link (compatible
- Lowrance® HDS-7 Touch w/StructureScan® mount (uninstalled)\$600	w/Humminbird® dash graph, sold separately)\$1,225
- Lowrance® HDS-9 Touch w/StructureScan® & RAM mount\$1,800	- Minn Kota® Ulterra™ US2 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Link\$1,380
- Lowrance® HDS-9 Touch w/StructureScan® mount (uninstalled)\$1,680	- MotorGuide® X5 36V, 105-lb. thrust, 60" shaft trolling motor\$385
- Lowrance® HDS-12 Touch w/StructureScan® & RAM mount	•
- Lowrance® HDS-12 Touch w/StructureScan® mount (uninstalled)\$2,640 - Humminbird® HELIX™ 7 SI & RAM mount	KICKER MOTOR
- Humminbird® HELIX™ 7 SI (uninstalled)	- Factory-installed 4.5-gal. (17.03 L) EPA-compliant fuel tank for Mercury® 9.9 or 15 ELHPT
- Humminbird® HELIX™ 9 SI & RAM mount	ProKicker & rigging bracket for starboard mounting (motor sold separately)
- Humminbird® HELIX™9 SI (uninstalled)	 Factory-installed fuel tank attachment for Mercury® 9.9 or 15 ELPT FourStroke Command Thrust ProKicker, remote & rigging bracket for starboard mounting w/OptiMax® rigging\$1,490
- Humminbird® HELIX™ 10 SI & RAM mount\$480	- Factory-installed fuel tank attachment for Mercury® 9.9 or 15 ELPT FourStroke Command Thrust
- Humminbird® HELIX™ 10 SI (uninstalled) \$420	ProKicker, remote & rigging bracket for starboard mounting w/Verado® rigging\$1,790
- Humminbird® HELIX™ 12 SI & RAM mount	- Factory-installed Mercury® 15 ELPT FourStroke Command Thrust ProKicker
- Humminbird® HELIX™ 12 SI (uninstalled) \$1,430	w/fuel tank, remote & rigging bracket w/OptiMax® rigging\$5,020
2ND DASH GRAPH	- Factory-installed Mercury® 15 ELPT FourStroke Command Thrust ProKicker
- Lowrance® Elite-7 Ti bracket mount\$1,200	w/fuel tank, remote & rigging bracket w/Verado® rigging\$5,320
- Lowrance® HDS-7 Touch w/StructureScan® (dash-mounted unit w/StructureScan must be	- Factory-installed Mercury® 9.9 FLPT FourStroke Command Thrust ProKicker
selected) & RAM mount\$1,680	w/fuel tank attachment, remote & rigging bracket w/OptiMax® rigging\$4,760
- Lowrance® HDS-9 Touch w/StructureScan® (dash-mounted unit w/StructureScan must be	- Factory-installed Mercury® 9.9 ELPT FourStroke Command Thrust ProKicker
selected) & RAM mount\$2,640	w/fuel tank attachment, remote & rigging bracket w/Verado® rigging\$5,060
- Lowrance® HDS-12 Touch w/StructureScan® (dash-mounted unit w/StructureScan must be	- Factory-rigged Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker outboard
selected) & RAM mount\$3,720	w/4.5-gal. (17.03 L) EPA-compliant fuel tank & rigging bracket\$4,100
- Humminbird® HELIX™ 7 SI RAM mount\$1,140	- Factory-rigged Mercury® 15 ELHPT FourStroke Command Thrust ProKicker outboard
- Humminbird® HELIX™ 9 SI RAM mount\$1,535	w/4.5-gal. (17.03 L) EPA-compliant fuel tank & rigging bracket
- Humminbird® HELIX™ 10 SI RAM mount\$2,075	 Rigging kit for starboard mounting of the Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker or Mercury® 15 ELHPT FourStroke Command Thrust ProKicker (motor sold separately)
- Humminbird® HELIX™ 12 SI RAM mount\$3,000	Prokicker of injercury® 15 ELHPT Fourstroke Command Thrust Prokicker (motor sold separately)\$725
PERFORMANCE & STEERING	
- Lenco trim tabs\$960	TRAILER
- Bravo One® propeller \$345	- Retractable trailer tie downs
- Trim lever on wheel for Verado®\$250	- 17" custom wheels w/spare tire\$1,500
BATTERY CHARGER EXCHANGE	- 18" (45.72 cm) matte black aluminum alloy wheel & Hercules RAPTIS R-T5 tire\$1,850
DATTELLI VIIALIGEN EAVITAINGE	



STANDARD FEATURES & OPTIO

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations and features.

HULL LENGTH 18′ **11**″ (5.77 m) **BEAM 102**" (2.59 m) **TRANSOM HEIGHT 25**" (0.64 m)

MAX. HP 200

MAX. PERSON CAPACITY

FUEL CAPACITY 5/1,050 lbs. [476.27 kg] **45 gal.** [170.34 l] **MAX. WEIGHT CAPACITY**

2,000 lbs. (907.18 kg)

STORAGE LENGTH

22′ **7**″(6.88 m)

SPECIFICATIONS

Bottom width	76" (1.93 m)
Depth inside	25.5" (0.65 m)
Deadrise	17 degrees
Draft	19.75" (0.50 m)
Approx. weight	2,300 lbs. (1,043.26 kg)
Approx. package weight	4,500 lbs. (2,041.17 kg)
Package width	8′ 6" (2.59 m)

MOTOR OPTIONS

MERCURY® MOTOR	EST. SPEED (MPH)	PRICE
150 XL FourStroke	41–43	\$37,995
150 XL OptiMax® Pro XS	42–45	\$37,995
200 XL OptiMax®	50–52	\$40,995
200 XL Verado®	49–51	\$43,395

Estimated speeds are variable, depending on load, passengers, elevation, weather and water conditions.

Boat may be shown with optional equipment. Specs and features subject to change without notice.

STANDARD FEATURES



COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S. Coast Guard requirements
- EPA-compliant fuel system
- Gunnels designed to maximize interior space & fishing room
- 3 stainless steel drink holders
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Fold-down 4-step stainless steel reboarding ladder
- Passenger grab handle
- Fire extinguisher & horn



CONSOLE

- Flush-mounted Lowrance® HOOK-5x fishfinder w/480x480 pixel display, surface temperature & down imaging
- Hydraulic steering w/custom tilt wheel
- Heavy-duty molded, tinted windscreens
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Oversized, carpeted, lockable port glovebox
- Below-console footrest w/non-skid mat
- Port & starboard below-console shelves
- Helm below-console recess for optional Hot Foot™ pedal
- Veethree $^{\tiny\textcircled{\tiny \$}}$ multi-function instrumentation gauges w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Stainless steel toggle switches
- Side-mounted LED courtesy light
- Space to mount additional electronics



CONSTRUCTION & EXTERIOR

- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides



ELECTRICAL

- Bow panel w/navigation light, anchor light & trim switches
- 1,000 GPH (3,785 LPH) bilge pump
- Bow navigation lights integrated into gunnels w/stowable stern light
- Heavy-duty Interstate® 27M-XHD starting battery
- 2 heavy-duty Interstate® Series SRM-29 trolling batteries
- 2-bank, 20-amp onboard battery charger w/exterior receptacle
- 2 automotive-style, labeled fuse panels w/cover
- Manual LED lighting in bow storage compartments

- Master power switch
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Console-mounted 12V outlet
- Waterproof Deutsch gauge plugin connectors
- Water & abrasion-resistant connectors



INTERIOR

- NASCAR®-inspired helm & passenger bucket seats
- Bike seat w/pedestal
- Folding molded fishing seat w/pedestal
- Bow & aft lockable storage compartments
- Port & starboard bow lockers w/lift assists
- 3-level center rod locker w/organizers for 8' (2.44 m) rods
- Step-up to bow deck w/storage for two 3600 tackle boxes
- Starboard tool holder
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays Extra-large integrated port net holder
- Port bow cooler w/removable tray
- 24-oz. (.68 kg) plush, marine-grade, cut-pile carpet on decks & floor
- Insulated aluminum lids w/welded corners
- Room to RAM®-mount additional electronics at bow
- Stainless steel fore & aft rails (port & starboard)
- Stainless steel lockable compression latches



LIVEWELL SYSTEMS

- 5.5-gal. (21 L) insulated bow baitwell w/removable bucket
- Aft 26-gal. (98 L) insulated Guardian™ anti-slosh rotomolded livewell w/rounded corners, removable divider & bait bucket
- Two 500 GPH (1,892 LPH) aerator/fill pumps w/timers (1 for baitwell, 1 for livewell)
- Two 750 GPH (2,839 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Pump-out systems (baitwell & livewell)
- Livewell lid latching to keep lid closed at speed & in rough conditions

PERFORMANCE

- Deep V performance hull
- Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller



TRAILER

- Custom-fit, factory-matched, tandem-axle NITRO® trailer w/powder-coat finish & NEW GALVASHIELD® Impact corrosion protection for improved durability
 - Surge disc brakes on 1 axle

- Inside-the-frame brake line system w/1-point bleed 14" (35.6 cm) custom NITRO® aluminum wheels w/radial tires
- No Touch Vortex hub lubrication system w/6-yr. 100,000-mile limited warranty
 Spare tire carrier (spare tire avail. at additional cost)
- All-welded rectangular GALVASHIELD® frame
- Space-saving swing-away tongue to reduce storage length 1,200-lb. (544 kg) swing-up locking jack w/swivel wheel

- Heavy-duty winch w/non-binding nylon strap & safety cables

- Outboard motor support to reduce hull & transom stress while towing
- Steel fenders w/diamond-tread step plates
- Carpeted bunks & fender boards to protect hull
- Submersible lights



TROLLING MOTOR

- Pedal recess that will accommodate Minn Kota® or MotorGuide® trolling motor pedal
- Minn Kota® PowerDrive™ 24V, 70-lb. thrust, 60" (1.52 m), foot-control trolling motor w/Universal Sonar 2

OPTIONS

Z PRO PACKAGE (w/Package, other options may not be available)\$44,595–\$49,995	HARDWARE & EQUIPMENT
 2 Lowrance® HDS-9 Gen 3 Touch w/StructureScan® RAM®mounted (bow & console) MotorGuide® Xi5 36V. 105-lb. thrust. 60" (1.52 m), trolling motor w/sonar 	- Bimini top\$698 - Thumbscrew rail mount rod holders (set of 2)\$450
- Motorduide Ala 36V, 103-ib. tiffust, 60 (1.32 m), trolling motor w/sonal - Networking between fishfinders & trolling motor	- Thumbscrew rail mount rod holders (set of 2)
- Networking between isrinitiers & troining motor - Kicker stereo system w/speakers	- Thumbscrew rail mount rod holders (set of 4)
- Nickel steled system wyspeakers - Walk-thru windshield	- Canvas enclosure (must have windshield option)
- Ski tow pylon	- Canvas enclosure (must have windshield option)
- GEN 4-bank, 40-amp battery charger	- Anti-fatigue mat\$25
- 1 extra SRM29 trolling battery	- Emergency ladder
- 31M-AGM cranking battery upgrade	- Keel protector (Black or White) \$31
, , , ,	- 2 oxygen generators\$30
BOW GRAPH	- Ski tow pylon\$29
- Lowrance® HOOK-5x Pro bracket mount\$360	- Tournament ruler\$6
- Lowrance® Elite-7 Ti & RAM mount	- Walk-thru windshield\$54
- Lowrance® HDS-7 Touch w/StructureScan® (dash StructureScan® must be chosen also)	
& RAM mount\$2,280	CUSHIONS & SEATING
- Lowrance® HDS-9 Touch w/StructureScan® (dash StructureScan® must be chosen also)	- Fishing chair & pedestal\$43
& RAM mount\$3,360	- Smooth Moves seat suspension\$900
- Lowrance® HDS-12 Touch w/StructureScan® (dash StructureScan® must be chosen also)	FUNCTIONAL
& RAM mount\$4,320	- Remote oil fill (available w/OptiMax® motors only)\$8
- Humminbird® HELIX™ 7 SI & RAM mount	- Nemote on initiavariable w/ Optivida = Initials only)
- Humminbird® HELIX™ 9 SI & RAM mount\$1,390	- Sony® sound system\$500
- Humminbird® HELIX™ 10 SI & RAM mount\$1,920	
- Humminbird® HELIX™ 12 SI & RAM mount\$2,880	TROLLING MOTOR EXCHANGE
DASH GRAPH EXCHANGE	- Minn Kota® Terrova™ 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Pilot\$1,11
- Lowrance® Elite-7 Ti & RAM mount\$1,055	 Minn Kota® Terrova™ 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Link (does not include
- Lowrance® Elite-7 Ti mount (uninstalled)	connections for Humminbird® graphs)\$1,46
- Lowrance® HDS-7 Touch w/StructureScan® & RAM mount	- Minn Kota® Terrova™ 24V, 80-lb. thrust, 60" shaft trolling motor w/Universal Sonar 2\$45
- Lowrance® HDS-7 Touch w/StructureScan® mount (uninstalled) \$2,760	- Minn Kota® Terrova™ 24V, 80-lb. thrust, 60" shaft trolling motor w/i-Pilot\$90
- Lowrance® HDS-9 Touch w/StructureScan® & RAM mount\$2,700	- Minn Kota® Terrova™ 24V, 80-lb. thrust, 60" shaft trolling motor w/i-Link\$1,23
- Lowrance® HDS-9 Touch w/StructureScan® mount (uninstalled)	- Minn Kota® Terrova™ 36V, 112-lb. thrust, 60" shaft trolling motor w/Universal Sonar 2\$79
- Lowrance® HDS-12 Touch w/StructureScan® & RAM mount	- Minn Kota® Ulterra™ US2 36V, 112-lb. thrust, 60" shaft trolling motor w/i-Link\$2,06
- Lowrance® HDS-12 Touch w/StructureScan® mount (uninstalled) \$3,960	- MotorGuide® X5 36V, 105-lb. thrust, 60" shaft trolling motor\$1,05
- Humminbird® HELIX™ 7 SI & RAM mount	KICKER MOTOR
- Humminbird® HELIX™ 7 SI (uninstalled)	- Factory-installed fuel tank attachment for Mercury® 9.9 or 15 ELPT FourStroke Command Thrust
- Humminbird® HELIX™ 9 SI & RAM mount\$990	ProKicker, remote & rigging bracket for starboard mounting w/OptiMax® rigging (motor sold
- Humminbird® HELIX™ 9 SI (uninstalled) \$930	separately)\$1,20
- Humminbird® HELIX™ 10 SI & RAM mount\$1,510	- Factory-installed fuel tank attachment for Mercury® 9.9 or 15 ELPT FourStroke Command Thrust
- Humminbird® HELIX™ 10 SI (uninstalled)	ProKicker, remote & rigging bracket for starboard mounting w/Verado® rigging (motor sold
- Humminbird® HELIX™ 12 SI & RAM mount	separately)\$1,40
- Humminbird® HELIX™ 12 SI (uninstalled)	- Factory-installed Mercury® 15 ELHPT FourStroke Command Thrust ProKicker w/rigging bracket
2ND DASH GRAPH	
	- Factory-installed Mercury® 15 ELPT FourStroke Command Thrust ProKicker w/fuel tank
- Lowrance® HOOK-5x Pro bracket mount	attachment, remote & rigging bracket w/OptiMax® rigging\$4,72
- Lowrance® Elite-7 Ti bracket mount \$1,200	- Factory-installed Mercury® 15 ELPT Four Stroke Command Thrust ProKicker w/fuel tank
- Lowrance® HDS-7 Touch w/StructureScan® (dash-mounted unit w/StructureScan must be	attachment, remote & rigging bracket w/Verado® rigging\$4,92
selected) & RAM mount \$1,680	- Factory-installed Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker w/rigging bracket
- Lowrance® HDS-9 Touch w/StructureScan® (dash-mounted unit w/StructureScan must be	\$3,82
selected) & RAM mount\$2,640 - Lowrance® HDS-12 Touch w/StructureScan® (dash-mounted unit w/StructureScan must be	- Factory-installed Mercury® 9.9 ELPT FourStroke Command Thrust ProKicker w/fuel tank
- Lowrance HDS-12 Touch w/Structurescan (dash-mounted unit w/Structurescan must be selected) & RAM mount	attachment, remote & rigging bracket w/OptiMax® rigging\$4,47
selected) & RAIM mount\$3,720 - Humminbird® HELIX™ 7 SI RAM mount\$1,140	- Factory-installed Mercury® 9.9 ELPT FourStroke Command Thrust ProKicker w/fuel tank
- Humminbird® HELIX 7 SI RAM mount	attachment, remote & rigging bracket w/Verado® rigging\$4,92
- Humminbird® HELIX 9 SI RAM mount \$1,535 - Humminbird® HELIX™ 10 SI RAM mount \$2,075	- Rigging kit for starboard mounting of the Mercury® 9.9 ELHPT FourStroke Command Thrust
- Humminbird® HELIX™ 12 SI RAM mount	ProKicker or Mercury® 15 ELHPT FourStroke Command Thrust ProKicker (motor sold separately)
	\$57
PERFORMANCE & STEERING	COVEDS
- Lenco trim tabs\$960	COVERS Convince NUTDO® range retablet source. Chargons!
BATTERY CHARGER EXCHANGE	- Genuine NITRO® rope ratchet cover—Charcoal
	- Genuine NITRO® rope ratchet cover—Black\$93
- GEN 3-bank, 30-amp battery charger \$75	TRAILER
- GEN 4-bank, 40-amp battery charger\$125	- Spare tire kit
	- Retractable trailer tie down
	- Tandem 2 brake upgrade\$32







PERIORINALISTE FISHING BULLET



CHAMPIONS AREN'T BORN. THEY'RE MADE.

Photos may show optional or special edition equipment available at an additional cost. Details in pricing, savings, features and promotions may vary by location and are subject to change without notice. Based on United States currency, Void where prohibited by law. Best efforts are used to ensure the accuracy of our advertising, however, errors may sometimes occur. See your local dealer for complete information. F.O.B. Springfield, MO, USA. © 2016 White River Marine Group, LLC



BPSCS.44M.12/16.HW

DOMESTIC