

Inside every angler is a champion waiting to emerge. To set them free, you'll need a precision fishing tool with the power, performance and reliability to stand up to the rigors of tournament competition—and to do it reliably every time, whether you're simply fishing the lake with a buddy on a peaceful weekend or battling a legion of other anglers with their eyes on the same trophy. Either way, there's a NITRO[®] that will take you there. An unwavering attention to technical detail and a relentless pursuit of quality allows us to deliver championship boats to the finest anglers on the planet—and these same boats can belong to you. Each one is a high performance machine that gives their owner the upper hand. They are powerful syntheses of man and machine that push the boundaries of technical innovation. Because the champion inside you yearns to emerge—whether that's mounting the stage and hoisting a trophy or just being the champion your family deserves.



CHAMPION WITHN

YOUR HEADQUARTERS FOR FVFRYTHING OUTDOORS

Johnny Morris founded Bass Pro Shops[®] in 1972 to provide anglers a one-stop shop filled with great deals on the gear they needed. In 1978, he brought that legacy to the boating industry with the BASS TRACKER®, the industry's first boat, motor and trailer package. From there, he continued adding quality boat brands, including NITRO[®] in 1988, bringing an exciting new dimension of high-performance fishing to anglers.



WE STRIVE DAILY TO BUILD A BETTER HIGH-PERFORMANCE FISHING BOAT AT A BETTER PRICE FOR BOTH TOURNAMENT **PROS AND EVERYDAY** ANGLERS."

JOHNNY MORRIS FOUNDER, BASS PRO SHOPS

Because of that dedication, Bass Pro Shops is recognized as the world's premier outdoor retailer, and WHITE RIVER MARINE GROUP® (WRMG), the parent company to NITRO, is the world's largest boat builder by volume. In addition to NITRO, WRMG crafts an array of fishing and recreational boats in America's Heartland.

RACKER

Want to see your new NITRO in person? Find them at hundreds of quality dealers around the world, including more than 130 Bass Pro Shops and Cabela's® Boating Centers[™] and hundreds of independent dealers across North America.

Many of those dealerships, including all of the Boating Centers, have a service center with factory-trained and -certified technicians, so you're assured to have a full-service center nearby to keep you on the water.

Every location also follows our NO HAGGLE NO HASSLE® pricing policy where every model is priced at after-negotiation levels that are consistent across all media. This also means you'll find the same great prices at our dealerships

as you will across our brochures, catalogs, ads and nitro.com. Whenever and wherever you shop, you'll get the industry's best value—all without having to bargain for the right price.



NER DISCOUNT CARD



EXCLUSIVE DISCOUNTS

for CLUB Members and VIP shopping events

The Bass Pro Shops® CLUB card and Cabela's CLUB card are issued by Capital One Bank (USA), N.A. pursuant to a license by Mastercard International Incorporated. Redeem points for FREE GEAR at Bass Pro Shops and Cabela's. Terms and conditions apply.

on purchases anywhere Mastercard[®] is accepted

Go to any U.S. Bass Pro Shops or Cabela's retail store • Learn more at basspro.com/club or cabelas.com/club

3 CONVENIENT WAYS TO SHOP

NITRO DEALER

Your local Bass Pro Shops, Cabela's or independent NITRO dealer can assist you with a purchase.

CALL US

You can reach one of our knowledgeable representatives at 855.630.2711 to have all your NITRO guestions answered, order a boat, and arrange pick-up at your local dealer.

ONLINE

Visit nitro.com on your desktop, laptop or mobile device. There, you'll be able to browse our complete lineup, look at photographs, watch videos, compare features and pricing, and locate the dealer nearest you. You can also use the Build A Boat tool to customize and price your boat.






T ITEMS AT BASS PRO SHOPS & CABELA'S SEE BASSPRO.COM/VIP FOR DETAILS

EARN FREE GEAR EARN POINTS **EXCLUSIVE ACCESS**

to exclusive member-only events and offers





2020 NITRO PRO FISHING TEAM





4-Time Bassmaster Classic® Champion 7-Time BASS Angler of the Year

Kalamazoo, MI Hometown 29 Years Pro Top 10 Finishes (Wins) 121 (25) **Career Winnings** \$6.8 million

The NITRO® Pro Team has never been stronger, with 11 Bassmaster® Classic titles, the first REDCREST Championship, and dozens of national-tour-level first-place finishes on their collective mantels. And 2020 looks to be the most exciting year yet!

For three decades, the NITRO Pro Team, led by Kevin VanDam, have dominated national tournaments and in doing so, taught anglers around the world the tricks of the trade and instilled in them a deeper love for fishing.

In 2020, the competition is going to be fast and furious, and there are sure to be some monster pigs and big winnings on the line. Keep your eyes on these guys—they've got some unforgettable days on the water just ahead!



MLF Bass Pro Tour Redcrest Champion MLF Bass Pro Tour Points Winner

Talala, OK ometown Years Pro 19 Top 10 Finishes (Wins) 74 (13) \$3.64 million **Career Winnings**





CHRIS

2019 Bassmaster Classic Champion

Hometown	Blaine, TN
Years Pro	13
Top 10 Finishes (Wins)	67 (7)
Career Winnings	\$2.1 million



2012 Bassmaster Classic Champion Guntersville, AL Hometown Years Pro 13 Top 10 Finishes (Wins) 39 (8) \$2.00 million **Career Winnings**









Hometown Years Pro Top 10 Finishes (Wins) **Career Winnings**



Years Pro Top 10 Finishes(Wins) **Career Winnings**



Hometown Years Pro Top 10 Finishes (Wins) **Career Winnings**



4-Time Bassmaster Classic Champion 32 Classic Appearances Oldest Angler to win a Bassmaster *Elite Series at the age of 72* Ava, MO Hometown 46 Years Pro Top 10 Finishes (Wins) 128 (18) \$3.25 million **Career Winnings**

RICI


Blacksburg, SC 12 35 (2) \$1.1 million



Russellville, AR 47 (9) \$548,000



Lincolnton, NC 2 \$116,000





Hometown Lenexa, KS Years Pro Top 10 Finishes (Wins) 12 (2) **Career Winnings** \$531,000

Madisonville, TX

16

19 (1)

\$902,000

DAVID

Maiden, NC Hometown Years Pro Top 10 Finishes (Wins) **Career Winnings** \$169,000



Newcomerstown, OH Hometown Years Pro Top 10 Finishes (Wins) 5 (1) **Career Winnings** \$379,000

2020 NITRO NORTHERN PROS

Hometown

Years Pro

Top 10 Finishes (Wins)

Career Winnings



GARY Hometown Glidden, WI Years Pro

Top 10 Finishes Career Winnings \$1 million-plus

DAIF

Hometown **Years Guiding Years Pro Angler Career Winnings**





Hometown Kaukauna, WI Years Pro 33 \$1,020,000 **Career Winnings**



Hometown	Denmark, WI
Years Pro	16
Top 10 Finishes	20
Career Winnings	\$295,000

|--|

It's everyone's dream, and the Bass Pro Shops® Tournament Rewards® top levels of fishing. Through participation in this industry-leading program, program makes it real. Win or hit the top ten in a NITRO®-approved tournament you can receive thousands in cash and Bass Pro Shops and Cabela's® Club and get cash! Points when you compete and win eligible tournaments from your NITRO The Bass Pro Shops[®] Tournament Rewards program can help you boat. Millions of dollars have been awarded to NITRO anglers over the years,

enhance your tournament winnings—whether or not you compete at the and some of that money can be yours.



Sturgeon Bay, WI 34 15 150,000



FOR MORE INFORMATION AND A COMPLETE LIST OF ELIGIBLE TOURNAMENTS,

Registration must be completed and submitted prior to participation in a qualifying event in order to be eligible for prizes. Program term begins January 1, 2020, and ends December 31, 2020.

SMART DESIGN. TOP QUALITY CONSTRUCTION

From the hand-laid fiberglass hulls, to Mercury[®] factory rigging, to the smartly organized tackle and rod storage, we've attended to every detail on every NITRO[®] boat to give you the assurance that nothing will get in the way of fishing

Our Lean Sigma manufacturing methods add value and reduce waste both in labor and materials—at every step in the process, meaning more boat for less money.

Structurally, the NITRO lineup is second to none, thanks to the unparalleled skill of our master craftspeople. Inside the hull, you'll find a one-piece, gelcoated fiberglass stringer system that's double bonded to the hull to

create a super-strong, unitized structure. The stringer also forms the interior of the storage/rigging compartments, and the gelcoat finish makes them durable and easy to clean.

Factory rigging gives you the best setup every time. Mercury-trained technicians rig all our boats at our factory. This means your boat is rigged to exact specifications that focus on quality, consistency and efficiency. We're able to pass along cost savings to you while delivering a boat that requires significantly less dealer preparation. This lowers your dealer's costs while also freeing up technicians to respond to your service and maintenance needs.





GUARDIAN LIVEWELLS

NITRO-exclusive GUARDIAN[™] livewells are highly valued by our pros as the best in the industry. Distinguishing features include a 360° baffle around the top edge that keeps water from sloshing and banging up fish, rounded corners to promote natural motion, angled bottoms for positive draining, and auto-fills, oxygen generators and powerful, reliable pumps for your peace of mind. Keep your fish healthy and vibrant with GUARDIAN livewells—standard on all NITRO boats.



Z-CORE SEATING

Working closely with Kevin VanDam, NITRO innovated the Z-CORE[™] Seating System—a total redesign of the traditional high-performance bass boat seat.

> The seat starts with an all-composite, rotomolded frame. The frame is contoured to cradle the torso and has just enough flex to

absorb punishing impacts on the water. A recess at the bottom is laced with Force Flex elastic suspension for even more added comfort, and wrap-around wings hold you in place when running over chop.

The Z21 and Z20 Z PRO packages feature a power-inflatable air cushion that supports the upper back when in the crouched running position.

OUR CUSTOMERS HAVE SPOKEN


For six consecutive years, NITRO fiberglass outboard boats have been recognized for excellence in customer satisfaction by the National Marine Manufacturers Association® (NMMA®).

This means that hundreds of feedback surveys returned by actual purchasers of NITRO fiberglass fishing boats reported average satisfaction ratings above 90 points on a scale of 100. With a NITRO, you get a steadfast dedication to quality that you can see in the fit and finish, feel in the smooth ride, and count on for a lifetime. Thanks to the skill and experience of our master fiberglass craftspeople, care is taken at every step in the process to ensure the finest, longest-lasting boat at the best price.

The CSI award from NMMA is a tribute to our skilled and dedicated boat makers and to the thousands of people in our company and dealer network

ONE-PIECE STRINGER SYSTEM EXCLUSIVE TO NITRO Z SERIES BOATS

NITRO® boats are built rock-solid from the inside out, and one of the most important components is one you can't even see. Sandwiched between the hull and the deck is a solid fiberglass, closed-molded substructure called a stringer (or liner) that unitizes the boat. Closed molding gives a higher strength-to-weight ratio, and gelcoating makes the interior of the deck compartments easier to clean. Transom knees are part of the stringer-not added on later—to form an unyielding foundation upon which to bond the 100% composite transom. The stringer, transom, deck and hull are chemically bonded and mechanically fastened together to become one solid structure for a lifetime of top performance and tourney-winning fishability.



who provide support to our customers. By working hard and working smart, they are delivering the promise of quality and value that has placed NITRO solidly among the leaders in performance fishing boats.





RECOGNIZED FOR EXCELLENCE IN CUSTOMER SATISFACTION SIX YEARS IN A ROW



HULL DESIGN REDEFINED

Throughout its history, NITRO® has been known for smooth-riding boats that run dry and stable in rough water—and that fish with the best of them. Advanced design technology is raising the bar, retaining NITRO strength and adding speed, agility and even quicker holeshots. The NITRO VORTEX TECHNOLOGY[™] (NVT[™]) hull is a revolutionary design that uses a series of parabolic curves instead of traditional strakes. The result is a hull with exceptional top-end speed and lift—plus improved acceleration—all while maintaining superior control and handling. The organic shape of the NVT hull also enhances consistency in the manufacturing process and provides exceptional strength-to-weight ratio. Available exclusively on the Z17, Z18, Z19, Z20 and ZV20.



NITRO-EXCLUSIVE RAPID PLANING SYSTEM (RPS) TRANSOM



The Z17, Z18, Z19, Z20, Z21, ZV20 and ZV21 all feature our exclusive RAPID PLANING SYSTEM[™] (RPS) transom. The notch in the center of the transom releases trapped air on takeoff, and the set-back design of the transom delivers maximum water flow to the propeller. The result is a faster holeshot, enhanced performance at the top end and increased overall efficiency.

EXPLORE THE INTERIOR OF

From decks to seating to storage to livewells, we've designed each NITRO® performance fishing boat to help optimize your productivity on the water. Here's a detailed breakdown of the interior features of our Z Series flagship boat, the Z21.

- 10 LARGE PULL-OUT STORAGE DRAWER MINN KOTA® MAXXUM® **TROLLING MOTOR** 24V, 70-lb. (36.29 kg) thrust, 42" (1.07 m) shaft trolling motor 17 GRAB HANDLES **2** BOW COMMAND CENTER w/trim & navigation light switches, plus room of mind for optional 10" (25.4 cm) flush-mount fishfinder & tool/drink holder **RECESSED FOOT PEDAL**
- BEHIND SEAT NET STOW DUAL-POSITION BICYCLE SEAT BASE Bow deck position for standard bike seat location

pump-out

- LOW-PROFILE GUNNELS create more interior casting space & no hassle 21 MOLDED, DROP-IN STORAGE w/nav light poles
- ANTI-FATIGUE BOW DECK PADDING for all-day fishing comfort

NAV LIGHTS INTEGRATED INTO

ROD HOLD-DOWN STRAPS keep rods handy & secure

for easy & comfortable trolling

w/hydraulic pedestal

- 4 PULL-UP MOORING CLEATS to reduce possible snags
- LOCKABLE DUAL ROD STORAGE w/lift assists & port organizer to neatly hold 23 BATTERY STORAGE AREA rods & gear up to 8' (2.44 m) w/automatic light
- 1 LOCKABLE CENTER STORAGE oversized, w/TACKLE MANAGEMENT SYSTEM[™], magnetic lure holders, manual light & ventilation fan to keep all bow storage compartments dry
- 1 LOCKABLE DUAL GEAR STORAGE BOXES w/manual lights
- 12 TOOL & DRINK HOLDERS on both sides of step-up cooler
- **(B)** STEP-UP BOW DECK COOLER neavily insulated w/trash receptacle 🙉 RIGGING TUBE & snap-in sandwich tray
- UPDATED CONSOLE NEW console w/more leg room, Lowrance® Elite-7 Ti² fishfinder, touchscreen switch panel, key fob controller & hydraulic steering
- **OPTIONAL REMOVABLE** PORT CONSOLE (not shown) w/hardware, tinted windscreen & glovebox
- **31) BATTERY ON/OFF SWITCH** w/emergency jump start

12" (30.48 cm)



beneath port console for quick access

engineered composite handles provide peace

18 Z-CORE[™] SEATING SYSTEM w/Force Flex suspension & contoured, rotomolded frame (driver & passenger seats)

easy access to net stored in an unobtrusive

20 INTEGRATED TOURNAMENT RULER located right next to livewell for faster culling

w/lock & tackle tray holders

DELUXE FOLD-DOWN FISHING SEAT BASE Aft deck position for standard fishing seat w/hydraulic pedestal

73 TWO 19-GAL. (71.92 L) GUARDIAN[™] LIVEWELLS w/anti-slosh lip, freshwater fill pump, recirculator pump, timers, oxygen generation system &

w/drop-in trays for gear/tools

25) AUTOMATIC BILGE PUMP to quickly & efficiently remove bilge water

HAND-LAID PERFORMANCE HULL for maximum durability & a smooth, dry ride in rough conditions

ANGLED, FOLDING BOARDING LADDER accommodates Power-Pole[™] or Talon[™]

RAPID PLANING SYSTEM[™] TRANSOM provides superior planing w/minimal bow rise & extreme shallow-water performance

for clean & neat cable routing

(1) ADJUSTABLE JACK PLATE

so you can change the height of the motor for maximum performance w/varying loads




NITRO PRO PACKAGES

Available on almost every NITRO[®], Pro packages give you a host of the most popular high-performance upgrade options at an incredible value— you can save thousands off buying and installing them separately! These packages were developed by our pro anglers in response to a demand for ready-made packages of tournament-dominating accessories. You'll be ready to compete the day you pick up your boat!

"NITRO Pro and Elite packages are outfitted to help you fish like a pro from the day you pick up your boat from the dealer."

NITRO[®] PRO ANGLER 2019 MLF REDCREST CHAMPION





2 Minn Kota® 10' (3.05 m) Talon shallow-water anchors



TIE DOWNS Retractable trailer tie downs

UPGRADE & SAVE!

The prices below represent the amount you save on a NITRO Pro Package compared to purchasing a standard NITRO and purchasing all Pro Package accessories separately. Pricing is estimated and subject to change without notice.

ZIBPRO	SAVE \$2,115
Zigpro	SAVE \$2,500
ZZOPRO	SAVE \$4,810
ZZIPRO	SAVE \$6,905
ZviSpro	SAVE \$3,455
ZVISPRO	SAVE \$3,001
Zv20pro	SAVE \$4,500
Zv21pro	SAVE \$5,040



The Z21 Elite package features most of the upgrades from the Pro package above, plus the most advanced fishing electronics from Lowrance[®]—enabling the NITRO-exclusive Z-TOUCH[™] Command Center for touchscreen control of all boat functions.

- Bow Lowrance[®] HDS LIVE 12 gimbal-mounted
 Console Lowrance[®] HDS LIVE 16 flush-mounted
- 2 Power-Pole® 8' Blade Edition shallow-water anchors
- Minn Kota[®] Ultrex[®] (36V, 112-lb., 45") w/i-Pilot[®]



Complete list of features can be found on page 44.

"I've been relying on NITRO for 30 years, and they've taken me to the top of the professional fishing world. Try one out—they can't be beat for performance, reliability and fishability."

KEVIN VANUAM NITRO® PRO ANGLER 14-TIME BASSMASTER CLASSIC® CHAMPION



NITIRE

a mathematica and a second

The NITRO® Z21 is designed with input from our leading pros, who between them hold one REDCREST championship, 11 Bassmaster Classic® titles and dozens of other first place finishes. It features an all-new 5" touchscreen switch panel w/one-touch boat controls—including the First Fish function, which fills and recirculates the livewell with one touch so you can get right back to fishing. Plus, the hull provides a smooth, dry ride with optimal performance, and ample storage holds dozens of rods and tons of tackle.

[[[]]



w/Mercury[®] 250 L Pro XS[®] FourStroke w/Torque Master & Custom Trailer (plus freight & prep)

• 300 L Pro XS® FourStroke w/Torque Master......\$55,005 (plus freight & prep)

-

Max. Weight Capacity Storage Length/Width

1.800 lbs.

(816.47 kg)

24' 4"/<u>8' 6</u>"

(7.42 m/2.59 m)



SPECIFICATIONS

Max. Person Capacity Hull Length Max. HP Fuel Capacity 300 21' 2' 4/825 lbs. 55 aal. 7' 22.5 (374.21 kg) (6.45 m) (2.41 m) (57.15 cm) (208.20 L)

Boats may be shown with optional equipment and accessories. Complete motor, feature and specification information available starting on page 44.





Standard Package: w/Mercury® 250 L Pro XS® FourStroke w/Torque Master & Custom Trailer (plus freight & prep)

\$62,205

300 L Pro XS® FourStroke w/Torque Master..... (plus freight & prep)

Professional Tournament Features Include.

- Bow Humminbird[®] SOLIX[™] 10 DI G2 & console SOLIX 12 SI G2 fishfinders
- 2 Minn Kota® 10′ (3.05 m) Talon shallow-water anchors
- Minn Kota[®] Ultrex[®] 36V, 112-lb. (50.80 kg) , 45" (1.14 m) trolling motor w/MDI (Mega Down Imaging) 2 & i-Pilot[®] Link[™]
- 3-way Ethernet communication between fishfinders & trolling motor
- Power-adjust pneumatic lumbar support for driver's seat
 Hot Foot[™] throttle & Pro-Trim lever
- 4-bank, 40-amp battery charger



Standard Package: w/Mercury® 250 L Pro XS® FourStroke w/Torque Master & Custom Trailer (plus freight & prep)

Optional Motor:

300 L Pro XS[®] FourStroke w/Torque Master\$74.405 (plus freight & prep)

The Z21 Elite LX package features most of the upgrades from the Pro package above, plus the most advanced fishing electronics from Lowrance[®]—enabling the NITRO[®]-exclusive Z-TOUCH[™] Command Center for touchscreen control of all boat functions.

- Z-TOUCH[™] Command Center w/digital control of boat functions.
 Bow Lowrance[®] HDS LIVE 12 gimbal-mounted fishfinder w/
- downscan transducer on trolling motor. Console Lowrance[®] HDS LIVE 16 flush-mounted fishfinder w/HD
- transducer (2D puck in hull at transom)

1. NEW modular, aerodynamic console design w/expanded leg clearance & larger graph surface 2. Massive, lockable center bow tackle storage w/molded-in rain/spray channels, dual piston lift assist, LED lighting & optional magnetic under-lid lure organizer. 3. Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)



Z20

The NITRO® Z20 is a top-seller because its performance compares favorably with the Z21 while being more compact for probing docks and shallower water. The basis of the Z20 is the NITRO VORTEX TECHNOLOGY[™](NVT[™]) hull—a design that uses a series of parabolic curves for quicker holeshots, more lift while on plane and improved handling. The Z20 is optimized for tournament angling, with massive rod capacity in the two 8' bow rod lockers and an enormous center tackle storage compartment with NITRO-exclusive TACKLE MANAGEMENT SYSTEM[™].

"My NITRO made winning the REDCREST Championship look easy—the reliability, performance and storage layout are second to none."

Tres

EUVIN EVERS NITRO® PRO ANGLER 2019 MLF REDCREST CHAMPION



STANDARD PACKAGE: w/Mercury® 225 L Pro XS® FourStroke w/Torque Master & Custom Trailer (plus freight & prep)

• 250 L Pro XS® FourStroke w/Torque Master......\$46,175 (plus freight & prep)

1	

NITRO

SPECIFICATIONS:

Hull Length 20' 2''	Beam 7' 10"	Transom Height 22	Max. HP 250	Max. Person Capacity 4/575 lbs.	^{Fuel Capacity} 50 gal.	Max. Weight Capacity 1,750 lbs.	Storage Length/Width 23' 8"/8' 6"
(6.15 m)	(2.16 m)	(55.88 cm)		(260.82 kg)	(189.27 L)	(793.79 kg)	(7.25 m/2.62 m)

Boats may be shown with optional equipment and accessories. Complete motor, feature and specification information available starting on page 46.

Z20prd Standard Package: w/Mercury®

225 L Pro XS® FourStroke w/Torque Master & Custom Trailer (plus freight & prep)


..\$53,775


Optional Motor:

250 L Pro XS® FourStroke w/Torque Master (plus freight & prep)

Professional Tournament Features Include:

- Bow Humminbird® HELIX[™] 9 DI G3N & console HELIX 10 SI G3N fishfinders
 2 Minn Kota® 10' (3.05 m) Talon shallow-water anchors
 Minn Kota® Ultrex[®] 36V, 112-lb. (50.80 kg), 45" (1.14 m) troll-ing motor w/MDI (Mega Down Imaging) & i-Pilot® Link[™]
 3-way Ethernet communication between fishfinders
 2 tralling motor
- & trolling motor
- Power-adjust pneumatic lumbar support for driver's seat
 Hot Foot[™] throttle & Pro-Trim lever
 4-bank, 40-amp battery charger





1. Oversized lockable bow center storage locker w/TACKLE MANAGEMENT SYSTEM[™] & piston-assist lift 2. Two NITRO-exclusive 19-gal. (71.92 L) aerated, recirculated GUARDIAN™ livewells w/pump-outs 3. NEW modular, aerodynamic console design w/more leg clearance & larger fishfinder surface



At 19' 4" and with 200HP standard, the NITRO® Z19 is fast enough for the most demanding tournament anglers and nimble enough to get into places where bigger, heavier boats can't. This is thanks in part to our exclusive NITRO VORTEX TECHNOLOGY" (NVT") hull, which improves holeshot, acceleration and overall performance. The Z-CORE" seating system with Force Flex suspension provides industry-leading comfort, and it's factory-rigged with a Mercury® outboard, Minn Kota® trolling motor, Lowrance® fishfinder and a custom-matched trailer.

Æ

NITRE

"The NITRO Z19 fits that 200-horse sweet spot just right—it's a very fast, extremely fishable boat that can take you right to the top of the leaderboard."

OTT DEFOE NITRO® PRO ANGLER 2019 BASSMASTER CLASSIC® CHAMPION



STANDARD PACKAGE: w/Mercury® 200 L Pro XS® FourStroke & Custom Trailer (plus freight & prep)

SPECIFICATIONS:

Hull Length 19" 4"			Max. HP 200				Storage Length/Width 22' 7"/8' 6"
(5.89 m)	(2.39 m)	(58.42 cm)		(226.80 kg)	(189.27 L)	(623.69 kg)	(6.88 m/2.59 m)

Boats may be shown with optional equipment and accessories. Complete motor, feature and specification information available starting on page 48.


NITRO



Standard Package: w/Mercury[®] 200 L Pro XS[®] FourStroke & Custom Trailer (plus freight & prep)

Professional Tournament Features Include:

- Bow Humminbird® HELIX[™] 8 DI G3N & console HELIX 8 SI G3N fishfinders
 Minn Kota® Ultrex[®]24V, 80-Ib. (36.29 kg) thrust, 45[″] (1.14 m) shaft trolling motor w/MDI (Mega Down Imaging) & i-Pilot[®] Link[™]
- 3-way Ethernet communication between fishfinders & trolling motor
- T-H Marine G-Force Conservation livewell culling system
 Upgraded tandem-axle trailer w/boarding step, steel fender, custom 14" (35.56 cm) aluminum wheels & spare tire





1. Z-CORE[™] seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger 2. Step to bow deck w/62-qt. (58.67 L) insulated cooler & removable trash receptacle 3. Oversized lockable bow center storage locker w/piston-lift assist





Zie

The NITRO® Z18 is America's best-selling fiberglass bass boat because it balances power and fishability in a ready-to-win package. It's built around our revolutionary NVT™ hull with RAPID PLANING SYSTEM™, giving you a smooth, soft and dry ride along with a brisk holeshot and precision handling. The massive bow deck is laid out with one purpose—catching fish. With a 24-volt Minn Kota® trolling motor standard and our ultra-comfortable Z-CORE™ driver, passenger and fishing seats, it really is a bass boat for everyone.

> "The Z18 is the most popular fiberglass bass boat in America because it provides the perfect balance of fishability, performance and ease of ownership."

TIMMY HORTON NITRO® PRO ANGLER HOST OF TV SHOW TIMMY HORTON OUTDOORS



• 150 L Pro XS® FourStroke.... • 175 L Pro XS® FourStroke.... .\$32,905\$34,635 (limited availability) (plus freight & prep)

SPECI	FICA	TO	S:
-------	------	----	----

Hull Length	Beam 7' 10''	Transom Height 22.5 "	Max. HP 175	Max. Person Capacity 4/550 lbs	Fuel Capacity 40 gal.	Max. Weight Capacity 1,350 lbs.	Storage Length/Width
(5.69 m)	(2.39 m)	(57.15 cm)		(249.48 kg)	(151.42 L)	(612.35 kg)	(6.48 m/2.59 m)

Boats may be shown with optional equipment and accessories. Complete motor, feature and specification information available starting on page 50.



1. Aft 30-gal. (72 L) insulated, aerated GUARDIAN[™] livewells w/digital timers & baffled rim for reduced slosh 2. Oversized lockable bow center storage locker w/piston-assist lid 3. Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)



NITRO



Optional Motors:

• 150 L Pro XS® FourStroke: .

• 175 XL Pro XS[®] FourStroke (limited availability):...... (plus freight & prep)

.\$36,495 ...\$38,225

Professional Tournament Features Include:

- Bow Humminbird[®] HELIX[™] 7 DI G3N & console HELIX 7 SI G3N fishfinders
- Minn Kota[®] Ultrex[®] 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/MDI (Mega Down Imaging) & i-Pilot[®] Link[™]
- 3-way Ethernet communication between bow & console fishfinders & trolling motor • Factory-applied keel protector • Bow tool/drink holder

- 3-bank, 30-amp battery charger
- Retractable transom trailer tie downs



DES	IGNED	TO PUT	YOU		
				INT.	

NITRO

SPECIFIC	ATIONS:						
Hull Length 17' 4'' (5.28 m)	Beam 7' 6'' (2.29 m)	Transom Height 20.5" (52.07 cm)	Max. HP 115	Max. Person Capacity 3/460 lbs. (208.65 kg)	Fuel Capacity 24 gal. (90.85 L)	Max. Weight Capacity 1,100 lbs. (498.95 kg)	Storage Length/Width 20' 9"/7' 11.5" (6.32 m/2.43 m)

1. Driver & passenger bucket seats w/molded-in, gelcoated storage below each 2. Minn Kota® Edge® 12V, 55-lb. (24.95 kg) thrust, 45" (1.14 m) shaft foot-control trolling motor 3. Custom-molded modular console w/2-tone gelcoat w/Lowrance® HOOK² 4x fishfinder

Boats may be shown with optional equipment and accessories. Complete motor, feature and specification information available starting on page 52.

2.4

The NITRO® Z17 is a compact, high-performance boat that's easy to own and even easier to fish. If you're thinking about stepping up from aluminum to fiberglass, you won't find a better, more value-packed choice. It shares many features with the larger boats in the Z Series, including the NITRO VORTEX TECHNOLOGY[™] hull, a large insulated cooler, lockable port and starboard bow rod lockers, a GUARDIAN[™] livewell, roomy tackle storage throughout and a handy passenger rod ramp.



offantuariu Paonaoc w/Mercury® 115 ELPT Pro XS® FourStroke & Custom Trailer (plus freight & prep)

OPTIONAL MOTOR:

• 115 ELPT Pro XS® FourStroke Command Thrust......\$27,545 (plus freight & prep)







The second second





Z/27 Built to give you the tools to compete in Great Lakes conditions, the ZV21 can do just about anything. New for 2020, it features a 5" touchscreen with one-touch command of boat controls—including the innovative First Fish function, which fills and recirculates the livewell with one touch. A handy key fob controls many of the same functions. And for the sprint back to shore, you'll be powered by up to 400 horses leading the charge. So when it comes to the biggest, baddest wellowed by a fitte aparth abseat the 21/21. walleye lakes of the north, choose the ZV21.

MERCURY

"The ZV21 blows the competition out of the water when you consider every-thing—performance, fishability, safety and value. It's kept me at the top of my walleye game for years."

Leith lac

KEITH KAVAJECZ NITRO[®] PRO ANGLER CO-HOST OF TV SHOW THE NEXT BITE

w/Mercury® 250 XL Verado® Pro FourStroke & Custom Trailer (plus freight & prep)

00

SPECIFICATIONS

Beam

8'4'

(2.54 m)

Hull Length

21'7

(6.58 m)

Max. HP

400

Boats may be shown with optional equipment and accessories. Complete motor, feature and specification information available starting on page 54.

Transom Height

28"

(71.12 cm)

Max. Person Capacity

(544.31 kg)

6/1,200 lbs. 64 gal.

Fuel Capacity

(242.27 L)

(1,133.98 kg)

(7.49 m/2.59 m)



(plus freight & prep)



NITRO

1. NEW touchscreen switch panel w/1-touch boat controls including First Fish, Nite Mode, master power, trim, lighting, bilge, livewells & more 2.3-level center rod locker for rods up to 8' (2.44 m) w/tapered rod tubes to protect rod tips 3. Aft 26-gal. (98.42 L) GUARDIAN™, anti-slosh livewell & bow 5.5-gal. (20.82 L) baitwell w/bucket





Standard Package: w/Mercury® 250 XL Verado Pro FourStroke & Custom Trailer (plus freight & prep)

OPTIONA

• 300 XL Verado [®] Pro FourStroke	\$72,765
• 350 XL Verado [®]	\$75,395
• 400 XL Verado [®]	\$79,600
(plus freight & prep)	

Professional Tournament Features Include:

- NEW bow Humminbird[®] SOLIX[™] 10 DI G2 & NEW console SOLIX 12 SI G2 RAM[®]-mounted fishfinders w/GPSNEW
 Minn Kota[®] Ulterra[™] 36V, 112-lb. (50.8 kg), 72[°] (1.83 m) trolling motor w/MDI (Mega Down Imaging) & i-Pilot[®] Link[™]
 Mercury[®] 9.9 remote ProKicker trolling outboard
 3-way Ethernet communication between fishfinders [®] trolling motor

- & trolling motor
- Walk-thru windshield (or optional plexiglass windscreens)
 5 batteries & 3 chargers for reliable, consistent power







SUIT-SPECIES SIGENIALS

"The new NITRO ZV20 checks all the boxes for a tournament walleye angler like me—plus adds some special features for the whole family."

NITROZZO

the Farm

CHASE PARSONS NITRO® PRO ANGLER CO-HOST OF TV SHOW THE NEXT BITE

ALL-NEW FOR 2020

The NITRO® ZV20 is a formidable 300-horsepower-class Deep V fishing machine with the brute strength and fishability you need to conquer big water. New for 2020, it features 5" touchscreen command of boat controls—including the innovative new First Fish function, which fills and recirculates the livewell with one touch. A handy key fob controls many of the same functions. Built with crucial input from our walleye pros, the ZV20 is designed to find and catch walleye, but it pulls in some great family features as well.

WARDER CONTRACTOR W/Mercury® 225 XL Pro XS® FourStroke w/DTS & Custom Trailer (plus freight & prep)

STANDARD PACKAGE STANDARD PACKAGE

• 250 XL Pro XS® FourStroke w/DTS\$58,655 • 300 XL Pro XS® FourStroke w/DTS\$61,195 (plus freight & prep)

SPECIFICA	ATIONS:						
Hull Length 20' 2'' (6.15 m)	Beam 8' 4'' (2.56 m)	Transom Height 26'' (66.04 cm)	Max. HP 300	Max. Person Capacity 6/1,100 lbs. (498.95 kg)	Fuel Capacity 55 gal. (208.20 L)	Max. Weight Capacity 2,200 lbs. (997.90 kg)	Storage Length/Width 24' 1''/8' 6'' (7.34 m/2.59 m)

Sec. and

1. Attwood[®] Centric X folding molded fishing seat w/hydraulic pedestal 2. NEW touchscreen switch panel w/1-touch boat controls including First Fish, Nite Mode, master power, trim, lighting, bilge, livewells & more 3. Deep V NVT[™] performance hull w/RAPID PLANING SYSTEM[™] (RPS[™]) transom

Boats may be shown with optional equipment and accessories. Complete motor, feature and specification information available starting on page 56.

ALL-NEW

ZV20 PRD

Standard Package: w/Mercury[®] 225 XL Pro XS[®] FourStroke w/DTS controls & Custom Trailer (plus freight & prep)

Professional Tournament Features Include:

- Bow Humminbird[®] HELIX[™] 9 DI G3N & console HELIX 10 SI G3N fishfinders
 NEW Minn Kota[®] Ulterra[™] 36V, 112-lb. (50.80 kg) thrust, 72″ (1.83 m) shaft trolling motor w/MDI (Mega Down Imaging) & i-Pilot[®] Link[™]
- Mercury[®] 9.9 remote ProKicker trolling outboard
 3-way Ethernet communication between fishfinders
- & trolling motor Walk-thru windshield (or optional plexiglass
- windscreens)
- 5 batteries & 3 chargers for reliable, consistent power





ALL-WATER HASHING

The ZV19 is the big-water beast we've been waiting for—it's an ideal boat for diehard northern anglers and families, too!

ANITRO

. .

Day Parson

CARTY PARSUNS NITRO PRO ANGLER CO-HOST OF TV SHOW *THE NEXT BITE* ZVIS

The NITRO® ZV19 is a hardcore, overbuilt fishing machine with a maximum 225HP capacity, created with input from the world's top walleye anglers. The deep, comfortable interior keeps fearless anglers secure in rough weather and families safe when cruising. The aggressive Deep V hull slices through the chop on big lakes with smooth agility, and its wide beam provides plenty of stability for six anglers to move around the deck with confidence. It sports a list of fishing features that will please the pike, muskie, bass or walleye angler.

ITRO.COM/ | 4



11111

SPECIFIC

Hull Length **18' 11''**

(5.77 m)


w/Mercury® 200 XL FourStroke w/DTS & Custom Trailer (plus freight & prep)



150 XL FourStroke w/DTS.....
200 XL Pro XS® FourStroke w/DTS...
225 XL Pro XS® FourStroke w/DTS...
(plus freight & prep) ..\$42,240 ..\$47,895 ..\$49,815

TIONS:							
Beam 8' 6'' (2.59 m)	Transom Height 25'' (63.50 cm)	Max. HP 225	Max. Person Capacity 6/1,050 lbs. (476.27 kg)	Fuel Capacity 45 gal. (170.34 L)	Max. Weight Capacity 2000 lbs. (907.18 kg)	Storage Length/Width 22' 7"/8' 6" (6.88 m/2.59 m)	

NITROZ





1. 3-level center rod locker w/organizers for rods up to 8' (2.44 m) plus passenger rod ramp 2.26-gal. (98.42 L) aft NITRO®-exclusive GUARDIAN™ livewell & 5.5-gal. (20.82 L) bow baitwell w/bucket 3. NEW Attwood® Centric X driver, passenger, fishing & bike seats w/shock-dampening core



Standard Package: w/Mercury® 200 XL FourStroke w/DTS & Custom Trailer (plus freight & prep)

MIIIIKS

• 200 XL Pro XS® FourStroke w/DTS\$53,140 • 225 XL Pro XS® FourStroke w/DTS\$55,060 (plus freight & prep)

Professional Tournament Features Include:

- Bow Humminbird[®] HELIX[™] 9 DI G3N & console HELIX 10 SI G3N fishfinders
- Minn Kota[®] Ulterra[™] 36V, 112-lb. (50.80 kg) thrust, 72" (1.83 m) shaft trolling motor w/MDI (Mega Down Imag-ing) & i-Pilot[®] Link[™]
- 3-way Ethernet communication between fishfinders & trolling motor • Walk-thru windshield (or optional plexiglass windscreens) • KICKER® KMC1 Bluetooth®-capable stereo system

ALTERDING FAMILY ASSOCIATED AND A STATEMENT OF A ST

SPORT

MITTRO

17 1752



The NITRO® ZV19 Sport is a dry-riding, safe and secure multi-species fishing and fun machine with max outboard power of 225HP. Two folding jump seats integrated into the aft deck and a stowable ski tow pylon provide fun for all, plus the deep, comfortable interior keeps tournament anglers secure in rough weather and families safe when cruising. Combined with the durability and reliability NITRO is known for, it's the boat of choice for lake-loving families.

MERCURY



ART VARKAR

w/Mercury® 150 XL Pro XS® FourStroke & Custom Trailer (plus freight & prep)

200 XL FourStroke w/DTS.....
200 XL Pro XS[®] FourStroke w/DTS.....
225 XL Pro XS[®] FourStroke w/DTS......
(plus freight & prep) ...\$47,750 ...\$48,650 ..\$50,570

JIN T

CAT	IONS:						· ·
	Beam 8'6'' (2.59 m)	Transom Height 25'' (63.50 cm)	Max. HP 225	Max. Person Capacity 6/1,050 lbs. (476.27 kg)	Fuel Capacity 45 gal. (170.34 L)	Max. Weight Capacity 2,000 lbs. (907.18 kg)	Storage Length/Width 22' 7"/8' 6" (6.88 m/2.59 m)



1. NEW Attwood® Centric X driver & passenger seats 2. Stowable ski tow pylon & 2 jump seats in aft deck 3. Port & starboard consoles w/2-tone gelcoat scheme (optional walk-thru windshield shown)

Hull Length **18' 11** (5.77 m)

SPECII

Boats may be shown with optional equipment and accessories. Complete motor, feature and specification information available starting on page 60.



MITROZ





Standard Package: w/Mercury[®] 200 XL FourStroke w/DTS & Custom Trailer (plus freight & prep)

INAI MATARS[.]

• 200 XL Pro XS® FourStroke w/DTS...... ...\$55,899 • 225 XL Pro XS[®] FourStroke w/DTS \$57,819 (plus freight & prep)

Professional Tournament Features Include:

- Bow Humminbird[®] HELIX[™] 9 DI G3N & console HELIX 10 SI G3N fishfinders
- NEW Minn Kota[®] Ulterra[™] 36V, 112-Ib. (50.80 kg) thrust, 72" (1.83 m) shaft trolling motor w/MDI (Mega Down Imaging) & i-Pilot® Link™
- 3-way Ethernet communication between fishfinders & trolling motor • Bimini top
- Walk-thru windshield (or optional plexiglass windscreens)
- Factory-applied keel protector
 KICKER[®] KMC1 Bluetooth[®]-capable stereo system

CUSTOM-MATCHED TRALERS

UNMATCHED QUALITY OF CONSTRUCTION

Every NITRO® trailer is built from heavy-duty steel tubing protected with our exclusive GALVASHIELD® Impact corrosion and chip protection—a thick, baked on powder coat finish that shields your trailer from the road and the water. This results in an extremely durable finish for maximum longevity through many trips to the lake, covered by the industry-leading warranty protection (3 years) against failure due to corrosion.

COLD-FORMED STEEL FOR EXTRA STRENGTH GALVANIZED (ZINC COATED) INSIDE & OUT

CONVERSION COAT FOR SUPERIOR ADHESION

GALVASHIELD IMPACT POWDER-COAT FINISH CHIP PROTECTION GalvaShield MPACTOR Other features include

radial tires, an outboard motor support, safety winch strap on the heavy-duty

winch, swing-away tongue, low-maintenance hubs, safety cables, pivoting tongue jack and more. So, when you're ready to leave home and head to the water, your NITRO boat package is too!



GALVASHIELD Impact powder-coat finish for improved corrosion & chip protection



CUSTOM WHEELS

Select models are available with 18" (45.72 cm) custom matte Black aluminum alloy or Silver wheel upgrade with Hercules RAPTIS R-T5 tires. Fiberglass fenders are required for wheel upgrades.



WE'VE GOT YOU **Covere**d



Submersible, angled LED backup lights for long life & improved visibility

NO TOUCH VORTEX HUBS W/ 6-YEAR, 100,000-MILE WARRANTY

All NITRO® trailers come with our No Touch Vortex hub lubrication system, so you no longer need to re-grease or inspect your hubs! These hubs feature a lithium complex fortified with rust and oxidation inhibitors, highpressure additives and great water resistance. They are also covered by a 100,000-mile or 6-year warranty! Protecting your boat in storage and on the road is serious business, and that's why we supply the toughest, highest-quality boat covers to secure your investment. Heavy-duty, solution-dyed polyester is water resistant and breathable to allow moisture to escape. Ratcheting covers feature pockets to keep strap hardware secure, and UV protected materials guarantee long life whether you park your boat in or beside the garage.



IIINS

Z SERIES ELITE 4-COLOR COMBOS OPTIONAL ON: Z18, Z19, Z20 & Z21. MORE OPTIONS AVAILABLE AT NITRO.COM.


NITRO[®] gelcoat is hand-applied in multiple layers at precise thicknesses by skilled technicians, and the result is a lustrous, highly durable finish that will dazzle onlookers—and last for a lifetime. Chose from a large range of custom colors to make your boat stand out at the lake. Configurations include

popular Premium 3-Color, Elite 4-Color and fully customized colors. Literally hundreds of combinations are possible, and our color selector tool online at NITRO.COM will let you see a preview of what your new boat will look like!





*SEE Z17 COLOR OPTIONS AT NITRO.COM







COLOR NO. EL21

COLOR NO. PR10

COLOR NO. PR111







COLOR NO. EL133

COLOR NO. EL22

COLOR NO. EL119

22

COLOR NO. PR104

COLOR NO. PR113






Z SPORT COLORS MORE OPTIONS AVAILABLE AT NITRO.COM.



工1日 COLOR NO. SP19







FULL NITRO LINEUP COMPARISON

POWER & LECTRONICS With this handy comparison chart, you can easily see the relative sizes and features of the entire 2020 NITRO® lineup. Compare high-level specifications like length, beam, livewells, storage, and horsepower rating to drill down into which boat is right for you and your particular fishing and/or recreational needs. You can find full specifications for each boat on the following pages.



	동아 나는 것이 같은 물질을 얻는 것이 같아요.	
*		
	<u>*</u>	*
ALC: SA		
		A A
4		
	t	
	Contraction of the second	0
		1
1		
· · · ·	2	
		2
ZV20	ZV19	ZV19 SPORT
20' 2" (6.16 m)	18' 11" (5.77 m)	18' 11" (5.77 m)
8' 4" (2.56 m)	8' 6" (2.59 m)	8' 6" (2.59 m)
24' 1" (7.35 m)	22' 7" (6.88 m)	22' 7" (6.88 m)
6	5	5
55 gal. (208.20 L)	45 gal. (170.34 L)	45 gal. (170.34 L)
2,900 lbs. 5,500 lbs.	2,300 lbs. (1,043.26 kg) 4,500 lbs. (2,041.17 kg)	2,300 lbs. (1,043.26 kg) 4,500 lbs. (2,041.17 kg)
0,000 108.	4,500 IDS. (2,041.17 Ny)	4,500 ID3. (2,041.17 Ng)
Х	X	Х
Optional	Optional	Optional
8' (2.44 m)	8' (2.44 m)	8' (2.44 m)
10 & 26 gal. (37.82 L & 98.42 L)	5.5 & 26 gal. (20.82 L & 98.42 L)	10 & 26 gal. (37.82 L & 98.42 L)
6 005 VLD V00 40: (DT0	6 450 VI D. VO® 5 - 01 - 1	
225 XL Pro XS® 4Str. w/DTS	150 XL Pro XS® FourStroke	150 XL Pro XS® FourStroke
300 36V 112-lb_tbrust_60"	225	225 24V 70-lb_tbrust_60"
36V, 112-Ib. thrust, 60" Lowrance® Elite-7 Ti2 Combo	24V, 70-lb. thrust, 60" HOOK ² 5 Combo	24V, 70-lb. thrust, 60" HOOK ² 5 Combo
	I HUUN J GUIIIUU	
RAM [®] -mounted fishfinder w/GPS		

STANDARD GEAR & OPTIONS FROM OUR

To ensure that your NITRO[®] provides industry-leading value and maximum offer a long list of upgrades from the top players in the game to outfit your fishability, we pack it full of products from the leaders in the fishing industry. Unlike many tournament-level fishing boats, every NITRO comes with the is proven and undeniable, ready to provide you with years of tourney fishing trolling motor, fishfinder, outboard and trailer included in the price—and we or just battling your buddies on the weekend.

boat the way you want. The quality and reliability of our partners' products



Mercury® Outboards We offer Mercury FourStroke, Pro XS® and Verado[®] outboards to help power you to the top of the leaderboard.





Minn Kota[®] Trolling Motors Minn Kota makes the toughest, most innovative trolling motors on the market-and we make them standard on all NITRO models.



LOWRANCE

Lowrance[®] Fishfinders Founded in 1957, Lowrance was the first recreational fishfinder manufacturer.



Power-Pole® Anchors Rock-solid and fast-deploying Power-Pole shallow-water anchors keep you locked in place in up to 10' (3.05 m) of water.

ADDITIONAL OPTIONS

We offer the same options that pros like Kevin VanDam and Edwin Evers use No detail is omitted in our option availability, so that you can fish the way in their professional tournament careers. From the functional to the aesthetic you want to, whatever level you choose to compete at. to the protective, we've got everything you need to join the big leagues.



NITRO[®] Removable Port Console Available on all Z Series boats. Easily removable by one person without tools.



Lowrance[®] Ghost Trolling Motors The Lowrance Ghost Freshwater Trolling Motor helps anglers fish longer, run faster, and move in closer without spooking fish.



Humminbird[®] Fishfinders A leader in advanced marine electronics. We offer a range of Humminbird products.



NOCO[®] Genius Chargers Standard NOCO waterproof battery chargers keep you powered up and ready to fish in the most demanding tournament conditions.



Interstate[®] Batteries Interstate batteries provide reliable starting and worry-free trolling for long days on the water—installed standard on all NITRO boats.

Comprehensive option availability can be found on pages 60–77 and at NITRO.COM



Jack Plates

Add speed, stability and fuel economy with hydraulic or manual jack plates.



Minn Kota[®] Talon Anchors Stay on the fish when you find them with Minn Kota shallow-water anchors.



Bluetooth®-Capable Stereo

Stream tunes from your phone while you're chasing your next record.



Hot Foot[™] Throttle Control Free up your throttle hand for easier control and better responsiveness.



Loc-R-Bar[®] Gear Protection Provides an extra level of security for your expensive fishing tackle.



Keel Protector Protect your keel from scratches with a durable keel protector in Black or White.

🗲 🔰 STANDARD FEATURES Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations & features.

HULL LENGTH	BEAM	TRANSOM HEIGHT 22.5" (57.15 cm)	MAX. HP
21'2" (6.45 m)	7'11'' (2.41 m)		300
MAX. PERSON CAPACITY 4/825 Ibs. (374.21 kg)		MAX. WEIGHT CAPACITY 1,800 Ibs. (816.47 kg)	STORAGE LENGTH 24' 4'' (7.42 m)

SPECIFICATIONS

Bottom width	6' 2" (1.88 m)
Depth inside	18.5" (46.99 cm)
Deadrise	16 degrees
Draft	16" (40.64 cm)
Average weight	2,150 lbs. (975.22 kg)
Average package weight	4,050 lbs. (1,837.05 kg)
Package width	8' 6" (2.59 m)

MERCURY® MOTOR OPTIONS

Z21	
250 L Pro XS® FourStroke w/Torque Master	\$51,595
300 L Pro XS® FourStroke w/Torque Master	\$55,005
Z21 Pro	
250 L Pro XS® FourStroke w/Torque Master	\$58,795
300 L Pro XS® FourStroke w/Torque Master	\$62,205
Z21 Elite LX	
250 L Pro XS® FourStroke w/Torque Master	\$70,995
300 L Pro XS® FourStroke w/Torque Master	\$74,405
	Plus freight and prep

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

NMMA® certified - Flotation meets or exceeds NMMA® & U.S.C.G. requirements

- EPA-compliant fuel system Anti-fatigue, padded comfort bow deck
- Non-skid mats bow & stern
- Spare prop holder
- 5 drink holders
- 4 stainless steel pull-up cleats
- Integrated fold-down stainless steel reboarding ladder, angled for
- allowing optional shallow-water anchor
- 4 grab handles (1 at each seat)
- Built-in tournament ruler & holder
- Fire extinguisher, horn & paddle

LIVEWELL SYSTEMS

- 2 aft 19-gal. (71.92 L) insulated GUARDIAN[™] livewells w/digital timers
- 750 GPH (2,839.06 LPH) livewell recirculation/pump-out system
- 500 GPH (1,892.71 LPH) aerator/fill pump
- Oxygen generator in each livewell
- Dual remote drain controls Rotomolded w/rounded corners

TROLLING MOTOR

- Minn Kota® Maxxum® 24V, 70-lb. (36.29 kg) thrust, 42" (1.07 m) shaft, foot-control trolling motor - Trolling motor pedal recess

CONSOLE

- NEW modular, aerodynamic console design w/expanded leg clearance & larger fishfinder surface
- Lowrance® Elite-7 Ti² Combo flush-mounted fishfinder w/GPS
- **NEW** touchscreen switch panel w/1-touch boat controls including
- First Fish, Nite Mode, master power, trim, lighting, bilge, livewells **NEW** key fob remote w/First Fish, Nite Mode, master power on/ off & trim
- First Fish feature fills & recirculates livewell w/1 touch for stressfree livewell prep
- Hydraulic steering w/tilt
- Removable acrylic, tinted windscreen
- Ready to accept optional removable port console
- Veethree® multifunction instrumentation w/speedometer/fuel
- gauge, tach/trim gauge, voltmeter gauge & water pressure gauge Dash light dimmer
- LED courtesy light
- Boat may be shown w/optional equipment. Motors, specs, features, options & pricing subject to change w/out notice.

Below-console RAM[®] X-Grip[®] phone holder & 12V outlet

INTERIOR

- 45-sq.-ft., (4.2-sq.-m) anti-fatigue, padded bow deck for comfort
- & mobility
- Bike seat w/hydraulic pedestal
- Folding fishing seat w/composite frame & hydraulic pedestal
 Z-CORE[™] seating system w/Force Flex suspension & contoured,
- rotomolded frame for driver & passenger seats
- Adjustable sliding driver & passenger seats w/removable center
- seat cushion
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments Oversized, lockable bow port & starboard rod lockers w/lift assists
- for rods up to 8' (2.44 m)
- Tapered rod tubes in port rod locker to protect rod tips
- Oversized lockable bow center storage locker w/TACKLE MANAGEMENT SYSTEM™
- 2 large, lockable bow center storage lockers w/lift assists
- Bow center magnetic under-lid lure organizer
- Step to bow deck w/86-qt. (81.39 L) insulated cooler, removable
- trash receptacle & snap-in sandwich tray
- Partner rod ramp w/rod handle organizer & hold-down strap
- Port below-console pull-out storage drawer
- Footrest w/non-skid mat under console(s)
- Designated net storage behind seating 2 lift-out, molded aft storage boxes that will each accept seven
- 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Lift-out tool/rope storage tray in rigging compartment
- Insulated aluminum lids w/welded corners
- 24-oz. (.68 kg) plush, marine-grade cut pile carpet on deck & floor
- Stainless steel lockable latches
- PERFORMANCE

16° variable deadrise hull

- RAPID PLANING SYSTEM™ (RPS™) for quicker holeshots & max
- 12" (30.48 cm) adjustable jack plate
- Rigging tube for organized wiring & abrasion resistance Stainless steel propeller

CONSTRUCTION & EXTERIOR

100% composite deck core w/superior thermal stability & strengthto-weight ratio

ZZĪELITELX

w/downscan transducer on trolling motor

transducer (2D puck in hull at transom)

Factory-applied keel protector - 2 automatic bilge pumps 2 oxygen generators - Hot Foot™ throttle & Pro-Trim lever

- 4-hank 40-amp hattery charger 1 extra trolling battery

ZEIPRO

Retractable transom trailer tie downs

(bracket mounted, dealer installed)

Factory-applied keel protector

Hot Foot™ throttle & Pro-Trim lever

Retractable transom trailer tie downs

- Lowrance[®] Elite-7 Ti² (flush mounted)

Lowrance[®] Elite-7 Ti² (gimbal mounted).

Lowrance[®] Elite-7 Ti² (RAM[®] mounted)

Lowrance® Elite-9 Ti² (flush mounted) .

Lowrance® Elite-9 Ti² (gimbal mounted)

Lowrance[®] Elite-9 Ti² (RAM[®] mounted)

- Lowrance[®] Elite-12 Ti² (flush mounted) .

Lowrance[®] Elite-12 Ti² (gimbal mounted).

- Lowrance® Elite-12 Ti² (RAM® mounted) ...

Humminbird® HELIX™ 7 SI G3N (flush mounted) .

Humminbird[®] HELIX[™] 7 SI G3N (gimbal mounted)

Humminbird[®] HELIX[™] 7 SI G3N (RAM[®] mounted)

Humminbird[®] SOLIX[™] 10 SI G2 (flush mounted) ...

Humminbird[®] SOLIX[™] 10 SI G2 (gimbal mounted)

Humminbird® SOLIX™ 10 SI G2 (gimbal mounted) .
 Humminbird® SOLIX™ 10 SI G2 (RAM® mounted) .
 Humminbird® SOLIX™ 12 SI G2 (gimbal mounted) .

Humminbird® SOLIX™ 12 SI G2 (RAM® mounted) .

Garmin® ECHOMAP[™] 93sv chartplotter (flush mounted) .

Garmin[®] GPSMAP[®] 7607 chartplotter (gimbal mounted) ...

Garmin[®] GPSMAP[®] 7608 chartplotter (flush mounted) ...

Garmin[®] GPSMAP[®] 7607 chartplotter (RAM[®] mounted)

Garmin® GPSMAP® 7608 chartplotter (gimbal mounted)

Humminbird[®] HELIX[™] 8 SI G3N w/GPS (flush mounted) ...

Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted)

- 2 automatic bilge pumps

OPTIONS

BOW FISHFINDER

(w/Elite, some standard features or options may not be available) Z-TOUCH[™] Command Center w/digital control of boat functions

Console Lowrance® HDS LIVE 16 flush-mounted fishfinder w/HD

2 Power-Pole® 8' (2.44 m) Blade Edition shallow-water anchors

Minn Kota® Ultrex® 36V, 112-lb. (50.80 kg) thrust, 45" (1.14 m) shaft trolling motor w/MDI (MEGA Down Imaging) & i-Pilot® NMEA® Ethernet networking between fishfinders & trolling motor Front-access console storage w/removable tray for wiring access

Bow Lowrance® HDS LIVE 12 gimbal-mounted fishfinder

Power-adjust pneumatic lumbar support for driver's seat T-H Marine G-Force Conservation livewell culling system

(w/Pro, some standard features or options may not be available) NEW bow Humminbird[®] SOLIX[™] 10 DI G2 gimbal-mount fishfinder NEW console Humminbird[®] SOLIX[™] 12 SI G2 flush-mount fishfinder 2 Minn Kota® 10' (3.05 m) Talon shallow-water anchors—Black

Minn Kota® Ultrex® 36V, 112-lb. (50.80 kg) thrust, 45" (1.14 m) shaft

3-way Ethernet communication between fishfinders & trolling motor Power-adjust pneumatic lumbar support for driver's seat

Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted)\$1,425

Lowrance® HDS LIVE 7 w/StructureScan® (gimbal mounted) \$1,425
 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1,425

Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) ... \$2,365

Lowrance® HDS LIVE 9 w/StructureScan® (gimbal mounted)\$2,365

Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)\$2,365

- Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mounted)\$3,875

Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)\$3,875

Add LiveSight real-time 3D sonar to Lowrance® fishfinder\$1,275

Humminbird® HELIX™ 8 SI G3N w/GPS (gimbal mounted) \$2,045

Humminbird[®] HELIX[™] 8 SI G3N w/GPS (RAM[®] mounted) \$2.045

- Humminbird® HELIX™ 9 SI G3N w/GPS (gimbal mounted) \$2,350

Humminbird® HELIX™ 10 SI G3N w/GPS (gimbal mounted) \$2,855

Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted) \$2,855

Humminbird® HELIX[™] 12 SI G3N w/GPS (gimbal mounted) \$3,490

Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted) \$3,490

Garmin® ECHOMAP[™] 93sv chartplotter (gimbal mounted)\$1,465

Garmin® ECHOMAP™ 93sv chartplotter (ŘAM® mounted)\$1,465

Garmin® GPSMAP® 7607 chartplotter (flush mounted)\$1,570

trolling motor w/MDI (MEGA Down Imaging) & i-Pilot® Link™

T-H Marine G-Force Conservation livewell culling system

- 4-bank, 40-amp battery charger & 1 extra trolling battery

- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm) Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encansulated composite transom
- Low-profile gunnels to maximize deck size & for easier casting

ELECTRICAL

- Bow panel w/trolling motor receptacle, anchor/light switch, trim
 - switch & capability to flush mount 10" (25.4 cm) fishfinder
 - 1,600 GPH (6,056.66 LPH) bilge pump
 - Automatic bilge
 - LED console courtesy light
 - Manual LED-lighted bow gear storage
 - Automatic LED-lighted port & starboard bow rod storage
 - Automotive-style labeled fuse panel w/cover
 - Interstate[®] cranking battery
 - 2 heavy-duty Interstate® trolling batteries

Waterproof Deutsch plug-in gauge connectors

Custom-fit, tandem-axle NITRO® trailer powder-coated

w/GALVASHIELD® Impact corrosion & chip protection

14" (35.56 cm) custom aluminum wheels w/radial tires

No Touch Vortex hub lubrication system w/6-year, 100,000-mile

Space-saving swing-away tongue to reduce storage length

1,600-lb. (725.75 kg) swing-up locking jack w/swivel wheel

Integrated winch stand step w/safety handle for easier boarding/

Heavy-duty winch w/nylon strap & bow safety strap

Outboard motor support to reduce hull & transom stress

Fiberalass fender design w/integrated back-up lights

Carpeted bunks & fender boards to protect hull

- Water/abrasion-resistant connectors

Surge disc brakes on both axles

(1.609.34 km) limited warranty

Submersible LED lights

Safety cables

Spare tire carrier w/matching spare

All-welded rectangular GALVASHIELD® frame

reboarding at bow while boat is on trailer

- 3-bank, 30-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- E-Start emergency jump start system Master power switch
- Ventilation fan system in bow storage

TRAILER

7-pin connector

Garmin® GPSMAP® 7608 chartplotter (RAM® mounted)	. \$2,555
Garmin® GPSMAP® 8610 chartplotter (flush mounted)	\$3,315
Garmin® GPSMAP® 8610 chartplotter (gimbal mounted)	\$3,315
Garmin® GPSMAP® 8610 chartplotter (RAM® mounted)	\$3,315
Garmin® GPSMAP® 8612 chartplotter (flush mounted)	. \$4,770
Garmin® GPSMAP® 8612 chartplotter (gimbal mounted)	. \$4,770
Garmin® GPSMAP® 8612 chartplotter (RAM® mounted)	. \$4,770
Add Panoptix™ real-time 3D sonar to Garmin® chartplotter	\$1,720

CONSOLE FISHFINDER EXCHANGE

UNSULE FISHFINDER EAGHANGE	
Lowrance® Elite-9 Ti ² (flush mounted)	\$525
Lowrance® Elite-9 Ti ² (RAM® mounted)	\$525
Lowrance® Elite-9 Ti ² (uninstalled)	\$465
Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (RAM® mounted)	.\$1,850
Lowrance® Elite-12 Ti ² (RAM® mounted)	.\$1,850
Lowrance® Elite-12 Ti² (uninstalled) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted)	\$1,790
Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted)	\$530
Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted)	
Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled)	
Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted)	\$1,525
Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)	\$1,525
Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled)	\$1,465
Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mounted)	\$3,075
Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)	
Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled)	\$3,015
Humminbird [®] HELIX [™] 7 SI G3N (flush mounted)	\$95
Humminbird® HELIX™ 7 SI G3N (RAM® mounted)	\$95
Humminbird® HELIX [®] 7 SI G3N (uninstalled)	\$35
Humminbird® HELIX™ 8 SI G3N w/GPS (flush mounted)	
Humminbird® HELIX™ 8 SI G3N w/GPS (RAM® mounted)	
Humminbird® HELIX™ 8 SI G3N w/GPS (uninstalled)	
Humminbird [®] HELIX [™] 9 SI G3N w/GPS (flush mounted)	\$825
Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted)	\$825
Humminbird® HELIX™ 9 SI G3N w/GPS (uninstalled)	\$/65
Humminbird® HELIX™ 10 SI G3N w/GPS (flush mounted)	.\$1,3/5
Humminbird® HELIX™ 10 SIG3N w/GPS (RAM® mounted)	
Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled) Humminbird® HELIX™ 12 SI G3N w/GPS (gimbal mounted)	.\$1,315
Humminbird® HELIX 12 SI G3N w/GPS (gimbal mounted) Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted)	.\$1,930
Humminbird® HELIX™ 12 SI G3N W/GPS (NAM® Induited) Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled)	.\$1,900
Humminbird [®] SOLIX [™] 10 SI G2 (flush mounted)	.\$1,030 ¢1.075
Humminbird® SOLIX™ 10 SI G2 (Indsh Hodined)	\$1,970 \$1075
Humminbird® SOLIX™ 10 SI G2 (mANF mounted)	
Humminbird® SOLIX™ 12 SI G2 (flush mounted)	
Humminbird® SOLIX™ 12 SI G2 (Indsh Hounted)	\$2,550
Humminbird® SOLIX™ 12 SI G2 (uninstalled)	
Garmin® ECHOMAP [™] 93sv chartplotter (flush mounted)	
Garmin [®] ECHOMAP [®] 93sv chartplotter (RAM [®] mounted)	
Garmin® ECHOMAP 93sv chartplotter (uninstalled)	
Garmin® GPSMAP® 7607 chartplotter (flush or RAM® mounted)	
Garmin [®] GPSMAP [®] 7607 chartplotter (uninstalled)	
Garmin® GPSMAP® 7608 chartplotter (flush mounted)	
Garmin® GPSMAP® 7608 chartplotter (RAM® mounted)	
Garmin [®] GPSMAP [®] 7608 chartplotter (uninstalled)	
Garmin® GPSMAP® 8610 chartplotter (flush mounted)	\$2,505
Garmin [®] GPSMAP [®] 8610 chartplotter (RAM [®] mounted)	
Garmin® GPSMAP® 8610 chartplotter (uninstalled)	
Garmin® GPSMAP® 8612 chartplotter (flush mounted)	
Garmin [®] GPSMAP [®] 8612 chartplotter (RAM [®] mounted)	
Garmin® GPSMAP® 8612 chartplotter (uninstalled)	\$3,890
· · · · · · · · · · · · · · · · · · ·	

2ND CONSOLE FISHFINDER

\$890

\$890

\$890

\$1.425

\$1.425

\$1.425

.\$2,740

.\$2.740

\$2 740

...\$1.630

...\$1,630

.\$1.630

. \$2,045

\$2,350

\$3 345

\$3 345

\$3 345

\$3 950

\$3.950

...\$1,465

....\$1.570

\$1.570

\$2 555

\$2.555

Lowrance [®] Elite-7 Ti ² (RAM [®] mounted)	\$940
Lowrance [®] Elite-9 Ti ² (RAM [®] mounted)	\$1,625
Lowrance [®] Elite-12 Ti ² (RAM [®] mounted)	\$2,900
Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted)	\$1,395
Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)	\$2,345
Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)	\$3,875
Humminbird [®] HELIX [™] 7 SI G3N (RAM [®] mounted)	\$1,175
Humminbird [®] HELIX [™] 8 SI G3N w/GPS (RAM [®] mounted)	
Humminbird [®] HELIX [™] 9 SI G3N w/GPS (RAM [®] mounted)	
Humminbird [®] HELIX [™] 10 SI G3N w/GPS (RAM [®] mounted)	
Humminbird [®] HELIX [™] 12 SI G3N w/GPS (RAM [®] mounted)	
Humminbird [®] SOLIX [™] 10 SI G2 (RAM [®] mounted)	
Humminbird [®] SOLIX [™] 12 SI G2 (RAM [®] mounted)	
Garmin [®] ECHOMAP [™] 93sv chartplotter (RAM [®] mounted)	
Garmin [®] GPSMAP [®] 7607 chartplotter (RAM [®] mounted)	
Garmin [®] GPSMAP [®] 7608 chartplotter (RAM [®] mounted)	
Garmin [®] GPSMAP [®] 8610 chartplotter (RAM [®] mounted)	
Garmin [®] GPSMAP [®] 8612 chartplotter (RAM [®] mounted)	\$4,850

ELECTRONICS

- KICKER® KMC1 Bluetooth®-capable stereo system\$39	5
BATTERY CHARGER EXCHANGE	
- Dual Pro® international battery charger\$15	J
A bank 40 amp battory chargor \$7	5

4-bank, 40-amp battery charger		\$75
Stealth 1, 20-amp battery charge	r w/out gauge	\$400

Stealth 1, 20-amp battery charger w/gauge	\$500
IGHTING Bow deck, cockpit & aft deck carpet trim lights w/T-H Marin controller & wire harness (factory installed only)	
CUSHIONS & SEATING NEW Dowco® CruiseAir [™] adjustable air suspension driver sea NEW Dowco® CruiseAir [™] fully-adjustable air suspension dr & passenger seats Power-adjust pneumatic lumbar support for driver's seat 2 bike seats (exchange) 2 jump seats (exchange) Center seat storage	iver \$1,430 \$175 \$100 \$230
ACCESSORIES NEW additional cleat at driver seat for quick tie down 2 oxygen generators w/shut-off switch 2 automatic bilge pumps Culling system CoolGuard™ livewell cooling system (factory installed only) HydroWave® electronic fish attractor Keel protector (Black or White) Line spooler	\$100 \$150 \$65 \$575 \$575 \$315

PERFORMANCE & STEERING

- Loc-R-Bar® w/alarm (dealer installation not included) .

-	Hot Foot [™]	\$195
-	Trim lever on wheel	\$95
-	Dual trim lever on wheel (must order hydraulic jack plate)	\$145

...\$245

TROLLING MOTOR

- NEW Lowrance[®] Ghost[™] 36V, 120-lb. (54.43 kg) thrust, 47" (1.19 m) shaft troll. motor (add. battery required & sold separately) \$2,650 - Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft
- trolling motor w/Universal Sonar 2 ... \$275 Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 52″ (1.32 m) shaft
- trolling motor w/Universal Sonar 2 ... \$320 Minn Kota® Fortrex® 36V, 112-Ib. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2
- Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot®. \$1.575
- Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot[®] Link[™]. \$2,425
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® . \$1 475
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® Link™ \$2.550
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® ...\$1.650
- Minn Kota® Ultrex® 36V, 112-Ib. (50.8 kg) thrust, 52" (1.32 m) shaft . \$2.575 trolling motor w/Universal Sonar 2 & i-Pilot® Link™
- MotorGuide[®] X5 36V, 105-lb. (47.63 kg) thrust, 45" (1.14 m) shaft .. \$295 trolling motor
- MotorGuide[®] X5 36V, 105-lb. (47.63 kg) thrust, 50" (1.27 m) shaft trolling motor \$350

FUNCTIONAL

-	Snap-in cockpit floor liner	\$300
-	· Carpet embroidery	\$190
-	Spinning rod organizer	\$50
-	 SmartCraft[®] gauges 	\$850
-	Removable port console & hardware (factory installed)	\$1,400
-	12" (30.48 cm) T-H Marine Atlas hydraulic jack plate	\$1,000
-	12" (30.48 cm) Bob's Action hydraulic jack plate	\$1,095
-	Minn Kota® 8' (2.44 m) Talon shallow-water anchor—Black*	\$2,250
-	 2 Minn Kota[®] 8' (2.44 m) Talon shallow-water anchors—Black*\$ 	\$4,500
-	 Minn Kota® 10' (3.05 m) Talon shallow-water anchor—Black*	\$2,315
-	· 2 Minn Kota® 10' (3.05 m) Talon shallow-water anchors—Black**\$	\$4,630
-	 Minn Kota[®] 12' (3.66 m) Talon shallow-water anchor—Silver*\$ 	\$2,440
-	· 2 Minn Kota® 12' (3.66 m) Talon shallow-water anchors—Silver*\$	\$4,880
-	 Power-Pole® Blade 8' (2.44 m) shallow-water anchor* 	\$2,170
-	 2 Power-Pole® Blade 8' (2.44 m) shallow-water anchors* 	\$4,340
-	 Power-Pole® Blade 10' (3.05 m) shallow-water anchor* 	\$2,395
-	 2 Power-Pole[®] Blade 10' (3.05 m) shallow-water anchors[*] 	\$4,790

COVERS

- Mooring cover for side console—Charcoal	.\$775
- Mooring cover for dual consoles—Charcoal	\$800
- 2-tone mooring cover for side console—Black & Charcoal	.\$875
- 2-tone mooring cover for dual consoles-Black & Charcoal	\$900

TRAILER

- Retractable trailer tie downs ...
- 18" (45.72 cm) custom silver machined aluminum wheel upgrade & Hercules RAPTIS R-T5 spare (must order fiberglass fenders)\$1,660
- 18" (45.72 cm) custom matte Black aluminum alloy wheel upgrade & Hercules RAPTIS R-T5 spare (must order fiberglass fenders)\$1,660

*Dealer installed

ZZI STANDARD FEATURES & isit NITRO.COM to view more photos, see a complete list of motors, options, color combinations & features.

Z20

Z20 Pro

HULL LENGTH	BEAM	TRANSOM HEIGHT 22" (55.88 cm)	мах. нр
20'2 " (6.15 m)	7'10" (2.39 m)		250
MAX. PERSON CAPACITY 4/575 Ibs. (260.82 kg)			STORAGE LENGTH 23' 8" (7.21 m)

SPECIFICATIONS

MERCURY[®] MOTOR OPTIONS

\$44,995

\$46,175

\$52,595

\$53 775

Plus freight and prep

225 L Pro XS® FourStroke w/Torque Master

250 L Pro XS® FourStroke w/Torque Master

225 L Pro XS® FourStroke w/Torque Master

250 L Pro XS® FourStroke w/Torque Master

Bottom width	6' 3" (2.08 m)
Depth inside	18" (45.72 cm)
Deadrise	16 degrees
Draft	16" (40.64 cm)
Average weight	2,000 lbs. (907.18 kg)
Average package weight	4,050 lbs. (1,837.05 kg)
Package width	8' 6" (2.59 m)

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA[®] certified
- Flotation meets or exceeds NMMA® & U.S.C.G. requirements
- EPA-compliant fuel system
- Anti-fatigue, padded comfort bow deck Non-skid mats bow & stern
- 5 drink holders
- 4 stainless steel pull-up cleats
- Integrated fold-down stainless steel reboarding ladder, angled for
- allowing optional shallow-water anchor
- 4 grab handles (1 at each seat)
- Built-in tournament ruler & holder
- Fire extinguisher, horn & paddle

LIVEWELL SYSTEMS

- 2 aft 19-gal. (71.92 L) insulated GUARDIAN[™] livewells w/digital
- 750 GPH (2,839.06 LPH) livewell recirculation/pump-out system
- 500 GPH (1,892.71 LPH) aerator/fill pump
- Dual remote drain controls
- Botomolded w/rounded corners

TROLLING MOTOR

- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 42" (1.07 m)
- shaft, foot-control trolling motor Trolling motor pedal recess

CONSOLE

- NEW modular, aerodynamic console design w/expanded leg clearance & larger fishfinder surface
- Lowrance[®] HOOK² 5 Combo flush-mounted fishfinder
- Hvdraulic steering w/tilt
- Removable acrylic, tinted windscreen
- Ready to accept optional removable port console
- Veethree® multifunction instrumentation w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Dash light dimmer
- Waterproof, capacitive touch digital keypad
- LED courtesy light - 12V outlet
- INTERIOR 42.5-sq.-ft. (4.0-sq.-m) anti-fatigue, padded bow deck for comfort
- & mobility
- Bike seat w/pedestal
- Folding fishing seat w/composite frame

- Z-CORE[™] seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats
- NEW 1" (2.54 cm) lower, driver & passenger flat seat mounting Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists
- for rods up to 8'(2.44 m)Rod organizer in port rod locker
- Oversized lockable bow center storage locker w/TACKLE
- MANAGEMENT SYSTEM[™]
- Step to bow deck w/62-qt. (58.67 L) insulated cooler & removable trash recentacle
- Partner rod ramp w/rod handle organizer & hold-down strap
- Footrest w/non-skid mat under console(s) Step to aft deck w/lockable storage & removable tub
- Designated net storage behind seating
- 2 lift-out, molded aft storage boxes that will each accept seven
- 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries
- & pumps & easy cleanup
- Lift-out tool/rope storage tray in rigging compartment Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor Lockable latches

PERFORMANCE

- NITRO® VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier
- · RAPID PLANING SYSTEM[™] (RPS[™]) for quicker holeshots
- & maximized speed
- 12" (30.48 cm) adjustable jack plate
- Rigging tube for organized wiring & abrasion resistance Stainless steel propeller

CONSTRUCTION & EXTERIOR

- 100% composite deck core w/superior thermal stability & strengthto-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom Low-profile gunnels to maximize deck size & for easier casting

ELECTRICAL

- Angled bow panel w/trolling motor receptacle, anchor/light switch,

- T-H Marine G-Force Conservation livewell culling system
- Factory-applied keel protector 1 standard & 1 automatic bilge pump
- Hot Foot™ throttle & Pro-Trim lever
- 4-bank, 40-amp battery charger
- 1 extra trolling battery
- Retractable transom trailer tie downs

OPTIONS BOW FISHFINDER Lowrance[®] HOOK² 5 Combo (flush mounted) \$430 Lowrance[®] HOOK² 7 Combo (flush mounted) \$775 Lowrance[®] Elite-7 Ti² (flush mounted) \$890 Lowrance® Elite-7 Ti² (gimbal mounted) \$890 Lowrance® Elite-7 Ti2 (RAM® mounted) \$890 Lowrance[®] Elite-9 Ti² (flush mounted) . \$1.425 - Lowrance[®] Elite-9 Ti² (gimbal mounted) .\$1,425 Lowrance® Elite-9 Ti2 (RAM® mounted). \$1 425 - Lowrance® Elite-12 Ti² (flush mounted) \$2 740 Lowrance® Elite-12 Ti² (gimbal mounted) . \$2 740 Lowrance® Elite-12 Ti2 (RAM® mounted) . \$2 740 Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted)\$1,425 Lowrance® HDS LIVE 7 w/StructureScan® (gimbal mount)\$1,425 - Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mount)\$1,425 Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) \$2,365 Lowrance® HDS LIVE 9 w/StructureScan® (gimbal mount) \$2,365 - Lowrance[®] HDS LIVE 9 w/StructureScan[®] (RAM[®] mount) \$2,365 - Lowrance[®] HDS LIVE 12 w/StructureScan[®] (gimbal mount) ... \$3,875 Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mount) ... \$3,875 Add LiveSight real-time 3D sonar to Lowrance® fishfinder\$1,275 Humminbird[®] HELIX[™] 7 SI G3N (flush mounted) \$1.630 Humminbird[®] HELIX[™] 7 SI G3N (gimbal mounted) .\$1,630 - Humminbird® HELIX™ 7 SI G3N (RAM® mounted) \$1,630 Humminbird[®] HELIX[™] 8 SI G3N w/GPS (flush mounted) \$2.045 - Humminbird[®] HELIX[™] 8 SI G3N w/GPS (gimbal mounted) \$2,045 Humminbird® HELIX[™] 8 SI G3N w/GPS (RAM® mounted) \$2.045 - Humminbird® HELIX™ 9 SI G3N w/GPS (gimbal mounted) \$2,350 Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted) \$2,350 Humminbird® HELIX[™] 10 SI G3N w/GPS (gimbal mounted) \$2,855 Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted) \$2,855 - Humminbird® HELIX™ 12 SI G3N w/GPS (gimbal mounted) \$3,490 - Humminbird® HELIX[™] 12 SI G3N w/GPS (RAM® mounted) \$3,490 Humminbird[®] SOLIX[™] 10 SI G2 (flush mounted) Humminbird[®] SOLIX[™] 10 SI G2 (gimbal mounted) \$3 345 \$3 345 Humminbird® SOLIX™ 10 SI G2 (RAM® mounted) \$3.345 Humminbird[®] SOLIX[™] 12 SI G2 (gimbal mounted) . \$3.950 Humminbird[®] SOLIX[™] 12 SI G2 (RAM[®] mounted) \$3.950 Garmin[®] ECHOMAP[™] 93sv chartplotter (flush mounted) ...\$1.465 Garmin[®] ECHOMAP[™] 93sv chartplotter (gimbal mounted)\$1,465 Garmin[®] ECHOMAP[™] 93sy chartplotter (RAM[®] mounted)\$1.465 Garmin[®] GPSMAP[®] 7607 chartplotter (flush mounted)\$1.570 Garmin® GPSMAP® 7607 chartplotter (gimbal mounted) ... \$1 570 Garmin[®] GPSMAP[®] 7607 chartplotter (RAM[®] mounted)\$1.570 Garmin® GPSMAP® 7608 chartplotter (flush mounted)\$2.555 Garmin® GPSMAP® 7608 chartplotter (gimbal mounted) \$2,555 Garmin[®] GPSMAP[®] 7608 chartplotter (RAM[®] mounted) .. \$2.555 Garmin® GPSMAP® 8610 chartplotter (flush mounted) \$3 315 Garmin® GPSMAP® 8610 chartplotter (gimbal mounted)\$3.315 Garmin[®] GPSMAP[®] 8610 chartplotter (RAM[®] mounted)\$3.315 Garmin® GPSMAP® 8612 chartplotter (flush mounted) \$4 770 Garmin[®] GPSMAP[®] 8612 chartplotter (gimbal mounted) \$4,770 Garmin® GPSMAP® 8612 chartplotter (RAM® mounted) \$4.770 Add Panoptix[™] real-time 3D sonar to Garmin[®] chartplotter\$1,720 **CONSOLE FISHFINDER EXCHANGE** Lowrance[®] HOOK² 7 Combo (flush moun \$320 Lowrance[®] HOOK² 7 Combo (uninstalled) \$260 - Lowrance® Elite-7 Ti² (flush mounted) . \$815 Lowrance[®] Elite-7 Ti² (RAM[®] mounted) \$815 - Lowrance[®] Elite-7 Ti² (uninstalled) \$755 Lowrance® Elite-9 Ti² (flush mounted) .\$1,250 Lowrance® Elite-9 Ti² (RAM® mounted) . .\$1.250 Lowrance® Elite-9 Ti² (uninstalled) ... \$1,190 Lowrance[®] Elite-12 Ti² (flush mounted) \$2,540 Lowrance[®] Elite-12 Ti² (RAM[®] mounted) ..\$2.540 Lowrance® Elite-12 Ti² (uninstalled) . . \$2,480 Lowrance[®] HDS LIVE 7 w/StructureScan[®] (flush mounted)\$1.250 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mount)\$1,250

Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled)\$1,190

Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted)\$2,195

Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mount)\$2,195

Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled)\$2,135

Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mount) ... \$3,700

- Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mount)\$3,700

Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled)

Humminbird[®] HELIX[™] 7 SI G3N (flush mounted)

Humminbird® HELIX™ 7 SI G3N (RAM® mounted)

- trim switch & capability to flush mount most 12" (30.5 cm) fishfinders
 - LED console courtesy light
 - Manual LED-lighted bow gear storage
 - Automotive-style labeled fuse panel w/cover
 - Interstate[®] cranking battery
 - 2 heavy-duty Interstate® trolling batteries
 - 2-bank, 8-amp battery charger w/exterior receptacle
 - 6-gauge trolling motor wiring w/50-amp circuit breaker
 - E-Start emergency jump start system Master power switch
 - Waterproof Deutsch plug-in gauge connectors
 - Water/abrasion-resistant connectors

TRAILER

Fold-away tonque jack

Submersible LED lights

ZZUPRO

(bracket mounted, dealer installed)

- Safety cables

- Custom-fit, tandem-axle NITRO® trailer powder-coated w/GALVASHIELD[®] Impact corrosion & chip protection 7-nin connector
- 14" (35.56 cm) custom aluminum wheels w/radial tires

Space-saving swing-away tongue to reduce storage length

Integrated winch stand step w/safety handle for easier boarding/

Outboard motor support to reduce hull & transom stress while towing

NEW bow Humminbird[®] HELIX[™] 9 DI G3N gimbal-mounted fishfinder

Console Humminbird® HELIX[™] 10 SI G3N flush-mounted fishfinder

2 Minn Kota® 10' (3.05 m) Talon shallow-water anchors-Black

Minn Kota® Ultrex® 36V, 112-lb. (50.80 kg) thrust, 45" (1.14 m) shaft

3-way Ethernet communication between fishfinders & trolling motor

(w/Pro, some standard features or options may not be available)

w/MDI (MEGA Down Imaging), CHIRP Digital Sonar & GPS

w/MDI (MEGA Down Imaging), CHIRP Digital Sonar & GPS

trolling motor w/MDI (MEGA Down Imaging) & i-Pilot® Link™

Power-adjust pneumatic lumbar support for driver's seat

Heavy-duty winch w/nylon strap & bow safety strap

- Surge disc brakes on both axles No Touch Vortex hub lubrication system w/6-year, 100,000-mile
- (1,609.34 km) limited warranty Spare tire carrier w/matching spare All-welded rectangular GALVASHIELD® frame

reboarding at bow while boat is on trailer

Carpeted bunks & fender boards to protect hull

-	Humminbird® HELIX™ 7 SI G3N (uninstalled)	\$695
	Humminbird [®] HELIX [™] 8 SI G3N w/GPS (flush mounted)	
-	Humminbird® HELIX™ 8 SI G3N w/GPS (RAM® mounted)	\$1,225
-	Humminbird® HELIX™ 8 SI G3N w/GPS (uninstalled)	\$1,165
-	Humminbird® HELIX™ 9 SI G3N w/GPS (flush mounted)	
-	Humminbird® HELIX [™] 9 SI G3N w/GPS (RAM® mounted)	
-	Humminbird® HELIX™ 9 SI G3N w/GPS (uninstalled)	\$1,510
-	Humminbird® HELIX™ 10 SI G3N w/GPS (flush mounted)	\$2,095
-	Humminbird [®] HELIX [™] 10 SI G3N w/GPS (RAM [®] mounted) .	
-	Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled)	\$2,035
-	Humminbird [®] HELIX [™] 12 SI G3N w/GPS (gimbal mounted) .	\$2,690
-	Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted) .	\$2,690
-	Humminbird [®] HELIX [™] 12 SI G3N w/GPS (uninstalled)	\$2,630
-	Humminbird [®] SOLIX [™] 10 SI G2 (flush mounted)	\$2,640
-	Humminbird [®] SOLIX [™] 10 SI G2 (RAM [®] mounted)	\$2,640
-	Humminbird [®] SOLIX [™] 10 SI G2 (uninstalled)	\$2,580
-	Humminbird [®] SOLIX [™] 12 SI G2 (flush mounted)	\$3,215
-	Humminbird® SOLIX™ 12 SI G2 (RAM® mounted)	
-	Humminbird [®] SOLIX [™] 12 SI G2 (uninstalled)	\$3,155
-	Garmin® ECHOMAP [™] 93sv chartplotter (flush mounted)	
-	Garmin [®] ECHOMAP [™] 93sv chartplotter (RAM [®] mounted) .	\$1,215
-	Garmin® ECHOMAP™ 93sv chartplotter (uninstalled)	\$1,155
-	Garmin® GPSMAP® 7607 chartplotter (flush mounted)	
-	Garmin® GPSMAP® 7607 chartplotter (RAM® mounted)	
-	Garmin® GPSMAP® 7607 chartplotter (uninstalled)	\$1,280
-	Garmin® GPSMAP® 7608 chartplotter (flush mounted)	\$2,300
-	Garmin® GPSMAP® 7608 chartplotter (RAM® mounted)	\$2,300
-	Garmin® GPSMAP® 7608 chartplotter (uninstalled)	\$2,240
-	Garmin® GPSMAP® 8610 chartplotter (flush mounted)	
-	Garmin® GPSMAP® 8610 chartplotter (RAM® mounted)	
-	Garmin® GPSMAP® 8610 chartplotter (uninstalled)	\$2,990
-	Garmin® GPSMAP® 8612 chartplotter (flush mounted)	
-	Garmin® GPSMAP® 8612 chartplotter (RAM® mounted)	
-	Garmin® GPSMAP® 8612 chartplotter (uninstalled)	\$4,420

2ND CONSOLE FISHFINDER

Lowrance® Elite-7 Ti ² . (RAM® mounted)	\$940
Lowrance® Elite-9 Ti ² . (RAM® mounted)	\$1,625
Lowrance® Elite-12 Ti ² . (RAM® mounted)	\$2,900
Lowrance [®] HDS LIVE 7 w/StructureScan [®] (RAM [®] mount)	\$1,395
Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mount) .	\$2,345
Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mount)	
Humminbird® HELIX™ 7 SI G3N (RAM® mounted)	
Humminbird® HELIX™ 8 SI G3N w/GPS (RAM® mounted)	
Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted)	
Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted)	
Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted)	
Humminbird® SOLIX™ 10 SI G2 (RAM® mounted)	
Humminbird® SOLIX™ 12 SI G2 (RAM® mounted)	
Garmin [®] ECHOMAP [™] 93sv chartplotter (RAM [®] mounted)	
Garmin [®] GPSMAP [®] 7607 chartplotter (RAM [®] mounted) .	
Garmin [®] GPSMAP [®] 7608 chartplotter (RAM [®] mounted) .	
Garmin® GPSMAP® 8610 chartplotter (RAM® mounted)	
Garmin® GPSMAP® 8612 chartplotter (RAM® mounted)	\$4,850

ELECTRONICS

KICKER® KMC1	Bluetooth®-capable	stereo system	 \$395

BATTERY CHARGER EXCHANGE

Juai Pro [©] International battery charger	ֆՀᲧᲔ
-bank, 20-amp battery charger	\$90
B-bank, 30-amp battery charger	\$155
-bank, 40-amp battery charger	
Stealth 1, 20-amp battery charger w/out gauge	
Stealth 1, 20-amp battery charger w/gauge	
, , , , , , , , , , , , , , , , , , , ,	

LIGHTING

Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine	
controller & wire harness (factory installed only)	\$640

CUSHIONS & SEATING

Hydraulic pedestal (exchange) .

2 oxygen generators w/shut-off switch ...

HydroWave® electronic fish attractor .

Keel protector (Black or White) .

ACCESSORIES

Culling system

\$3 640

\$755

\$755

Auto Bilge Pump..

2 oxygen generators

-	NEW Dowco [®] CruiseAir [™] fully-adjustable air suspension	
	driver seat	\$895
-	NEW Dowco [®] CruiseAir [™] fully-adjustable air suspension	
	driver & passenger seats	\$1,575
-	Power-adjust pneumatic lumbar support for driver's seat	\$175
-	2 bike seats (exchange)	\$100
-	2 jump seats (exchange)	\$230
_	Center seat	\$475

NEW additional cleat at driver seat for guick tie down

CoolGuard[™] livewell cooling system (factory installed only)

- Loc-R-Bar® w/alarm (dealer installation not included) .\$245 - Port under deck storage drawer .\$255 - X-Grip[®] mobile phone holder ..\$45 **PERFORMANCE & STEERING**

Hot Foot[™]

- .\$195 - Trim lever on wheel . \$95
- Dual trim lever on wheel (must order hydraulic jack plate)\$145

TROLLING MOTOR

-	NEW Lowrance [®] Ghost [™] 36V, 120-Ib. (54.43 kg) thrust, 47" (1.19 m)
	shaft troll. motor (add. battery required & sold separately)\$3,000
-	Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft
	trolling motor w/Universal Sonar 2\$655

- Minn Kota[®] Fortrex[®] 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 ... \$690
- Minn Kota® Fortrex® 36V, 112-Ib. (50.8 kg) thrust, 45″ (1.14 m) shaft trolling motor w/Universal Sonar 2 \$795
- Minn Kota® Maxxum® 24V, 80-lb. (36.29 kg) thrust, 42" (1.07 m) shaft trolling motor \$395
- Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® \$1.840
- Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® Link™ \$2 805
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® \$1 865
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 45″ (1.14 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® Link™. \$2.875
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot®. \$1.925
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® Link™ .. \$2,975
- MotorGuide® X5 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor \$490
- MotorGuide® X5 36V, 105-lb. (47.63 kg) thrust, 45" (1.14 m) shaft ...\$725 trolling motor
- MotorGuide® X5 36V, 105-lb. (47.63 kg) thrust, 50" (1.27 m) shaft trolling motor ..\$750

FUNCTIONAL

-	Carpet embroidery	\$190
-	Spinning rod organizer	\$70
-	SmartCraft® gauges	\$850
-	Ventilation fan in bow storage box	\$155
-	Removable port console & hardware (factory installed)	\$1,275
-	12" (30.48 cm) T-H Marine Atlas hydraulic jack plate	\$1,000
-	12" (30.48 cm) Bob's Action hydraulic jack plate	\$1,095
-	Minn Kota® 8' (2.44 m) Talon shallow-water anchor—Black*	\$2,250
-	2 Minn Kota® 8' (2.44 m) Talon shallow-water anchors—Black*	\$4,500
	Minn Kota® 10' (3.05 m) Talon shallow-water anchor—Black*	
-	2 Minn Kota® 10' (3.05 m) Talon shallow-water anchors—Black*	\$4,630
	Minn Kota® 12' (3.66 m) Talon shallow-water anchor—Silver*	\$2,440
-	2 Minn Kota® 12' (3.66 m) Talon shallow-water anchors—Silver*	\$4,880
	Power-Pole® Blade 8' (2.44 m) shallow-water anchor*	
-	2 Power-Pole® Blade 8' (2.44 m) shallow-water anchor*	\$4,340
-	Power-Pole® Blade 10' (3.05 m) shallow-water anchor*	\$2,395
-	2 Power-Pole® Blade 10' (3.05 m) shallow-water anchors*	\$4,790
٢	OVERS	

COVERS

-	Mooring cover for side console—Charcoal	\$730
-	Mooring cover for dual consoles—Charcoal	\$755
-	2-tone mooring cover for side console—Black & Charcoal	\$835
-	2-tone mooring cover for dual consoles-Black & Charcoal	\$855

TRAILER

- Retractable trailer tie downs .\$70 .\$1.125
- Fiberglass fenders for tandem-axle trailer ... 18" (45.72 cm) silver machined aluminum wheel upgrade & Hercules
- RAPTIS R-T5 spare tire (must order fiberglass fenders)\$1,660

18" (45.72 cm) matte Black aluminum alloy wheel upgrade & Hercules RAPTIS R-T5 spare tire (must order fiberglass fenders)\$1,660

*Dealer installed

..\$190

\$55

\$325

\$390

.\$65

\$125

\$575

.\$575

..\$315

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations & features.

HULL LENGTH	BEAM	TRANSOM HEIGHT 23 " (58.42 cm)	MAX. HP
19'4" (5.89 m)	7'10'' (2.39 m)		200
MAX. PERSON CAPACITY	FUEL CAPACITY	MAX. WEIGHT CAPACITY	STORAGE LENGTH 22' 7'' (6.88 m)
4/500 Ibs. (226.80 kg)	50 gal. (189.27 l)	1,375 Ibs. (623.69 kg)	

SPECIFICATIONS

Bottom width	6' 2" (1.88 m)	Z19		
Depth inside	18.5" (46.99 cm)	200 L Pro XS® FourStroke		
Deadrise	16 degrees	Z19 Pro		
Draft	15" (38.10 cm)	200 L Pro XS® FourStroke		
Average weight	1,850 lbs. (839.15 kg)			
Average package weight	3,249 lbs. (1,473.72 kg)			
Package width	8' 6" (2.59 m)			

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA[®] certified
- Flotation meets or exceeds NMMA® & U.S.C.G. requirements
- EPA-compliant fuel system
- Non-skid mats bow & stern
- 6 drink holders
- 4 stainless steel pull-up cleats Integrated fold-down stainless steel reboarding ladder, angled for
- allowing optional shallow-water anchor
- 4 grab handles (1 at each seat)
- Built-in tournament ruler & holder
- Fire extinguisher, horn & paddle

LIVEWELL SYSTEMS

- 2 aft 19-gal. (71.92 L) insulated GUARDIAN[™] livewells w/digital
- 750 GPH (2,839.06 LPH) livewell recirculation/pump-out system
- 500 GPH (1,892.71 LPH) aerator/fill pump
- Dual remote drain controls
- Rotomolded w/rounded corners

TROLLING MOTOR

- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 42" (1.07 m) shaft, foot-control trolling motor
- Trolling motor pedal recess

CONSOLE

- NEW modular, aerodynamic console design w/expanded leg clearance & larger fishfinder surface
- Lowrance[®] HOOK² 5 Combo flush-mounted fishfinder
- Hvdraulic steering w/tilt
- Removable acrylic, tinted windscreen
- Ready to accept optional removable port console
- Veethree® multifunction instrumentation w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Dash light dimmer
- Waterproof, capacitive touch digital keypad
- LED courtesy light - 12V outlet

INTERIOR

- 34-sq.-ft. (3.2-sq.-m) bow deck for casting mobility w/lots of storage
- Bike seat w/pedestal
- Folding fishing seat w/composite frame
- Z-CORE[™] seating system w/Force Flex suspension & contoured,

rotomolded frame for driver & passenger seats

MERCURY[®] MOTOR OPTIONS

\$39.595

\$44,295

Plus freight and prep

- NEW 1" (2.54 cm) lower, driver & passenger flat seat mounting
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard rod lockers w/lift assists
- for rods up to 8' (2.44 m)
- Oversized lockable bow center storage locker Step to bow deck w/62-qt. (58.67 L) insulated cooler & removable
- trash receptacle
- Partner rod ramp w/rod handle organizer & hold-down strap
- Footrest w/non-skid mat under console(s)
- Designated net storage behind seating
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle travs
- Molded utility rigging compartment for easy access to batteries
- & pumps & easy cleanup
- Lift-out tool/rope storage tray in rigging compartment
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor Lockable latches

PERFORMANCE

- NITRO[®] VORTEX TECHNOLOGY[™] (NVT[™]) hull for a smoother,
- drier ride - RAPID PLANING SYSTEM[™] (RPS[™]) for quicker holeshots
- & maximized speed
- 8" (20.32 cm) adjustable jack plate
- Rigging tube for organized wiring & abrasion resistance Stainless steel propeller

CONSTRUCTION & EXTERIOR

- 100% composite deck core w/superior thermal stability & strengthto-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom Low-profile gunnels to maximize deck size & for easier casting

ELECTRICAL

- Bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount 10" (25.4 cm) fishfinder LED console courtesy light Manual LED-lighted bow gear storage
- Automotive-style labeled fuse panel w/cover

OPTIONS

BOW FISHFINDER

	BOW FISHFINDER	
-	Lowrance® HOOK ² 5 Combo (flush mounted)	\$43
-	Lowrance® HOOK ² 7 Combo (flush mounted)	\$/.
-	Lowrance [®] Elite-7 Ti ² (flush mounted)	\$85
-	Lowrance® Elite-7 Ti ² (gimbal mounted)	\$89
	Lowrance® Elite-7 Ti ² (RAM® mounted)	
-	Lowrance® Elite-9 Ti ² (flush mounted)	\$1,44
-	Lowrance [®] Elite-9 Ti ² (gimbal mounted)	\$1,44
-	Lowrance® Elite-9 Ti2 (RAM® mounted)	\$1,42
-	Lowrance® Elite-12 Ti ² (flush mounted)	\$Z,74
-	Lowrance® Elite-12 Ti ² (gimbal mounted)	\$Z,74
	Lowrance [®] Elite-12 Ti ² (RAM [®] mounted) Lowrance [®] HDS LIVE 7 w/StructureScan [®] (flush mounted) .	
	Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) . Lowrance® HDS LIVE 7 w/StructureScan® (gimbal mounted)	
	Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted)	
	Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted)	
	Lowrance® HDS LIVE 9 w/StructureScan® (gimbal mounted)	
	Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)	
	Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)	
	Add LiveSight real-time 3D sonar to Lowrance® fishfinder	
	Humminbird [®] HELIX [™] 7 SI G3N (flush mounted)	
	Humminbird® HELIX™ 7 SI G3N (jimbal mounted)	
	Humminbird [®] HELIX [™] 7 SI G3N (ginbar mounted)	
	Humminbird® HELIX™ 8 SI G3N w/GPS (flush mounted)	
	Humminbird® HELIX™ 8 SI G3N w/GPS (jimbal mounted)	
-	Humminbird [®] HELIX [™] 8 SI G3N w/GPS (gillbar mounted)	φ2,0 Φ2.0
	Humminbird® HELIX® 9 SI G3N w/GPS (nAM® mounted)	
	Humminbird® HELIX™ 9 SI G3N w/GPS (gillibar inounted)	
-	Humminbird [®] HELIX [™] 10 SI G3N w/GPS (gimbal mounted)	ა∠, ა
	Humminbird® HELIX™ 10 SI G3N w/GPS (gimbal mounted)	
	Humminbird® HELIX™ 12 SI G3N w/GPS (gimbal mounted)	
	Humminbird® HELIX® 12 SI G3N w/GPS (RAM® mounted)	
-	Humminbird [®] SOLIX [™] 10 SI G2 (flush mounted)	დ.ე.,4 დეე
-	Humminbird® SOLIX™ 10 SI G2 (finish mounted)	და, ა იე ე
-	Humminbird® SOLIX™ 10 SI G2 (RAM® mounted)	ດ, ເຊັ່ງ ອີວ, ວ
-	Humminbird® SOLIX™ 12 SI G2 (gimbal mounted)	და,ა და ი
-	Humminbird® SOLIX™ 12 SI G2 (RAM® mounted)	და, უ ი ლა ი
-	Garmin [®] ECHOMAP [™] 93sv chartplotter (flush mounted)	ლეკე დეკე
	Garmin® ECHOMAP 93sv chartplotter (lidsh mounted) Garmin® ECHOMAP™ 93sv chartplotter (gimbal mounted)	
	Garmin® ECHOMAP [™] 93sv chartplotter (RAM® mounted)	
	Garmin [®] GPSMAP [®] 7607 chartplotter (flush mounted)	ወ1,4 ሮ1 ፍ
	Garmin [®] GPSMAP [®] 7607 chartplotter (gimbal mounted)	ע,ו קי 1 ג
_	Garmin [®] GPSMAP [®] 7607 chartplotter (RAM [®] mounted)	¢1,5 15
_	Garmin [®] GPSMAP [®] 7608 chartplotter (flush mounted)	 ድን 5
	Garmin [®] GPSMAP [®] 7608 chartplotter (gimbal mounted)	ψ2,5 ¢2 ნ
_	Garmin [®] GPSMAP [®] 7608 chartplotter (RAM [®] mounted)	ψ2,5 \$25
	Garmin® GPSMAP® 8610 chartplotter (flush mounted)	
_	Garmin [®] GPSMAP [®] 8610 chartplotter (gimbal mounted)	¢0,0 \$ ຊ ຊ
_	Garmin [®] GPSMAP [®] 8610 chartplotter (RAM [®] mounted)	ູູູູູູູູູູູູູູູູູູູູູູູູູູູູູູູູູ
_	Garmin® GPSMAP® 8612 chartplotter (flush mounted)	\$4 7
	Garmin [®] GPSMAP [®] 8612 chartplotter (gimbal mounted)	
_	Garmin [®] GPSMAP [®] 8612 chartplotter (RAM [®] mounted)	\$4.7
_	Add Panoptix [™] real-time 3D sonar to Garmin [®] chartplotter	\$1.7
	CONSOLE FISHFINDER EXCHANGE	
-	Lowrance® HOOK ² 7 Combo (flush mounted)	
	Lowrance® HOOK ² 7 Combo (uninstalled)	
	Lowrance® Elite-7 Ti ² (flush mounted)	
	Lowrance® Elite-7 Ti ² (RAM® mounted)	
	Lowrance® Elite-7 Ti ² (uninstalled)	
-	Lowrance® Elite-9 Ti ² (flush mounted)	\$1,2
-	Lowrance® Elite-9 Ti ² (RAM® mounted)	\$1,2
-	Lowrance® Elite-9 Ti ² (uninstalled)	\$1,1
-	Lowrance® Elite-12 Ti ² (flush mounted)	\$2,5
	Lowrance® Elite-12 Ti ² (RAM® mounted)	
-	Lowrance® Elite-12 Ti ² (uninstalled)	\$2,4
-	Lowrance [®] HDS LIVE 7 w/StructureScan [®] (flush mounted) .	\$1,2
-	Lowrance [®] HDS LIVE 7 w/StructureScan [®] (RAM [®] mounted)	\$1,2
	Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled)	
	Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted)	
	Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)	
	Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled)	
	Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mounted)	
-	Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)	\$3,7
-	Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled)	\$3,6
	Humminbird [®] HELIX [™] 7 SI G3N (flush mounted)	
	Humminbird® HELIX™ 7 SI G3N (RAM® mounted)	
	Humminbird® HELIX™ 7 SI G3N (uninstalled)	
	Humminbird [®] HELIX [™] 8 SI G3N w/GPS (flush mounted)	
-	Humminbird® HELIX [™] 8 SI G3N w/GPS (RAM® mounted)	\$1.2
-	Humminbird® HELIX™ 8 SI G3N w/GPS (uninstalled)	\$1,1
	Humminbird® HELIX™ 9 SI G3N w/GPS (flush mounted)	
	Humminbird® HELIX [™] 9 SI G3N w/GPS (RAM® mounted)	
	Humminbird [®] HELIX [™] 9 SI G3N w/GPS (uninstalled) Humminbird [®] HELIX [™] 10 SI G3N w/GPS (flush mounted)	

- Humminbird® HELIX™ 10 SI G3N w/GPS (flush mounted) \$2.095

Boat may be shown w/optional equipment. Motors, specs, features, options & pricing subject to change w/out notice.

- 2 heavy-duty Interstate® trolling batteries 2-bank, 8-amp battery charger w/exterior receptacle

Interstate® cranking battery

- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Master power switch
- Waterproof Deutsch plug-in gauge connectors
- Water/abrasion-resistant connectors

TRAILER

- Custom, single-axle NITRO® trailer w/GALVASHIELD® Impact corrosion & chip protection for improved durability 7-pin connector
- 15" (38.1 cm) chrome wheels w/radial tires
- Surge disc brakes
- No Touch Vortex hub lubrication system w/6-year, 100,000-mile (1.609.34 km) limited warranty
- All-welded rectangular GALVASHIELD® frame Space-saving swing-away tongue to reduce storage length
- Fold-away tongue jack Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress while towing
- Carpeted bunks & fender boards to protect hull Submersible LED lights
- Safety cables

ZISPRO

(w/Pro, some standard features or options may not be available) NEW bow Humminbird® HELIX™ 8 DI G3N gimbal-mounted fishfinder w/MDI (MEGA Down Imaging), CHIRP Digital Sonar & GPS **NEW** console Humminbird[®] HELIX[™] 8 SI G3N flush-mounted fishfinder w/MDI (MEGA Down Imaging), CHIRP Digital Sonar & GPS Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/MDI (MEGA Down Imaging) & i-Pilot® Link™ 3-way Ethernet communication between fishfinders & trolling motor - T-H Marine G-Force Conservation livewell culling system

Upgraded to tandem-axle trailer w/integrated winch stand step,

Upgraded to custom 14" (35.56 cm) aluminum trailer wheels w/spare

steel fender & retractable transom trailer tie downs

- Factory-applied keel protector

Hot Foot™ throttle & Pro-Trim lever

3-bank, 30-amp battery charger

Bow port rod organizer Bow tool/drink holder

Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted)\$2,095	
Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled)\$2,035	
Humminbird® HELIX™ 12 SI G3N w/GPS (gimbal mounted) \$2,690	
Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted) \$2,690	
Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled)\$2,630	
Humminbird® SOLIX™ 10 SI G2 (flush mounted)\$2,640	
Humminbird® SOLIX™ 10 SI G2 (RAM® mounted)\$2,640	
Humminbird® SOLIX™ 10 SI G2 (uninstalled)\$2,580	
Humminbird® SOLIX™ 12 SI G2 (flush mounted)\$3,215	
Humminbird [®] SOLIX [™] 12 SI G2 (RAM [®] mounted)\$3,215	
Humminbird® SOLIX™ 12 SI G2 (uninstalled)\$3,155	
Garmin® ECHOMAP™ 93sv chartplotter (flush mounted)\$1,215	
Garmin [®] ECHOMAP [™] 93sv chartplotter (RAM [®] mounted)\$1,215	
Garmin [®] ECHOMAP [™] 93sv chartplotter (uninstalled)\$1,155	
Garmin® GPSMAP® 7607 chartplotter (flush mounted) \$1,340	
Garmin® GPSMAP® 7607 chartplotter (RAM® mounted) \$1,340	
Garmin® GPSMAP® 7607 chartplotter (uninstalled)\$1,280	
Garmin® GPSMAP® 7608 chartplotter (flush mounted)	
Garmin® GPSMAP® 7608 chartplotter (RAM® mounted) \$2,300	
Garmin® GPSMAP® 7608 chartplotter (uninstalled)\$2,240	
Garmin® GPSMAP® 8610 chartplotter (flush mounted)	
Garmin® GPSMAP® 8610 chartplotter (RAM® mounted) \$3,050	
Garmin® GPSMAP® 8610 chartplotter (uninstalled)\$2,990	
Garmin® GPSMAP® 8612 chartplotter (flush mounted)\$4,480	
Garmin® GPSMAP® 8612 chartplotter (RAM® mounted)\$4,480	
Garmin® GPSMAP® 8612 chartplotter (uninstalled)\$4,420	

2ND CONSOLE FISHFINDER

Lowrance® Elite-7 Ti ² . (RAM® mounted)	\$940
Lowrance® Elite-9 Ti ² . (RAM® mounted)	\$1,625
Lowrance® Elite-12 Ti². (RAM® mounted)	\$2,900
Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted)	\$1,395
Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)	\$2,345
Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) .	\$3,875
Humminbird® HELIX™ 7 SI G3N (RAM® mounted)	\$1,175
Humminbird® HELIX™ 8 SI G3N w/GPS (RAM® mounted)	\$1,655
Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted)	\$1,990
Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted) .	
Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted) .	\$3,200
Humminbird®. SOLIX™ 10 SI G2 (RAM® mounted)	\$3,025
Humminbird®. SOLIX™ 12 SI G2(RAM® mounted)	\$3,600
Garmin® ECHOMAP™ 93sv chartplotter (RAM® mounted) .	\$1,530
Garmin®. GPSMAP® 7607 chartplotter (RAM® mounted)	\$1,675
Garmin®. GPSMAP® 7608 chartplotter (RAM® mounted)	
Garmin®. GPSMAP® 8610 chartplotter (RAM® mounted)	
Garmin®. GPSMAP® 8612 chartplotter (RAM® mounted)	\$4,850

ELECTRONICS

KICKER® KMC'	Bluetooth	®-capable	stereo	system		\$395
--------------	-----------	-----------	--------	--------	--	-------

BATTERY CHARGER EXCHANGE

Dual Pro® international battery charger	. \$295
2-bank, 20-amp battery charger	\$90
3-bank, 30-amp battery charger	\$155
4-bank, 40-amp battery charger	\$215
Stealth 1, 20-amp battery charger w/out gauge	. \$550
Stealth 1, 20-amp battery charger w/gauge	\$675

LIGHTING

w deck, cockpit & aft deck carpet trim lights w/T-H Marine	3
stroller & wire harness (factory installed only)	¢50

CUSHIONS & SEATING

2 bike seats (exchange)	\$100
2 jump seats (exchange)	\$230
Center seat	\$375
Center seat storage	\$415
Hydraulic pedestal (exchange)	\$190

ACCESSORIES

- NEW additional cleat at driver seat for quick tie down	\$55
- 2 oxygen generators	\$325
- Bow tool/drink holder	\$30
- Culling system	
- CoolGuard [™] livewell cooling system (factory installed only)	
- HydroWave® electronic fish attractor	\$575
- Auto Bilge Pump	\$125
- Keel protector (Black or White)	\$315
- Loc-R-Bar® w/alarm (dealer installation not included)	\$245
- Port under deck storage drawer	\$255
- Snap-in sandwich tray	
- X-Grip® mobile phone holder	
PERFORMANCE & STEERING	
- Hot Foot™	\$195

HOTFOOL		\$195
Trim leve	on wheel	\$95
Dual trim	lever on wheel (must order hydraulic jack plate)	\$145

TROLLING MOTOR

- **NEW** Lowrance[®] Ghost[™] 36V, 120-lb. (54.43 kg) thrust, 47" (1.19 m) shaft troll. motor (add. battery required & sold separately) \$3,000 Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft
- trolling motor w/Universal Sonar 2 \$655 Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft
- trolling motor w/Universal Sonar 2 ... \$690 - Minn Kota® Fortrex® 36V, 112-lb. (50.8 kg) thrust, 45″ (1.14 m) shaft
- trolling motor w/Universal Sonar 2... \$795 Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 45″ (1.14 m) shaft
- trolling motor w/Universal Sonar 2 & i-Pilot®. ...\$1,725 Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft
- trolling motor w/Universal Sonar 2 & i-Pilot® Link™... ...\$2,780
- Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® \$1,840
- Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 52" (1.32 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot[®] Link[™]. \$2.805
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot®. ...\$1.865
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® Link™ \$2,875
- Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft
- trolling motor w/Universal Sonar 2 & i-Pilot®\$1,925 Minn Kota® Ultrex® 36V, 112-lb. (50.8 kg) thrust, 52" (1.32 m) shaft
- trolling motor w/Universal Sonar 2 & i-Pilot® Link™ ... \$2.975 MotorGuide® X5 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft \$490
- trolling motor MotorGuide® X5 36V, 105-lb. (47.63 kg) thrust, 45" (1.14 m) shaft ...\$725 trolling motor ..

FUNCTIONAL

-	Anti-fatigue mat	.\$80
-	Carpet embroidery	\$175
-	Magnetic under-lid lure holder/organizer	.\$95
-	Rod organizer	\$115
	SmartCraft® gauges	
-	Ventilation fan in bow storage box	\$155
-	Removable port console & hardware (factory installed)\$1	,275
-	8" (20.32 cm) T-H Marine Atlas hydraulic jack plate\$1	,150
-	8" (20.32 cm) Bob's Action hydraulic jack plate\$1	,125
-	Minn Kota® 8' (2.44 m) Talon shallow-water anchor—Black*\$2	,250
	2 Minn Kota® 8' (2.44 m) Talon shallow-water anchors—Black* \$4	
-	Minn Kota® 10' (3.05 m) Talon shallow-water anchor—Black*\$2	2,315
-	2 Minn Kota® 10' (3.05 m) Talon shallow-water anchors—Black* \$4	,630
	Minn Kota® 12' (3.66 m) Talon shallow-water anchor—Silver*\$2	
	2 Minn Kota® 12' (3.66 m) Talon shallow-water anchors—Silver* \$4	
-	Power-Pole® Blade 8' (2.44 m) shallow-water anchor*\$2	,170
	2 Power-Pole® Blade 8' (2.44 m) shallow-water anchors* \$4	
	Power-Pole® Blade 10' (3.05 m) shallow-water anchor*\$2	
-	2 Power-Pole® Blade 10' (3.05 m) shallow-water anchors* \$4	,790
C	COVERS	
		npa:

Mooring cover for side console—Charcoal

Mooring cover for dual consoles—Charcoal\$710	J
2-tone mooring cover for side console-Black & Charcoal\$790	J
2-tone mooring cover for dual consoles-Black & Charcoal\$810	J

TRAILER

-	Retractable trailer tie downs\$70
-	Fiberglass fenders for tandem-axle trailer\$1,125
-	Tandem-axle trailer upgrade w/2 brakes, 14" (35.56 cm) tire/wheel
	upgrade & spare tire\$1,375
-	Single-axle spare tire\$145
-	18" (45.72 cm) silver machined aluminum wheel upgrade & Hercules
	DADTIC DITE and the (must and an floan loss found and) \$1,000

RAPTIS R-T5 spare tire (must order fiberglass fenders)\$1,660 18" (45.72 cm) matte Black aluminum alloy wheel upgrade & Hercules

RAPTIS R-T5 spare tire (must order fiberglass fenders) ... \$1.660

*Dealer installed

Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations & features.

Z18

150 L FourStroke

Z18 Pro 150 L FourStroke

150 L Pro XS® FourStroke

150 L Pro XS® FourStroke

175 L Pro XS[®] FourStroke (limited availability)

175 L Pro XS® FourStroke (limited availability)

HULL LENGTH	BEAM	TRANSOM HEIGHT	мах. нр
18'8 " (5.69 m)	7'10'' (2.39 m)	22.5 " (57.15 cm)	175
MAX. PERSON CAPACITY	FUEL CAPACITY	MAX. WEIGHT CAPACITY	STORAGE LENGTH 21' 3'' (6.48 m)
4/550 Ibs. (249.48 kg)	40 (31. (151.42 l)	1,350 Ibs. (612.35 kg)	

SPECIFICATIONS

Bottom width	6' 3" (1.91 m)
Depth inside	18.5" (46.99 cm)
Deadrise	16 degrees
Draft	15" (38.10 cm)
Average weight	1,700 lbs. (771.11 kg)
Average package weight	3,200 lbs. (1,451.50 kg)
Package width	8' 6" (2.59 m)

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA[®] certified
- Flotation meets or exceeds NMMA® & U.S.C.G. requirements
- EPA-compliant fuel system
- Non-skid mats bow & stern
- 6 drink holders
- 4 stainless steel pull-up cleats - Integrated fold-down stainless steel reboarding ladder, angled for
- allowing optional shallow-water anchor
- 4 grab handles (1 at each seat)
- Fire extinguisher, horn & paddle

LIVEWELL SYSTEMS

- Aft 30-gal. (113.56 L) GUARDIAN™ aerated livewell w/divider & timer
- 500 GPH (1,892.71 LPH) livewell recirculation/pump-out system 500 GPH (1,892.71 LPH) aerator/fill pump
- Rotomolded w/rounded corners

TROLLING MOTOR

- Minn Kota® Maxxum® 24V, 70-lb. (31.75 kg) thrust, 42" (1.07 m) shaft, foot-control trolling motor
- Trolling motor pedal recess

CONSOLE

- **NEW** modular, aerodynamic console design w/expanded leg clearance & larger fishfinder surface
- Lowrance[®] HOOK² 5 Combo flush-mounted fishfinder
- Hydraulic steering w/tilt
- Removable acrylic, tinted windscreen
- Ready to accept optional removable port console
- Veethree[®] multifunction instrumentation w/speedometer/fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Dash light dimmer
- Water-resistant switch panels
- LED courtesy light - 12V outlet

INTERIOR

- 34-sq.-ft. (3.2-sq.-m) bow deck for casting mobility w/lots of storage
- Bike seat w/pedestal - Folding fishing seat w/composite frame
- Z-CORE[™] seating system w/Force Flex suspension & contoured,
- rotomolded frame for driver & passenger seats
- NEW 1" (2.54 cm) lower, driver & passenger flat seat mounting
- Bow port & starboard rod hold-down straps

· Molded-in drainage channels around bow storage compartments Oversized, lockable bow port & starboard rod lockers w/lift assists for rods up to 8' (2.44 m)

MERCURY® MOTOR OPTIONS

\$31 995

\$32.905

\$34,635

\$35,585

\$36,495

\$38 225

Plus freight and prep

- Oversized lockable bow center storage locker
- Step to bow deck w/62-qt. (58.67 L) insulated cooler & removable trash recentacle
- Partner rod ramp w/rod handle organizer & hold-down strap
- Footrest w/non-skid mat under console(s)
- Designated net storage behind seating
- 2 lift-out, molded aft storage boxes that will each accept seven 3700 tackle trays
- Molded utility rigging compartment for easy access to batteries & pumps & easy cleanup
- Insulated aluminum lids w/welded corners
- 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor
- Lockable latches

PERFORMANCE

- NITRO® VORTEX TECHNOLOGY™ (NVT™) hull for a smoother, drier
- RAPID PLANING SYSTEM[™] (RPS[™]) for quicker holeshots
- & maximized speed
- Rigging tube for organized wiring & abrasion resistance - Stainless steel propeller

CONSTRUCTION & EXTERIOR

- 100% composite deck core w/superior thermal stability & strengthto-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Low-profile gunnels to maximize deck size & for easier casting

ELECTRICAL

- Angled bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount most 12" (30.5 cm) fishfinders
- LED console courtesy light
- Automotive-style labeled fuse panel w/cover Interstate[®] cranking battery
- 2 heavy-duty Interstate® trolling batteries
- 2-bank, 8-amp battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Master power switch
- Waterproof Deutsch plug-in gauge connectors

- Water/abrasion-resistant connectors

TRAILER

- Custom-fit, single-axle NITRO® trailer powder-coated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 7-pin connector
- 14" (35.56 cm) chrome wheels w/radial tires
- No Touch Vortex hub lubrication system w/6-year, 100,000-mile
- (1,609.34 km) limited warranty
- All-welded rectangular GALVASHIELD® frame
- Space-saving swing-away tongue to reduce storage length Fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap Outboard motor support to reduce hull & transom stress while
- towing - Carpeted bunks & fender boards to protect hull Submersible LED lights
- Safety cables

LIBPRD

- (w/Pro, some standard features or options may not be available) - Bow Humminbird® HELIX™ 7 DI G3N aimbal-mounted fishfinder w/MDI (MEGA Down Imaging) , CHIRP Digital Sonar & GPS Console Humminbird[®] HELIX[™] 7 SI G3N flush-mounted fishfinder w/MDI (MEGA Down Imaging) , CHIRP Digital Sonar & GPS Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/MDI (MEGA Down Imaging) & i-Pilot[®] Link[™] 3-way Ethernet communication between fishfinders & trolling motor - Factory-applied keel protector
- Bow tool/drink holder
- 3-bank, 30-amp battery charger
- Retractable transom trailer tie downs

OPTIONS

-	BOW FISHFINDER Lowrance® HOOK ² 5 Combo (flush mounted)	\$43
	Lowrance® HOOK ² 7 Combo (flush mounted)	\$77
-	Lowrance® Elite-7 Ti ² (flush mounted)	\$89
-	Lowrance [®] Elite-7 Ti ² (gimbal mounted) Lowrance [®] Elite-7 Ti ² (RAM [®] mounted)	\$89
-	Lowrance® Elite-7 Ti ² (RAM® mounted)	\$89
-	Lowrance® Elite-9 Ti2 (flush mounted)	\$1,42
-	Lowrance [®] Elite-9 Ti ² (gimbal mounted) Lowrance [®] Elite-9 Ti ² (RAM [®] mounted)	\$1,42
	Lowrance® Elite-12 Ti ² (flush mounted)	\$2 74
_	Lowrance® Elite-12 Ti ² (gimbal mounted)	\$2.74
-	Lowrance® Elite-12 Ti ² (RAM® mounted)	\$2,74
-	Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) .	\$1,42
	Lowrance® HDS LIVE 7 w/StructureScan® (gimbal mounted)	
	Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted)	
	Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (gimbal mounted)	
	Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)	
	Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mounted)	
	Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)	
	Add LiveSight real-time 3D sonar to Lowrance® fishfinder	
	Humminbird® HELIX™ 7 SI G3N (flush mounted)	
-	Humminbird [®] HELIX [™] 7 SI G3N (gimbal mounted)	\$1,63
-	Humminbird® HELIX [™] 7 SI G3N (ŘAM® mounted) Humminbird® HELIX [™] 8 SI G3N w/GPS (flush mounted)	5 d, l \$ 1 ¢2 م
	Humminbird® HELIX™ 8 SI G3N w/GPS (gimbal mounted)	
	Humminbird [®] HELIX [™] 8 SI G3N w/GPS (RAM [®] mounted)	
-	Humminbird [®] HELIX [™] 9 SI G3N w/GPS (gimbal mounted)	\$2,35
-	Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted)	\$2,35
-	Humminbird® HELIX™ 10 SI G3N w/GPS (gimbal mounted)	\$2,85
	Humminbird [®] HELIX [™] 10 SI G3N w/GPS (RAM [®] mounted)	
	Humminbird [®] HELIX [™] 12 SI G3N w/GPS (gimbal mounted) Humminbird [®] HELIX [™] 12 SI G3N w/GPS (RAM [®] mounted)	
	Humminbird® SOLIX™ 10 SI G2 (flush mounted)	
_	Humminbird [®] SOLIX [™] 10 SI G2 (gimbal mounted)	\$3.34
-	Humminbird® SOLIX™ 10 SI G2 (RAM® mounted)	\$3,34
	Humminbird [®] SOLIX [™] 12 SI G2 (gimbal mounted)	
	Humminbird [®] SOLIX [™] 12 SI G2 (RAM [®] mounted)	
	Garmin [®] ECHOMAP [™] 93sv chartplotter (flush mounted)	
	Garmin [®] ECHOMAP [™] 93sv chartplotter (gimbal mounted) Garmin [®] ECHOMAP [™] 93sv chartplotter (RAM [®] mounted)	
	Garmin [®] GPSMAP [®] 7607 chartplotter (flush mounted)	
-	Garmin® GPSMAP® 7607 chartplotter (gimbal mounted)	\$1,57
-	Garmin® GPSMAP® 7607 chartplotter (RAM® mounted)	\$1,57
-	Garmin® GPSMAP® 7608 chartplotter (flush mounted)	\$2,55
-	Garmin® GPSMAP® 7608 chartplotter (gimbal mounted) Garmin® GPSMAP® 7608 chartplotter (RAM® mounted)	\$2,55
	Garmin® GPSMAP® 8610 chartplotter (flush mounted)	
	Garmin® GPSMAP® 8610 chartplotter (gimbal mounted)	
-	Garmin® GPSMAP® 8610 chartplotter (RAM® mounted)	\$3,31
	Garmin® GPSMAP® 8612 chartplotter (flush mounted)	
-	Garmin® GPSMAP® 8612 chartplotter (gimbal mounted)	C 1 7 7
	Garmin [®] GPSMAP [®] 8612 chartplotter (RAM [®] mounted) Add Panoptix [™] real-time 3D sonar to Garmin [®] chartplotter	\$4,77
	Aud Falloptix Teal-time 3D solial to Galillin chartplotter	\$4,77
	ONCOLE EIGHEINDED EVOUANCE	\$4,77
C	CONSOLE FISHFINDER EXCHANGE	\$4,77 \$1,72
C	Lowrance® HOOK ² 7 Combo (flush mounted)	\$4,77 \$1,72 \$32
- - -	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted)	\$4,77 \$1,72 \$32 \$26 \$81
C	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted)	\$4,77 \$1,72 \$32 \$32 \$81 \$81
C	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-7 Ti ² (uninstalled)	\$4,77 \$1,72 \$32 \$32 \$81 \$81 \$75
C	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-7 Ti ² (Rush mounted) Lowrance® Elite-9 Ti ² (flush mounted)	\$4,77 \$1,72 \$32 \$26 \$81 \$81 \$75 \$1,25
C	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-7 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (RAM® mounted)	\$4,77 \$1,72 \$32 \$26 \$81 \$1,25 \$1,25
C	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-7 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (uninstalled)	\$4,77 \$1,72 \$32 \$32 \$32 \$81 \$75 \$1,25 \$1,25 \$1,19
C	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-7 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted)	\$4,77 \$1,72 \$32 \$26 \$81 \$81 \$75 \$1,25 \$1,19 \$2,54
	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (uninstalled)	\$4,77 \$1,72 \$1,72 \$32 \$26 \$81 \$81 \$75 \$1,25 \$1,25 \$1,19 \$2,54 \$2,54 \$2,54
	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Hite-12 Ti ² (flush mounted) Lowrance® Hite-12 Ti ² (flush mounted) Lowrance® Hite-12 Ti ² (flush mounted) Lowrance® HIDS LIVE 7 w/StructureScan® (flush mounted)	\$4,77 \$1,72 \$1,72 \$32 \$26 \$81 \$75 \$1,25 \$1,25 \$1,19 \$2,54
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (lush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (lush mounted) Lowrance® Elite-12 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (uninstalled) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted).	\$4,77 \$1,72 \$32 \$26 \$81 \$1,25 \$1,25 \$1,25 \$2,54 \$2,555 \$2,5555555555555555555555555555555555
C	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (lush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (RAM® mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled)	\$4,77 \$1,72 \$32 \$26 \$81 \$81 \$1,25 \$1,25 \$1,25 \$2,54 \$2,54 \$2,54 \$2,54 \$2,54 \$1,25 \$1,
	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (uninstalled) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted)	\$4,77 \$1,72 \$26 \$26 \$81 \$1,25 \$1,25 \$1,19 \$2,54 \$2,54 \$2,54 \$2,54 \$1,25 \$1,25 \$1,25 \$1,25 \$2,54
	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (lush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (RAM® mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled)	\$4,77 \$1,72 \$1,72 \$26 \$26 \$81 \$75 \$1,25 \$1,25 \$1,19 \$2,54 \$2,54 \$2,54 \$2,54 \$2,54 \$2,54 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$2,19 \$2,19 \$2,19
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® H0OK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (uninstalled) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (minstalled) Lowrance® HDS LIVE 9 w/StructureScan® (minstalled)	\$4,77 \$1,72 \$32 \$26 \$81 \$75 \$1,25 \$1,25 \$1,25 \$1,25 \$2,54 \$2,555 \$2,555555555555555555555555555555555555
	Lowrance® HOOK ² 7 Combo (flush mounted) Lowrance® HOOK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (gimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)	\$4,77 \$1,72 \$22 \$22 \$22 \$1,22 \$1,25\$\$1,25\$
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® H0OK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glash mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glash mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glash mounted) Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled)	\$4,777 \$1,722 \$333 \$262 \$1,722 \$1,722 \$1,722 \$1,725 \$1,252 \$1,253 \$1,252 \$1,253 \$1,252 \$1,253\$\$1,253\$\$1,
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 12 w/StructureScan® (minstalled) Lowrance® H	\$4,777 \$322 \$281 \$281 \$291 \$291 \$292 \$292 \$292 \$292 \$292 \$29
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 12 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (flush	\$4,77 \$1,72 \$32 \$26 \$1,72 \$1,72 \$1,72 \$1,72 \$1,72 \$1,25\$\$1,25\$\$
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® H0OK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (RAM® mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (uninstalled) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) Humminbird® HELIX [™] 7 SI G3N (RAM® mounted) Humminbird® HELIX [™] 7 SI G3N (uninstalled)	\$4,77 \$1,72 \$32 \$32 \$81 \$81 \$75 \$1,25\$\$1,25\$\$
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® H0OK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (uninstalled) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (minstalled) Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) Humminbird® HELIX [™] 7 SI G3N (flush mounted) Humminbird® HELIX [™] 7 SI G3N (son mounted) Humminbird® HELIX [™] 7 SI G3N (ush mounted) Humminbird® HELIX [™] 7 SI G3N (ush mounted) Humminbird® HELIX [™] 7 SI G3N (ush mounted)	\$4,77 \$1,72 \$32 \$32 \$32 \$31 \$31 \$35 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$2,54 \$2,54 \$2,254 \$2,254 \$2,254 \$2,254 \$2,254 \$1,25\$\$1,25\$\$1,2
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® H0OK ² 7 Combo (uninstalled) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) Humminbird® HELIX [™] 7 SI G3N (RAM® mounted) Humminbird® HELIX [™] 7 SI G3N (uninstalled)	\$4,77 \$1,72 \$32 \$23 \$24 \$24 \$2,54 \$1,25\$\$1,25
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 12 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (glimbal mounted) Lowrance® HDS LIVE 12 w/StructureScan® (flush mounted) Humminbird® HELIX [™] 7 SI G3N w/GPS (flush mounted) Humminbird® HELIX [™] 8 SI G3N w/GPS (flush mounted) Humminbird® HELIX [™] 8 SI G3N w/GPS (flush mounted) Humminbird® HELIX [™] 8 SI G3N w/GPS (flush mounted) Humminbird® HELIX [™] 9 SI G3N w/GPS (flush mounted) Humminbird® HELIX [™] 9 SI G3N w/GPS (flush mounted) Humminbird®	\$4,77 \$1,72 \$32 \$26 \$1,72 \$26 \$1,25\$\$1,25\$\$1,
	Lowrance® H0OK ² 7 Combo (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-7 Ti ² (flush mounted) Lowrance® Elite-9 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® Elite-12 Ti ² (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (minstalled) Lowrance® HDS LIVE 12 w/StructureScan® (minstalled) Humminbird® HELIX [™] 7 SI G3N (MAP mounted) Humminbird® HELIX [™] 8 SI G3N w/GPS (flush mounted) Humminbi	\$4,77 \$1,72 \$32 \$32 \$38 \$81 \$75 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$1,25 \$3,70 \$3,70 \$3,84 \$2,13 \$3,70 \$3,75 \$5,57 \$5,57 \$5,57 \$1,22 \$1,22 \$1,22 \$1,22 \$1,22 \$1,25 \$1,57 \$

Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted)	\$2.095
Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled)	\$2.035
Humminbird® HELIX™ 12 SI G3N w/GPS (gimbal mounted)	\$2.690
-umminbird® HELIX™ 12 SI G3N w/GPS (ŘAM® mounted)	\$2.690
Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled)	
Humminbird® SOLIX™ 10 SI G2 (RAM® mounted)	
- Humminbird® SOLIX™ 12 SI G2 (flush mounted)	\$3,215
	\$3,215
-umminbird® SOLIX™ 12 SI G2 (uninstalled)	
Garmin® ECHOMAP™ 93sv chartplotter (flush mounted)	
Garmin® ECHOMAP™ 93sv chartplotter (RAM® mounted)	
Garmin® ECHOMAP™ 93sv chartplotter (uninstalled)	
Garmin® GPSMAP® 7607 chartplotter (flush mounted)	
Garmin® GPSMAP® 7607 chartplotter (RAM® mounted)	\$1,340
Garmin® GPSMAP® 7607 chartplotter (uninstalled)	\$1,280
Garmin® GPSMAP® 7608 chartplotter (flush mounted)	\$2,300
Garmin® GPSMAP® 7608 chartplotter (RAM® mounted)	\$2,300
Garmin® GPSMAP® 7608 chartplotter (uninstalled)	\$2,240
Garmin® GPSMAP® 8610 chartplotter (flush mounted)	\$3,050
Garmin® GPSMAP® 8610 chartplotter (RAM® mounted)	
Garmin® GPSMAP® 8610 chartplotter (uninstalled)	\$2,990
Garmin® GPSMAP® 8612 chartplotter (flush mounted)	\$4,480
Garmin® GPSMAP® 8612 chartplotter (RAM® mounted)	\$4,480
Garmin® GPSMAP® 8612 chartplotter (uninstalled)	

BATTERY CHARGER EXCHANGE

Jual Pro® international battery charger	\$295
2-bank, 20-amp battery charger	\$90
3-bank, 30-amp battery charger	\$155
Stealth 1, 20-amp battery charger w/out gauge	\$550
Stealth 1, 20-amp battery charger w/gauge	
······································	

LIGHTING

- Bow deck, cockpit & aft deck carpet trim lights w/T-H Marine controller & wire harness (factory installed only) . . \$595

CUSHIONS & SEATING

2 bike seats (exchange)	\$100
2 jump seats (exchange)	\$230
Center seat	\$375
Center seat storage	\$415
Hydraulic pedestal (exchange)	\$190

ACCESSORIES

NEW additional cleat at driver seat for quick tie down	\$55
2 oxygen generators	\$325
Bow tool/drink holder	\$30
Auto Bilge Pump	\$125
HydroWave® electronic fish attractor	\$575
Keel protector (Black or White)	\$315
Livewell control valve	\$95
Loc-R-Bar® w/alarm (dealer installation not included)	\$245
Port under deck storage drawer	\$255
Snap-in sandwich tray	

PERFORMANCE & STEERING

Hot Foot™	\$195
Trim lever on wheel	\$95
Dual trim lever on wheel (must order hydraulic	; jack plate)\$145

TROLLING MOTOR

• **NEW** Lowrance[®] Ghost[™] 36V, 120-lb. (54.43 kg) thrust, 47[°] (1.19 m) shaft troll. motor (add. battery required & sold separately) \$2,950 - Minn Kota® Fortrex® 24V, 80-Ib. (36.29 kg) thrust, 45″ (1.14 m) shaft trolling motor w/Universal Sonar 2 \$655 - Minn Kota® Fortrex® 24V, 80-lb. (36.29 kg) thrust, 52″ (1.32 m) shaft trolling motor w/Universal Sonar 2 \$690 - Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot®. ...\$1.725 Minn Kota® Ultrex® 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® Link™\$2,780 - MotorGuide® X5 24V, 80-lb. (36.29 kg) thrust, 45" (1.14 m) shaft

\$490

FUNCTIONAL

trolling motor

Anti-fatigue mat	\$80
Carpet embroidery	\$175
TACKLE MANAGÉMENT SYSTEM™ w/center box dividers	
Rod organizer	\$115
SmartCraft® gauges	\$850
Removable port console & hardware (factory installed)	\$1,125
6" (15.24 cm) R&R Design jack plate	\$495
6" (15.24 cm) Bob's Action hydraulic jack plate	\$1,695
Minn Kota® 8' (2.44 m) Talon shallow-water anchor—Black*	\$2,250
2 Minn Kota® 8' (2.44 m) Talon shallow-water anchors—Black* .	\$4,500
Vinn Kota® 10' (3.05 m) Talon shallow-water anchor—Black*	\$2,315
2 Minn Kota® 10' (3.05 m) Talon shallow-water anchors—Black*	.\$4,630
Vinn Kota® 12' (3.66 m) Talon shallow-water anchor—Silver*	\$2,440

 2 Minn Kota® 12' (3.66 m) Talon shallow-water anchors—Silver* \$4,880 Power-Pole® Blade 8' (2.44 m) shallow-water anchor*\$2,170 2 Power-Pole® Blade 8' (2.44 m) shallow-water anchors*\$4,340 Power-Pole® Blade 10' (3.05 m) shallow-water anchors*\$4,790 2 Power-Pole® Blade 10' (3.05 m) shallow-water anchors*\$4,790) 5
COVERS - Mooring cover for side console—Charcoal\$655 - Mooring cover for dual consoles—Charcoal\$675	
TRAILER	

18" (45.72 cm) custom matte Black aluminum alloy wheel upgrade & Hercules RAPTIS R-T5 spare tire (must order fiberglass fenders) ... \$1,660

*Dealer installed



SEE A FULL LIST OF FEATURES & OPTIONS ONLINE



Visit NITRO.COM to view more photos, see a complete list of motors, options, color combinations & features.

Z17

115 ELPT Pro XS® FourStroke

HULL LENGTH	BEAM	TRANSOM HEIGHT 20.5" (52.07 cm)	мах. нр
17'4" (5.28 m)	7'6'' (2.29 m)		115
MAX. PERSON CAPACITY	FUEL CAPACITY	MAX. WEIGHT CAPACITY	STORAGE LENGTH 20' 9" (6.32 m)
3/460 Ibs. (208.65 kg)	24 gai. (90.85 l)	1,100 Ibs. (498.95 kg)	

SPECIFICATIONS

Bottom width	6' (1.83 m)
Depth inside	16.25" (41.28 cm)
Deadrise	16 degrees
Draft	15" (38.1 cm)
Average weight	1,450 lbs. (657.71 kg)
Average package weight	2,650 lbs. (1,202.02 kg)
Package width	7' 11.5" (2.43 m)

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA[®] certified
- Flotation meets or exceeds NMMA® & U.S.C.G. requirements
- EPA-compliant fuel system
- Non-skid mats bow & stern - 2 drink holders & 4 stainless steel, angled cleats flushed w/gunnels
- Fold-down, angled stainless steel reboarding ladder
- 2 grab handles (1 at passenger, 1 at transom)
- Fire extinguisher, horn & paddle

LIVEWELL SYSTEMS

- Aft 23-gal. (87.06 L) GUARDIAN[™] aerated livewell w/divider & timer
- 500 GPH (1,892.71 LPH) livewell recirculation/pump-out system
- 500 GPH (1,892.71 LPH) aerator/fill pump Rotomolded w/rounded corners

TROLLING MOTOR

- Minn Kota® Edge® 12V, 55-Ib. (24.95 kg) , 45" (1.14 m) trolling motor - Trolling motor pedal recess

CONSOLE

- Custom-molded modular console w/2-tone gelcoat
- Lowrance® HOOK² 4x flush-mounted fishfinder
- Single cable, no feedback rotary steering w/tilt Removable acrylic, tinted windscreen
- Ready to accept optional removable port console - Veethree® multifunction instrumentation w/speed/fuel gauge, tach/
- trim gauge, voltmeter gauge & water pressure gauge
- Dash light dimmer, LED courtesy light, 12V outlet Room to flush-mount optional, exchanged 9" (22.86 cm) fishfinder

INTERIOR

- 32-sq.-ft. (3.0-sq.-m) bow deck for casting mobility w/lots of storage
- Bike seat w/pedestal
- Folding fishing seat w/composite frame Driver & passenger bucket seats w/molded-in storage below
- Bow port & starboard rod hold-down straps
- Molded-in drainage channels around bow storage compartments
- Oversized, lockable bow port & starboard 7' (2.13 m) rod lockers Oversized lockable bow center storage locker w/lift assist & organizer for 4 rods up to 7' 6" (2.29 m)
- Step to bow deck w/42-gt. (39.75 L) insulated cooler
- Partner rod ramp w/rod handle organizer & hold-down strap
- Footrest w/non-skid mat under console(s)
- Step to aft deck w/polymer lid
- 2 lift-out, molded aft boxes each accept seven 3700 tackle trays Molded utility rigging compartment for access to batteries & pumps

 Insulated aluminum lids w/welded corners 16-oz. (.45 kg) plush, marine-grade cut pile carpet on decks & floor Lockable latches

MERCURY® MOTOR OPTIONS

115 ELPT Pro XS[®] FourStroke Command Thrust \$27,545

\$26,995

Plus freight and prep

PERFORMANCE

NITRO[®] VORTEX TECHNOLOGY[™] (NVT[™]) hull for a smooth, dry ride RAPID PLANING SYSTEM[™] (RPS[™]) for guick holeshots & max speed Rigging tube for organized wiring & abrasion resistance Stainless steel propeller

CONSTRUCTION & EXTERIOR

- 100% composite deck core w/superior stability & strength Deck & hull bonded & fastened w/stainless fasteners every 2" (5.08 cm)
- Gelcoated stringer/liner system Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Low-profile gunnels to maximize deck size & for easier casting

ELECTRICAL

- Bow panel w/trolling motor receptacle, anchor/light switch, trim switch & capability to flush mount 9" (22.86 cm) fishfinder
- LED console courtesy light Automotive-style labeled fuse panel w/cover
- Interstate[®] cranking battery
- Heavy-duty Interstate® trolling battery
- 2-bank, 8-amp battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker Waterproof Deutsch plug-in gauge connectors
- Water/abrasion-resistant connectors

TRAILER

- Custom-fit, single-axle NITRO® trailer powder-coated
- w/GALVASHIELD® Impact corrosion & chip protection
- Submersible LED lights w/7-pin connector
- 13" (33.02 cm) chrome wheels w/radial tires & Super Lube hubs All-welded rectangular GALVASHIELD® frame
- Swing-away tongue, fold-away jack
- Heavy-duty winch w/nylon strap & bow safety strap Outboard motor support to reduce hull & transom stress
- Carpeted bunks & fender boards to protect hull

OPTIONS

BOW FISHFINDER

- Lowrance® HOOK² 4x (flush mounted) ... \$175 Lowrance[®] HOOK² 5 Combo (flush mounted) \$430 - Lowrance® HOOK² 7 Combo (flush mounted) \$695

Lowrance[®] Elite-7 Ti² (flush, gimbal, or RAM[®] mounted)\$850
 Humminbird[®] HELIX[™] 7 SI G3N (flush, gimbal, or RAM[®] mounted)\$1,295

lowra

	SONSOLL I ISIII INDEN EKGIANGE	
-	Lowrance® HOOK ² 5 Combo (flush mounted)	\$245
-	Lowrance® HOOK ² 5 Combo (uninstalled)	\$185
-	Lowrance® HOOK ² 7 Combo (flush mounted)	\$495
-	Lowrance® HOOK ² 7 Combo (uninstalled)	\$435
-	Lowrance® Elite-7 Ti ² (flush or RAM® mounted)	\$1,025
-	Lowrance® Elite-7 Ti ² (uninstalled)	\$965
-	Humminbird [®] HELIX [™] 7 SI G3N (flush or RAM [®] mounted)	\$975
-	Humminbird [®] HELIX [™] 7 SI G3N (uninstalled)	\$915

Dual Pro® international battery charger	\$295
2-bank, 20-amp battery charger	\$90

CUSHIONS & SEATING

2 jump seats (exchange)

Center seat .. Hydraulic pedestal (exchange) ACCESSORIES

- .\$325 2 oxygen generators Automatic bilge pump ..\$125 Keel protector (Black or White) \$315
- Loc-R-Bar[®] w/alarm (dealer installation not included) ...\$245

PERFORMANCE & STEERING Tilt hydraulic steering

.. \$350 **TROLLING MOTOR**

- MotorGuide® X3 24V, 70-lb. (31.75 kg) thrust, 45" (1.14 m) shaft

trolling motor (additional battery required & sold separately)\$165

FUNCTIONAL

Removable port console & hardware (factory installed) \$1,125

COVERS

 Mooring cover for side console—Charcoal . \$640 - Mooring cover for dual consoles—Charcoal . \$660

TRAILER

-	Retractable trailer tie downs	\$70
-	Single-axle trailer upgrade w/1 brake	\$500
-	Single-axle spare tire	\$145
-	13" (33.02 cm) single-axle aluminum wheels w/spare tire	\$275

	STANUAKU Visit NITRO.COM to view mo
HULL LENGTH 19'5 " (5.92 m)	BEAM 7'9'' (2.36 m)
MAX. PERSON CAPACITY 5/750 Ibs. (340.19 kg) SPECIFICATIONS	FUEL CAPACITY 26 gal. (98.42 l)
Bottom width	6' 3" (1.91 m)
Depth inside	24" (60.96 cm)
Deadrise	16 degrees
Draft	15" (38.10 cm)
Average weight	1,675 lbs. (759.77 kg)
Average package weight	3,236 lbs. (1,467.83 kg)

STANDARD FEATURES

Package width

COMFORT, CONVENIENCE & PEACE OF MIND NMMA[®] certified - Flotation meets or exceeds NMMA® & U.S.C.G. requirements EPA-compliant fuel system Removable tournament-style ski pylon Port & starboard swim platforms w/integrated boarding ladder 10 stainless steel drink holders 4 stainless steel pull-up cleats Cockpit grab handles - Fire extinguisher, horn & paddle LIVEWELL SYSTEMS - Aft 16-gal. (60.57 L) rotomolded & aerated livewell w/timer, pumpout system & rounded corners 500 GPH (1,892.71 LPH) aerator/fill pump - 750 GPH (2,839.06 LPH) recirculator/pump-out pump Insulated aluminum lids w/welded corners CONSOLE Lowrance[®] HOOK² 5 Combo flush-mounted fishfinder Radiused walk-thru, tempered-glass windshield - Custom-molded port & starboard consoles Port console w/storage tray & insulated cooler - AM/FM Bluetooth®-capable stereo w/USB & MP3 ports Veethree[®] multifunction instrumentation gauges - Water-resistant switch panels INTERIOR Z-CORE[™] seating system w/Force Flex suspension & contoured, rotomolded frame for driver & passenger seats Aft bench seating w/2 convertible, removable fishing seats Bow port & starboard bolsters Forward in-floor rod locker w/organizer - Midship in-floor wakeboard/ski storage - 44-gt. (41.64 L) insulated cooler below aft seat Full-width, lockable rod/ski storage in aft deck - 2 aft storage compartments w/drop-in boxes Insulated aluminum lids w/welded corners 16-oz. (.45 kg) marine-grade cut-pile carpet w/edging Lockable latches PERFORMANCE 16° variable deadrise hull

100% composite deck core w/superior stability & strength

Stainless steel propeller

CONSTRUCTION & EXTERIOR

.\$100

\$230

\$375

.\$190

Boat may be shown w/optional equipment. Motors, specs, features, options & pricing subject to change w/out notice.

CONSOLE FISHFINDER EXCHANGE - Lowra

- **BATTERY CHARGER EXCHANGE**

2 bike seats (exchange

etaunadn ECA

re photos, see a complete list of motors, options, color combinations & features.

TRANSOM HEIGHT 22" (55.88 cm)	MAX. HP 200
MAX. WEIGHT CAPACITY	STORAGE LENGTH
1,700 Ibs. (771.11 kg)	21' (6.40 m)

ZI (6.40 m)

MERCURY® MOTOR OPTIONS

Z19 Sport

8' 3" (2.51 m)

150 L FourStroke	\$33,585
150 L Pro XS® FourStroke	\$34,495
200 L Pro XS® FourStroke	\$37,675



-	Deck & hull chemically bonded & mechanically fastened w/stainless
	steel fasteners

- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom

ELECTRICAL

- Port & starboard cockpit courtesy lighting
- Interstate® starting battery
- Interstate[®] trolling battery
- 6-gauge trolling motor wiring w/50-amp circuit breaker Master power switch
- Automotive-style labeled fuse panel w/cover
- Waterproof Deutsch gauge plug-in connectors
- Water/abrasion-resistant connectors

TRAILER

- Custom-fit, single-axle NITRO[®] trailer powder-coated w/GALVASHIELD® Impact corrosion & chip protection 7-nin connector
- 14" (35.56 cm) chrome wheels w/radial tires
- Spare tire carrier (spare tire optional) All-welded rectangular GALVASHIELD® frame
- Space-saving swing-away tongue & fold-away tongue jack
- Heavy-duty winch w/nylon strap & bow safety strap
- Outboard motor support to reduce hull & transom stress
- Carpeted bunks & fender boards to protect hull
- Submersible LED lighting
- Nylon tie-down straps (supplied w/boat package) Safety cables

TROLLING MOTOR

· Minn Kota® PowerDrive™ 12V, 55-Ib. (24.95 kg) thrust, 54" (1.37 m) shaft foot-control trolling motor w/Universal Sonar transducer

OPTIONS

BOW FISHFINDER - Lov

 Lowrance[®] HOOK² 5 Combo (flush mounted) 	\$430
- Lowrance® HOOK ² 7 Combo (flush mounted)	\$775
- Lowrance® Elite-7 Ti ² (flush mounted)	\$890
- Lowrance® HDS LIVE 7 w/StructureScan® (dash Structu	ireScan®
must be chosen also; flush mounted)	\$1,375
 must be chosen also; flush mounted) Lowrance® HDS LIVE 9 w/StructureScan® (dash Structu 	
	ireScan®

CONSOLE EISHEINDER EYCHANGE

- Lowrance® HOOK ² 7 Combo.	\$320
- Lowrance® HOOK ² 7 Combo (uninstalled)	\$260
- Lowrance® Elite-7 Ti ² (flush mounted)	\$815
- Lowrance® Elite-7 Ti ² (uninstalled)	\$755
- Lowrance® HDS LIVE 7 w/StructureScan® (flush mounted)	\$1,250
- Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled)	\$1,190
 Lowrance[®] HDS LIVE 9 w/StructureScan[®] (flush mounted) 	\$2,550
 Lowrance[®] HDS LIVE 9 w/StructureScan[®] (uninstalled) 	\$2,490
BATTERY CHARGER EXCHANGE	
- 2-bank, 8-amp battery charger	\$125
- 2-bank, 20-amp battery charger	
- 3-bank, 30-amp battery charger	\$250
- Dual Pro SE international battery charger system	\$450

LIGHTING

C

Α

Blue accent lighting	\$325
USHIONS & SEATING	
1 bike & 1 jump seat	\$525
2 bike seats	\$350
2 jump seats	\$450
Bow & aft sundeck cushions	\$650
CCESSORIES	
Mini wakeboard tower	\$1,175
Bimini top (factory installed)	\$825
1 standard & 1 automatic bilge pump	\$125
Keel protector (Black or White)	\$315

TROLLING MOTOR

MotorGuide [®]	X3 24V, 7	0-lb. (31.8 kg) thrus	st, 45" (1.14 m) shaft	
trolling motor	(addition	al battery required	& sold separately)\$	12

FUNCTIONAL

Snap-in cockpit carpet 6" (15.24 cm) top-adjusting jack plate	
COVERS	
Mooring cover to fit w/out Bimini top-Charcoal	\$785

 Mooring cover to fit w/Bimini top—Charcoal . \$820

TRAILER

- Retractable trailer tie downs \$70 Single-axle trailer upgrade w/1 brake . \$555
- Single-axle spare tire kit .. \$145
- Custom single-axle trailer wheel w/spare tire (exchange) \$260

🖉 🔰 STANDARD FEATURES isit NITRO.COM to view more photos, see a complete list of motors, options, color combinations & features.

ZV21

350 XL Verado®

400 XL Verado®

ZV21 Pro

350 XL Verado®

400 XL Verado®

250 XL Verado® Pro FourStroke

300 XL Verado® Pro FourStroke

250 XL Verado[®] Pro FourStroke

300 XL Verado® Pro FourStroke

HULL LENGTH	BEAM	TRANSOM HEIGHT 28" (71.12 cm)	мах. нр
21'7'' (6.58 m)	8'4'' (2.54 m)		400
MAX. PERSON CAPACITY	FUEL CAPACITY	MAX. WEIGHT CAPACITY	STORAGE LENGT
6/1,200 Ibs. (544.31 kg)	64 (131. (242.27 l)	2,500 Ibs. (1,133.98 kg)	24' 7'' (7.49 m)

SPECIFICATIONS

Bottom width	6' 5" (1.96 m)
Depth inside	25" (63.50 cm)
Deadrise	18 degrees
Draft	18" (45.72 cm)
Average weight	2,900 lbs. (1,315.42 kg)
Average package weight	5,500 lbs. (2,494.76 kg)
Package width	8' 6" (2.59 m)

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA® certified
- Flotation meets or exceeds NMMA® & U.S.C.G. requirements
- EPA-compliant fuel system Gunnels designed to maximize interior space & fishing room
- 3 stainless steel drink holders
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Anti-fatigue matting below bow & cockpit carpet
- Emergency boarding ladder
- Passenger grab handle
- Fire extinguisher & horn

LIVEWELL SYSTEM

- Bow 5.5-gal. (20.82 L) insulated baitwell w/removable bucket Aft 26-gal. (98.42 L) insulated GUARDIAN[™], anti-slosh & rotomolded livewell w/removable divider, bait bucket & rounded corners Two 500 GPH (1,892.71 LPH) aerator/fill pumps w/timers (1 for
- baitwell, 1 for livewell) Two 750 GPH (2,839.06 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Pump-out systems (baitwell & livewell)
- Oxygen generators (baitwell & livewell)
- Livewell lid latching to keep lid closed at speed & in rough conditions
- Insulated aluminum lids w/welded cornerss

TROLLING MOTOR

- Minn Kota® Terrova® 36V, 112-Ib. (50.80 kg) thrust, 60" (1.52 m) composite shaft, foot-control trolling motor w/Bluetooth® & Universal Sonar 2
- Trolling motor pedal reces

CONSOLE

- Lowrance[®] Elite-7 Ti² Combo RAM[®]-mounted fishfinder w/GPS NEW touchscreen switch panel w/1-touch boat controls including First Fish, Nite Mode, master power, trim, lighting, bilge, livewells & more
- NEW key fob remote w/First Fish, Nite Mode, master power on/ off & trim
- First Fish feature fills & recirculates livewell w/1 touch for stressfree livewell prep
- Hydraulic steering w/custom tilt wheel
- Heavy-duty molded, tinted windscreens
- Custom-molded port & starboard modular consoles w/2-tone aelcoat scheme
- Översized carpeted, lockable port glovebox

Below-console footrest w/non-skid mat Port & starboard below-console shelves SmartCraft® link gauges w/Mercury® monitor Side-mounted LED courtesy light Space to mount additional electronics

INTERIOR

Bike seat w/hvdraulic pedestal Attwood [®] Centric X folding molded fishing seat w/hydraulic

\$60,395

\$62 365

\$64,995

\$69,200

\$70,795

\$72,765

\$75,395

\$79,600

Plus freight and prep

MERCURY® MOTOR OPTIONS

- nedestal NEW Attwood® Centric X driver & passenger seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists Bow port cooler w/removable tray
- Bow & aft lockable storage compartments
- 3-level center rod locker for rods up to 8' (2.44 m) w/tapered rod
- tubes to protect rod tips Between-console foldout storage drawer w/two 3600 tackle boxes
- Extra-large integrated port net holder Passenger rod ramp w/rod handle organizer & hold-down strap
- Port & starboard midship insulated storage boxes designed to accept tackle trays
- Midship in-floor storage for batteries
- Starboard tool holder
- 2 lift-out, molded aft storage boxes that will each accept seven
- 3700 tackle trays
- Easy access to rigging & pumps Insulated aluminum lids w/welded corners
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Room to RAM®-mount additional electronics at bow Stainless steel lockable latches

PERFORMANCE

- Deep V performance hull w/RAPID PLANING SYSTEM[™] (RPS[™])
- transom - 3" (7.62 cm) R&R Design Slidemaster adjustable jack plate (Verado
- ® onlv) - Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR

- 100% composite deck core w/superior thermal stability & strengthto-weight ratio
- Deck & hull chemically bonded & mechanically fastened



- Zv2ipro
- w/Pro, some standard features or options may not be available
- NEW bow Humminbird® SOLIX™ 10 DI G2 RAM®-mounted
- fishfinder w/MEGA Down Imaging, CHIRP Digital Sonar & GPS NEW console Humminbird® SOLIX™ 12 SI G2 RAM®-mounted fishfinder w/CHIRP Digital Sonar & GPS
- NEW Minn Kota® Ulterra™ 36V, 112-lb. (50.80 kg) thrust, 72"
- (1.83 m) shaft trolling motor w/MDI (MEGA Down Imaging) & i-Pilot® Link™
- Mercury® 9.9 remote ProKicker w/built-in fuel tank (or optional 9.9 tiller handle)
- 3-way Ethernet communication between fishfinders & trolling motor
- Walk-thru windshield (or optional plexiglass windscreens)
- Factory-applied keel protector
- KICKER® KMC1 Bluetooth®-capable stereo system
- 2-bank, 20-amp battery charge
- 3-bank, 30-amp battery charger
- 5-bank, 35-amp onboard battery charger w/exterior receptacle (3 total chargers w/Pro)
- 1 extra trolling battery
- 1 extra kicker batterv
- Retractable transom trailer tie downs

OPTIONS

BOW FISHFINDER

BOW FISHFINDER	
- Lowrance [®] Elite-7 Ti ² (RAM [®] mounted)\$875	j
- Lowrance® Elite-9 Ti ² (RAM® mounted)\$1,475 - Lowrance® Elite-12 Ti ² (RAM® mounted)\$2,795	j
 Lowrance[®] Elite-12 Ti² (RAM[®] mounted)\$2,795 	j
 Lowrance[®] HDS LIVE 7 w/StructureScan[®] (dash StructureScan[®] 	
must be chosen also; RAM® mounted)\$1,475	j
 Lowrance[®] HDS LIVE 9 w/StructureScan[®] (dash StructureScan[®] 	
must be chosen also; RAM® mounted)\$2,425	j
- Lowrance® HDS LIVE 12 w/StructureScan® (dash StructureScan®	
must be chosen also; RAM® mounted)\$3,795)
- Add LiveSight real-time 3D sonar to Lowrance® fishfinder\$1,275)
- Humminbird® HELIX™ 7 SI G3N (gimbal mounted)\$1,595	-
 Humminbird® HELIX[™] 7 SI G3N (RAM® mounted)\$1,595 Humminbird® HELIX[™] 9 SI G3N w/GPS (gimbal mounted)\$2,350)
- Humminbird® HELIX® 9 SI G3N W/GPS (gimbar induited)\$2,350	1
 Humminbird * HELIX * 9 SI GSN w/GPS (hAM * mounted) \$2,330 Humminbird ® HELIX * 10 SI G3N w/GPS (gimbal mounted) \$2,825 	;
 Humminbid [®] HELIX[™] 10 SI G3N w/GPS (RAM[®] mounted) \$2,825 	;
 Humminbid * HELIX** 10 St GSN W/GFS (gimbal mounted) \$2,023 Humminbird ® HELIX** 12 SI G3N W/GPS (gimbal mounted) \$3,595 	5
 Humminbird "HELIX" 12 SI G3N w/GPS (RAM® mounted)\$3,595 	5
 Humminbird[®] SOLIX[™] 10 SI G2 (gimbal mounted) \$3,475 	5
- Humminbird® SOLIX [™] 10 SI G2 (RAM® mounted)\$3,475	
 Humminbird[®] SOLIX[™] 12 SI G2 (gimbal mounted)	5
- Humminbird® SOLIX [™] 12 SI G2 (RAM® mounted)\$4,075	j
- Garmin® ECHOMAP™ 93sv chartplotter (RAM® mounted)\$1,495	ò
- Garmin® GPSMAP® 7607 chartplotter (RAM® mounted)\$1,695	j
- Garmin® GPSMAP® 7608 chartplotter (RAM® mounted) \$2,600	J
- Garmin® GPSMAP® 8610 chartplotter (RAM® mounted) \$3,350	J
- Garmin® GPSMAP® 8612 chartplotter (RAM® mounted) \$4,750)
- Add Panoptix [™] real-time 3D sonar to Garmin [®] chartplotter\$1,720	J
CONSOLE FISHFINDER EXCHANGE	
- Lowrance® Elite-9 Ti ² (RAM® mounted)\$490	1
	J
- Lowrance® Elite-9 Ti ² (uninstalled)\$430)
 Lowrance[®] Elite-9 Ti² (uninstalled)\$430 Lowrance[®] Elite-12 Ti² (RAM[®] mounted)\$1,825) 5
 Lowrance[®] Elite-9 Ti² (uninstalled)\$430 Lowrance[®] Elite-12 Ti² (RAM[®] mounted)\$1,825 Lowrance[®] Elite-12 Ti² (uninstalled)\$1,765) 5 5
- Lowrance® Elite-9 Ti² (uninstalled))
Lowrance® Elite-9 Ti² (uninstalled) \$430 Lowrance® Elite-12 Ti² (RAM® mounted) \$1,825 Lowrance® Elite-12 Ti² (uninstalled) \$1,765 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$495 Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$435	5
Lowrance® Elite-9 Ti² (uninstalled) \$430 Lowrance® Elite-12 Ti² (RAM® mounted) \$1,825 Lowrance® Elite-12 Ti² (uninstalled) \$1,765 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$1,530) 5 5 5 5
Lowrance® Elite-9 Ti² (Ininstalled) \$430 Lowrance® Elite-12 Ti² (RAM® mounted) \$1,825 Lowrance® Elite-12 Ti² (Ininstalled) \$1,765 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1,530 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1,470	
Lowrance® Elite-9 Ti ² (Ininstalled) \$430 Lowrance® Elite-12 Ti ² (RAM® mounted) \$1,825 Lowrance® Elite-12 Ti ² (Ininstalled) \$435 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$435 Lowrance® HDS LIVE 7 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$1,530 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1,530 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$1,530 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$1,530 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965	
Lowrance® Elite-9 Ti² (uninstalled)	
Lowrance® Elite-9 Ti² (uninstalled)	
Lowrance® Elite-9 Ti² (uninstalled)\$430 Lowrance® Elite-12 Ti² (RAM® mounted)\$1,825 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted)\$435 Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled)\$435 Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled)\$1,530 Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled)\$1,470 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled)\$1,470 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled)\$1,470 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled)\$1,470 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled)\$1,470 Lowrance® HDS LIVE 7 SI G3N (RAM® mounted)\$2,965 Humminbird® HELIX" 7 SI G3N (RAM® mounted)\$1,575 Humminbird® HELIX" 9 SI G3N w/GPS (RAM® mounted)\$1,575	
Lowrance® Elite-9 Ti ² (Ininstalled) \$430 Lowrance® Elite-12 Ti ² (RAM® mounted) \$1,825 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$495 Lowrance® HDS LIVE 7 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1,470 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965 Humminbird® HELIX" 7 SI G3N (Ininstalled) \$75 Humminbird® HELIX" 9 SI G3N w/GPS (RAM® mounted) \$775 Humminbird® HELIX" 9 SI G3N w/GPS (Ininstalled) \$75	
Lowrance® Elite-9 Ti² (Ininstalled) \$430 Lowrance® Elite-12 Ti² (RAM® mounted) \$1,825 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$495 Lowrance® HDS LIVE 7 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1,530 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1,530 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965 Humminbird® HELIX** 7 SI G3N (Ininstalled) \$75 Humminbird® HELIX** 7 SI G3N (Ininstalled) \$75 Humminbird® HELIX** 7 SI G3N w/GPS (Ininstalled) \$715 Humminbird® HELIX** 10 SI G3N w/GPS (IRAM® mounted) \$715 Humminbird® HELIX** 10 SI G3N w/GPS (IRAM® mounted) \$1,345	
Lowrance® Elite-9 Ti² (uninstalled)	
Lowrance® Elite-9 Ti² (uninstalled)	
Lowrance® Elite-9 Ti ² (Ininstalled) \$430 Lowrance® Elite-12 Ti ² (RAM® mounted) \$1,765 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$435 Lowrance® HDS LIVE 7 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1,470 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965 Humminbird® HELIX" 7 SI G3N (Ininstalled) \$15 Humminbird® HELIX" 9 SI G3N w/GPS (Ininstalled) \$175 Humminbird® HELIX" 10 SI G3N w/GPS (Ininstalled) \$1,345 Humminbird® HELIX" 12 SI G3N w/GPS (Ininstalled) \$1,925 Humminbird® HELIX" 12 SI G3N w/GPS (Ininstalled) \$1,865 Humminbird® HELIX® 12 SI G3N w/GPS (Ininstalled) \$1,865 Humminbird® HELIX® 12 SI G3N w/GPS (Ininstalled) \$1,865 Humminbird® HELIX® 12 SI G3N w/GPS (Ininstalled) \$1,865 Humminbird® HELI	
Lowrance © Elite-9 Ti ² (Ininstalled)	
Lowrance © Elite-9 Ti ² (uninstalled)	
Lowrance © Elite-9 Ti² (uninstalled) \$430 Lowrance © Elite-12 Ti² (RAM® mounted) \$1,825 Lowrance © HDS LIVE 7 w/StructureScan® (RAM® mounted) \$495 Lowrance © HDS LIVE 7 w/StructureScan® (RAM® mounted) \$435 Lowrance © HDS LIVE 7 w/StructureScan® (RAM® mounted) \$435 Lowrance © HDS LIVE 9 w/StructureScan® (RAM® mounted) \$1,530 Lowrance © HDS LIVE 12 w/StructureScan® (uninstalled) \$1,540 Humminbird © HELIX™ 7 SI G3N (RAM® mounted) \$1,545 Humminbird © HELIX™ 10 SI G3N w/GPS (uninstalled) \$1,345 Humminbird © HELIX™ 10 SI G3N w/GPS (uninstalled) \$1,285 Humminbird © HELIX™ 12 SI G3N w/GPS (uninstalled) \$1,285 Humminbird © HELIX™ 10 SI G2 (RAM® mounted) \$1,285 Humminbird © HELIX™ 12 SI G3N w/GPS (uninstalled) \$1,285 Humminbird © SOLX™ 10 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 10 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 10 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 10 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 10 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G3N w/GPS (uninstalled) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird © SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird § SOLX™ 12 SI G2 (RAM® mounted) \$2,065 Humminbird § SOLX™ 12 S	
Lowrance® Elite-9 Ti² (uninstalled)	
Lowrance® Elite-9 Ti² (Ininstalled) \$430 Lowrance® Elite-12 Ti² (RAM® mounted) \$1,765 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$495 Lowrance® HDS LIVE 7 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$435 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1,470 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2,965 Humminbird® HELIX" 7 SI G3N (Ininstalled) \$775 Humminbird® HELIX" 9 SI G3N w/GPS (Ininstalled) \$1,345 Humminbird® HELIX" 10 SI G3N w/GPS (Ininstalled) \$1,345 Humminbird® HELIX" 12 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® HELIX" 12 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® HELIX" 10 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® HELIX" 12 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® HELIX" 10 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® HELIX" 12 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® HELIX" 12 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® HELIX" 10 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® JELIX" 12 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® JELIX" 10 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® JELIX" 12 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® JELIX" 10 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® JELIX" 10 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® JELIX" 10 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® JELIX" 12 SI G3N w/GPS (Ininstalled) \$1,285 Humminbird® JELIX" 10 SI G2 (Uninstalled) \$2,265 Humminbird® JELIX" 10 SI G2 (Ininstalled) \$2,265 Humminbird® JELIX" 12 SI G2 (Ininstalled) \$2,265 Humminbird® JELIX" 12 SI G3N w/GPS (Ininstalled) \$2,265 Humminbird® JELIX" 12 SI G2 (Ininstalled) \$2,265 Humminbird® JELIX" 12 SI G2 (Ininstalled) \$2,265 Humminbird® JELIX" 12 SI G2 (Ininstalled) \$2,265	
 Lowrance [®] Elite-9 Ti² (Ininstalled)	
Lowrance © Elite-9 Ti ² (Iminstalled)	
 Lowrance [®] Elite-9 Ti² (Ininstalled)	
 Lowrance [®] Elite-9 Ti² (Iminstalled)	
 Lowrance [®] Elite-9 Ti² (Iminstalled)	
 Lowrance [®] Elite-9 Ti² (Iminstalled)	
 Lowrance [®] Elite-9 Ti² (Iminstalled)	

Boat may be shown w/optional equipment. Motors, specs, features, options & pricing subject to change w/out notice.

- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom Hand-laid, heavy-duty performance hull w/reinforced sides

ELECTRICAL Stowable navigation lights

- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- Redundant automatic bilge pump system w/dual 1,600 GPH (6,056.66 LPH) pumps
- Heavy-duty Interstate ® starting battery
- 3 heavy-duty Interstate® trolling batteries
- 4-bank, 35-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover
- Manual LED-lighted bow storage compartments
- E-Start emergency jump start system
- Master power switch

TRAILER

durability

7-pin connector

- Ventilation fan system in bow storage
- Waterproof Deutsch gauge plug-in connectors Water/abrasion-resistant connectors

Custom-fit, tandem-axle NITRO® trailer powder-coated

w/GALVASHIELD® Impact corrosion & chip protection for improved

14" (35.56 cm) custom NITRO® aluminum wheels w/radial tires

Integrated boarding step w/safety handle for easier boarding/

Space-saving swing-away tongue to reduce storage length

1,600-lb. (725.75 kg) swing-up locking jack w/swivel wheel

Fiberglass fender design w/integrated back-up lights

Carpeted bunks & fender boards to protect hull

Heavy-duty winch w/non-binding nylon strap & bow safety strap

Outboard motor support to reduce hull & transom stress while

- Console-mounted 12V outlet

reboarding at bow while boat is on trailer

Spare tire carrier w/matching spare tire

All-welded rectangular GALVASHIELD® frame

Surge disc brakes on both axles

Submersible LED lights

Safety cables

2ND CONSOLE FISHFINDER

Lowrance® Elite-7 Ti ² . (bracket mounted)	. \$1,175
Lowrance® Elite-9 Ti ² . (bracket mounted)	.\$1,295
Lowrance® Elite-12 Ti ² . (bracket mounted)	\$2,580
Lowrance® HDS LIVE 7 w/StructureScan®. (dash view only; b	oracket
mounted)	.\$1,625
Lowrance® HDS LIVE 9 w/StructureScan®. (dash view only; b	oracket
mounted)	\$2,300
Lowrance ® HDS LIVE 12 w/StructureScan ®. (dash view only;	
bracket mounted)	\$3,825
Humminbird® HELIX™ 7 SI G3N (gimbal mounted)	
Humminbird® HELIX™ 9 SI G3N w/GPS (gimbal mounted)	.\$1,990
Humminbird® HELIX™ 10 SI G3N w/GPS (gimbal mounted)	
Humminbird [®] HELIX [™] 12 SI G3N w/GPS (gimbal mounted)	
Humminbird [®] . SOLIX [™] 10 SI G2 (gimbal mounted)	\$2,970
Humminbird®. SOLIX™ 12 SI G2 (gimbal mounted)	\$3,545
Garmin® ECHOMAP [™] 93sv chartplotter (gimbal mounted)	
Garmin® GPSMAP® 7607 chartplotter (gimbal mounted)	.\$1,665
Garmin® GPSMAP® 7608 chartplotter (gimbal mounted)	\$2,590
Garmin® GPSMAP® 8610 chartplotter (gimbal mounted)	
Garmin® GPSMAP® 8612 chartplotter (gimbal mounted)	\$4,775

ELECTRONICS

- KICKER® KMC1 Bluetooth®-capable stereo system	\$525
BATTERY CHARGER EXCHANGE	
- GEN 2-bank, 10-amp + 3-bank, 10-amp charger	\$150

CUSHIONS & SEATING

Smooth Moves seat suspension\$	995
Fishing chair & pedestal \$	350

ACCESSORIES

VEW remote drain plug	\$75
Bimini top (factory installed)	\$995
Walk-thru windshield	\$1,125
Extended, 71" (1.8 m) aft deck rail	\$195
Keel protector (Black or White)	\$325
Fhumbscrew rail mount rod holders (set of 2)	\$495
Fhumbscrew rail mount rod holders (set of 4)	\$975
Fhumbscrew rail mount rod holders (set of 6)	\$1,425
Fournament ruler	\$70

PERFORMANCE & STEERING

-	Bravo One® propeller	\$345
-	Lenco trim tabs\$	1,050
-	Trim lever on wheel	\$195
_	Dual trim lever on wheel (must order hydraulic jack plate)	\$295

TROLLING MOTOR

Minn Kota® Terrova[™] 36V, 112-Ib. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® Link™ & MEGA Down Imaging™ (does not include connections for Humminbird® fishfinders) ... \$720 - Minn Kota® Terrova™ 36V, 112-Ib. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/i-Pilot® .. \$295

- Minn Kota® Terrova[™] 36V, 112-Ib. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/i-Pilot[®] Link[™]\$1,030

Minn Kota® Ultrex™ 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot[®] Link[™] & MEGA Down Imaging[™]\$1,425 Minn Kota® Ultrex™ 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft

trolling motor w/Universal Sonar 2 & i-Pilot® . \$675 Minn Kota® Ulterra™ 36V, 112-lb, (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Universal Sonar 2, i-Pilot® Link™ & MEGA Down

Imaαina™ \$1 425 - Minn Kota® Ulterra™ 36V, 112-Ib. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot®\$1,025 Minn Kota® Ulterra™ 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot[®] Link[™] ...\$1.725 MotorGuide® Xi5 36V, 105-lb. (47.63 kg) thrust, 60" (1.52 m) shaft trolling motor ..\$255

- MotorGuide [®] Xi5 36V, 105-lb. (47.63 kg) thrust, 72" (1.83 m) shaft ..\$325 trolling motor .

KICKER MOTOR

- Tiller handle rigging kit for starboard mounting of the Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker or Mercury® 15 ELHPT FourStroke Command Thrust ProKicker[†]\$525

Factory-installed 4.5-gal. (17.03 L) EPA-compliant fuel tank for Mercury® 9.9 or 15 ELHPT ProKicker & rigging bracket for starboard mounting[†] \$960

 Factory-installed fuel tank attachment for Mercury[®] 9.9 ELPT FourStroke Command Thrust ProKicker, remote & rigging bracket for

starboard mounting w/Verado® rigging[†]\$2.080 - Factory-installed fuel tank attachment for Mercury® 15 ELPT

FourStroke Command Thrust ProKicker, remote & rigging bracket for starboard mounting w/Verado® rigging[†] Factory-installed Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker outboard w/4.5-gal. (17.03 L) EPA-compliant fuel tank

\$4 110 & rigging bracket^o

- Factory-installed Mercury® 15 ELHPT FourStroke Command Thrust ProKicker outboard w/4.5-gal. (17.03 L) EPA-compliant fuel tank & rigging bracket^o \$4.625
- Factory-installed Mercury® 9.9 ELPT FourStroke Command Thrust ProKicker w/fuel tank attachment, remote & rigging bracket w/ . \$5.350
- Verado® rigging⁶\$5,38 Factory-installed Mercury® 15 ELPT FourStroke Command Thrust ProKicker w/fuel tank, remote & rigging bracket w/Verado® rigging

FUNCTIONAL

- 6" (15.24 cm) Bob's Action Extreme hydraulic jack plate\$1,275

COVERS

- Mooring cover w/dual consoles-Charcoal . \$950 Mooring cover w/dual consoles-Black & White . \$950
- Canvas enclosure (must have windshield option; price shown does
- not include freight & dealer installation) ... \$795
- Canvas enclosure w/curtain (must have windshield option; price shown does not include freight & dealer installation) \$865

TRAILER

- Retractable trailer tie downs ... 18" (45.72 cm) custom silver machined aluminum wheel upgrade
- & Hercules RAPTIS R-T5 spare tire (must order fiberglass fenders) \$1,660 18" (45.72 cm) custom matte Black aluminum alloy wheel upgrade
- & Hercules RAPTIS R-T5 spare tire (must order fiberglass fenders) \$1,660

[†]Motor & battery sold separately ⁰Battery sold separately





🔁 🗂 STANDARD FEATURES & Visit **NITRO.COM** to view more photos, see a complete list of motors, options, color combinations & features,

ZV20

ZV20 Pro

225 XL Pro XS® FourStroke w/DTS

250 XL Pro XS® FourStroke w/DTS

300 XL Pro XS® FourStroke w/DTS

225 XL Pro XS® FourStroke w/DTS

250 XL Pro XS® FourStroke w/DTS

300 XL Pro XS® FourStroke w/DTS

HULL LENGTH	BEAM	TRANSOM HEIGHT 26 " (66.04 cm)	MAX. HP
20'2'' (6.16 m)	8'4" (2.56 m)		300
MAX. PERSON CAPACITY	FUEL CAPACITY	MAX. WEIGHT CAPACITY	STORAGE LENGTH 24' 1'' (7.35 m)
6/1,100 Ibs. (498.95 kg)	55 gal. (208.20 l)	2,200 Ibs. (997.90 kg)	

SPECIFICATIONS

Bottom width	6' 5" (1.98 m)
Depth inside	25" (63.5 cm)
Deadrise	18 degrees
Draft	18" (45.72 cm)
Average weight	2,900 lbs. (1,315.42 kg)
Average package weight	5,500 lbs. (2,494.76 kg)
Package width	8' 6" (2.59 m)

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA[®] certified
- Flotation meets or exceeds NMMA® & U.S.C.G. requirements
- EPA-compliant fuel system Gunnels designed to maximize interior space & fishing room
- 3 stainless steel drink holders
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Anti-fatigue matting below bow & cockpit carpet
- Fold-down 4-step stainless steel reboarding ladder
- Passenger grab handle
- Fire extinguisher & horn

LIVEWELL SYSTEM

- Bow 10-gal. (37.85 L) insulated baitwell w/removable bucket Aft 26-gal. (98.42 L) insulated GUARDIAN™, anti-slosh & rotomolded livewell w/removable divider, bait bucket & rounded corners Two 500 GPH (1,892.71 LPH) aerator/fill pumps w/timers (1 for
- baitwell, 1 for livewell) Two 750 GPH (2,839.06 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Pump-out systems (baitwell & livewell)
- Oxygen generators (baitwell & livewell)
- Livewell lid latching to keep lid closed at speed & in rough conditions Insulated aluminum lids w/welded corners

TROLLING MOTOR

- Minn Kota® Terrova® 36V, 112-lb. (50.80 kg) thrust, 60" (1.52 m) composite shaft, foot-control trolling motor w/Bluetooth® & Universal Sonar 2
- Trolling motor pedal recess

CONSOLE

- Lowrance[®] Elite-7 Ti² Combo RAM[®]-mounted fishfinder w/GPS **NEW** touchscreen switch panel w/1-touch boat controls including First Fish, Nite Mode, master power, trim, lighting, bilge, livewells & more
- NEW key fob remote w/First Fish, Nite Mode, master power on/ off & trim
- First Fish feature fills & recirculates livewell w/1 touch for stressfree livewell prep
- Hydraulic steering w/custom tilt wheel
- Heavy-duty molded, tinted windscreens
- Custom-molded port & starboard modular consoles w/finished
- Oversized carpeted, lockable port glovebox w/dual access

Boat may be shown w/optional equipment. Motors, specs, features, options & pricing subject to change w/out notice.

Below-console footrest w/storage Port & starboard below-console shelves SmartCraft® link gauges w/Mercury® monitor Side-mounted LED courtesy light Space to mount additional electronics

MERCURY® MOTOR OPTIONS

\$56,995

\$58 655

\$61 195

\$65 465

\$67.125

\$69 665

Plus freight and prep

INTERIOR

- Bike seat w/hvdraulic pedestal
- Attwood[®] Centric X folding molded fishing seat w/hydraulic nedestal
- Attwood® Centric X driver & passenger seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray Bow & aft lockable storage compartments
- 3-level center rod locker for rods up to 8' (2.44 m) w/tapered rod
- tubes to protect rod tips
- Between-console foldout storage drawer w/two 3600 tackle boxes Extra-large integrated port net holder
- Passenger rod ramp w/rod handle organizer & hold-down strap Port & starboard midship insulated storage boxes designed to
- accept tackle trays
- Midship in-floor storage for batteries
- Starboard tool holder 2 lift-out, molded aft storage boxes that will each accept seven
- 3700 tackle travs
- Easy access to rigging & pumps
- Insulated aluminum lids w/welded corners 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Room to RAM®-mount additional electronics at bow Stainless steel lockable latches

PERFORMANCE

- Deep V NVT[™] performance hull w/RAPID PLANING SYSTEM[™]
- (RPS[™]) transom
- 10" (25.4 cm) R&R Design Slidemaster adjustable jack plate; 8" (20.32 cm) w/225HP motor
- Transom designed for Kicker motor application
- Rigging tube

Stainless steel propeller

- **CONSTRUCTION & EXTERIOR** 100% composite deck core w/superior thermal stability & strengthto-weight ratio
- Deck & hull chemically bonded & mechanically fastened Gelcoated stringer/liner system

- \ge
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides

ELECTRICAL

- Bow navigation lights integrated into gunnels Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- Redundant automatic bilge pump system w/dual 1,600 GPH
- (6,056.66 LPH) pumps
- Heavy-duty Interstate® starting battery
- 3 heavy-duty Interstate® trolling batteries
- 4-bank, 35-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker
- Automotive style, labeled fuse panel w/cover - Manual LED-lighted bow storage compartments
- E-Start emergency jump start system
- Master power switch
- Ventilation fan system in bow storage
- Waterproof Deutsch gauge plug-in connectors
- Water/abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER

- Custom-fit, tandem-axle NITRO® trailer powder-coated w/GALVASHIELD® Impact corrosion & chip protection for improved durability
- 7-nin connector
- 14" (35.56 cm) custom NITRO® aluminum wheels w/radial tires
- Integrated boarding step w/safety handle for easier boarding/ reboarding at bow while boat is on trailer
- Surge disc brakes on both axles
- All-welded rectangular GALVASHIELD® frame
- Spare tire carrier w/matching spare tire Space-saving swing-away tongue to reduce storage length
- 1,500-lb. (680.39 kg) swing-up locking jack w/swivel wheel
- Heavy-duty winch w/non-binding nylon strap & bow safety strap Outboard motor support to reduce hull & transom stress while
- Carpeted bunks & fender boards to protect hull
- Submersible LED lights
- Safety cables



(or optional 9.9 tiller handle)

Factory-applied keel protector

- 2-bank, 20-amp battery charger

- 3-bank, 30-amp battery charger

Retractable transom trailer tie downs

- Lowrance® Elite-7 Ti2 (RAM® mounted)

- Lowrance[®] Elite-9 Ti² (RAM[®] mounted) .

Lowrance[®] Elite-12 Ti² (RAM[®] mounted)

must be chosen also; RAM® mounted) ...

must be chosen also; RAM® mounted) ...

must be chosen also: RAM® mounted)

- Humminbird® HELIX™ 7 SI G3N (gimbal mounted) ...

- Humminbird® HELIX™ 7 SI G3N (RAM® mounted) ...

- Humminbird[®] SOLIX[™] 10 SI G2 (gimbal mounted)

Humminbird[®] SOLIX[™] 10 SI G2 (RAM[®] mounted).

Humminbird[®] SOLIX[™] 12 SI G2 (gimbal mounted)

Humminbird[®] SOLIX[™] 12 SI G2 (RAM[®] mounted)

CONSOLE FISHFINDER EXCHANGE

Lowrance[®] Elite-9 Ti² (RAM[®] mounted).

Lowrance[®] Elite-12 Ti² (RAM[®] mounted)

Lowrance® Elite-9 Ti2 (uninstalled) .

Lowrance[®] Elite-12 Ti² (uninstalled) .

Garmin® GPSMAP® 7608 chartplotter (RAM® mounted) ...

Garmin[®] GPSMAP[®] 8610 chartplotter (RAM[®] mounted)

Garmin® GPSMAP® 8612 chartplotter (RAM® mounted)

Lowrance[®] HDS LIVE 7 w/StructureScan[®] (RAM[®] mounted) ...

Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)

Humminbird[®] HELIX[™] 9 SI G3N w/GPS (RAM[®] mounted) ...

Humminbird[®] HELIX[™] 9 SI G3N w/GPS (uninstalled) ...

Humminbird[®] HELIX[™] 10 SI G3N w/GPS (uninstalled)

Humminbird[®] HELIX[™] 12 SI G3N w/GPS (uninstalled) .

Garmin[®] ECHOMAP[™] 93sv chartplotter (RAM[®] mounted) .

- Garmin® ECHOMAP™ 933v chartplotter (uninstalled) - Garmin® GPSMAP® 7607 chartplotter (RAM® mounted) ...

Garmin® GPSMAP® 7607 chartplotter (uninstalled) ...

Garmin® GPSMAP® 7608 chartplotter (uninstalled)

Garmin® GPSMAP® 8610 chartplotter (uninstalled) ...

Garmin® GPSMAP® 8612 chartplotter (uninstalled)

Garmin® GPSMAP® 8610 chartplotter (RAM® mounted)

Garmin® GPSMAP® 8612 chartplotter (RAM® mounted)

Humminbird[®] SOLIX[™] 10 SI G2 (RAM[®] mounted) .

Humminbird[®] SOLIX[™] 12 SI G2 (RAM[®] mounted) .

Humminbird[®] SOLIX[™] 10 SI G2 (uninstalled) ...

Humminbird[®] SOLIX[™] 12 SI G2 (uninstalled) ...

Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)\$2,965

Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$2,905

- Humminbird® HELIX[™] 10 SI G3N w/GPS (RAM® mounted) \$1,345

Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted)\$1,925

Garmin® GPSMAP® 7608 chartplotter (RAM® mounted)\$1,675

Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) ...

Lowrance[®] HDS LIVE 9 w/StructureScan[®] (uninstalled)

Humminbird[®] HELIX[™] 7 SI G3N (RAM[®] mounted) .

Humminbird[®] HELIX[™] 7 SI G3N (uninstalled)

1 extra trolling battery

1 extra kicker battery

BOW FISHFINDER

OPTIONS

- (w/Pro. some standard features or options may not be available) Bow Humminbird® HELIX™ 9 DI G3N RAM®-mounted fishfinder
 - w/MEGA Down Imaging, CHIRP Digital Sonar & GPS
- Console Humminbird[®] HELIX[™] 10 SI G3N RAM[®]-mounted fishfinder w/CHIRP Digital Sonar & GPS
- Minn Kota® Ulterra™ 36V, 112-lb. (50.80 kg) thrust, 72" (1.83 m) shaft trolling motor w/MDI (MEGA Down Imaging) & i-Pilot[®] Link[™] • Mercury[®] 9.9 remote ProKicker w/built-in fuel tank

3-way Ethernet communication between fishfinders & trolling motor

Lowrance[®] HDS LIVE 7 w/StructureScan[®] (dash StructureScan[®]

Lowrance® HDS LIVE 9 w/StructureScan® (dash StructureScan®

Lowrance[®] HDS LIVE 12 w/StructureScan[®] (dash StructureScan[®]

- Add LiveSight real-time 3D sonar to Lowrance® fishfinder\$1,275

Humminbird® HELIX™ 9 SI G3N w/GPS (gimbal mounted) \$2,350

Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted) \$2,350 Humminbird[®] HELIX[™] 10 SI G3N w/GPS (gimbal mounted) \$2,825 Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted) \$2,825

- Humminbird® HELIX[™] 12 SI G3N w/GPS (gimbal mounted) \$3,595 - Humminbird® HELIX[™] 12 SI G3N w/GPS (RAM® mounted) \$3,595

Garmin® ECHOMAP[™] 93sv chartplotter (RAM® mounted)\$1,495

Garmin® GPSMAP® 7607 chartplotter (RAM® mounted)\$1,695

Add Panoptix[™] real-time 3D sonar to Garmin[®] chartplotter\$1,720

Walk-thru windshield (or optional plexiglass windscreens)

- KICKER® KMC1 Bluetooth®-capable stereo system

2ND CONSOLE FISHEINDER

Lowrance® Elite-7 Ti² (bracket mounted)\$1,175
Lowrance® Elite-9 Ti ² . (bracket mounted)\$1,295
Lowrance® Elite-12 Ti ² (bracket mounted)\$2,580
Lowrance® HDS LIVE 7 w/StructureScan® (dash view only; bracket
mounted)\$1,625
Lowrance® HDS LIVE 9 w/StructureScan® (dash view only; bracket
mounted)\$2,300
Lowrance® HDS LIVE 12 w/StructureScan® (dash view only; bracket
mounted)\$3,825
Humminbird® HELIX™ 7 SI G3N (gimbal mounted)\$1,150
Humminbird® HELIX™ 9 SI G3N w/GPS (gimbal mounted)\$1,990
Humminbird® HELIX™ 10 SI G3N w/GPS (gimbal mounted) \$2,595
Humminbird® HELIX™ 12 SI G3N w/GPS (gimbal mounted)\$3,125
Humminbird®. SOLIX™ 10 SI G2 (gimbal mounted)\$2,970
Humminbird®. SOLIX™ 12 SI G2 (gimbal mounted)\$3,545
Garmin®. ECHOMAP™ 93sv chartplotter (gimbal mounted)\$1,490
Garmin [®] . GPSMAP [®] 7607 chartplotter (gimbal mounted)\$1,665
Garmin [®] . GPSMAP [®] 7608 chartplotter (gimbal mounted) \$2,590
Garmin®. GPSMAP® 8610 chartplotter (gimbal mounted) \$3,375
Garmin®. GPSMAP® 8612 chartplotter (gimbal mounted) \$4,775

ELECTRONICS

..\$875

\$1 475

\$2 795

...\$1,475

... \$2,425

.. \$3.795

\$1 595

\$1 595

\$3.475

\$3.475

\$4.075

\$4.075

..\$2.600

\$3 350

\$4 750

\$490

\$430

.\$1,825

\$495

\$435

...\$75

.\$15

\$775

\$715

\$1 285

...\$1.865

\$2.125

\$2.065

\$2 695

\$2 635

\$430

\$370

. \$590

\$530

.\$1.615

\$2 495

\$2 435

\$3,925

. \$3.865

...\$1.765

\$1530

\$1.470

R

KICKER® KMC1 Bluetooth®-capable stereo system	.\$52
ATTERY CHARGER EXCHANGE	
GEN 2-bank, 10-amp + 3-bank, 10-amp charger	.\$15

CUSHIONS & SEATING

Smooth Moves seat suspension	\$995
Fishing chair & pedestal	\$350
Aft deck fishing chair & pedestal	\$350
Cockpit & aft deck fishing chairs & pedestals	.\$700

ACCESSORIES

VEW remote drain plug	\$75
Bimini top (factory installed)	\$995
Nalk-thru windshield	\$1,125
Culling system	\$65
Emergency ladder	\$225
Keel protector (Black or White)	\$325
Ski tow pylon	\$275
NEW Cisco accessory-mounting track system	\$375
Fhumbscrew rail mount rod holders (set of 2)	\$495
[humbscrew rail mount rod holders (set of 4)	\$975
Fhumbscrew rail mount rod holders (set of 6)	\$1,425
Fournament ruler	\$70

PERFORMANCE & STEERING

Lenco trim tabs	\$1,050
Trim lever on wheel	\$195
Dual trim lever on wheel (must order hydraulic jack plate) .	\$295

TROLLING MOTOR

Minn Kota® Terrova™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft
trolling motor w/i-Pilot® Link™ & MEGA Down Imaging™ (does not
include connections for Humminbird® fishfinders)\$720
Minn Kota® Terrova™ 36V, 112-Ib. (50.8 kg) thrust, 72" (1.83 m) shaft
trolling motor w/i-Pilot®\$295
Minn Kota® Terrova™ 36V, 112-Ib. (50.8 kg) thrust, 72" (1.83 m) shaft
trolling motor w/i-Pilot® Link™\$1,030
Minn Kota® 36V Ultrex™ 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft
trolling motor w/i-Pilot® Link™ & MEGA Down Imaging™\$1,425
Minn Kota® 36V Ultrex™ 112-Ib. (50.8 kg) thrust, 60" (1.52 m) shaft
trolling motor w/Universal Sonar 2 & i-Pilot®\$675
Minn Kota® 36V Ulterra™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m)
shaft trolling motor w/Universal Sonar 2, i-Pilot® Link™ & MEGA
Down Imaging [™] \$1,425
Minn Kota® 36V Ulterra™ 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m)
shaft trolling motor w/Universal Sonar 2 & i-Pilot®\$1,025
Minn Kota® 36V Ulterra™ 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m)
shaft trolling motor w/Universal Sonar 2 & i-Pilot® Link™\$1,725
MotorGuide® Xi5 36V, 105-lb. (47.63 kg) thrust, 60" (1.52 m) shaft
trolling motor\$255
MotorGuide® Xi5 36V, 105-lb. (47.63 kg) thrust, 72" (1.83 m) shaft
trolling motor\$325

KICKER MOTOR

Tiller handle rigging kit for starboard mounting of the Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker or Mercury® 15 ELHPT FourStroke Command Thrust ProKicker[†]. .\$525 Factory-installed 4.5-gal. (17.03 L) EPA-compliant fuel tank for

Mercury[®] 9.9 or 15 ELHPT ProKicker & rigging bracket for starboard mounting[†] \$960 Factory-installed fuel tank attachment for Mercury® 9.9 ELPT

FourStroke Command Thrust ProKicker, remote & rigging bracket for starboard mounting w/DTS and Verado® rigging to the starboard mounting \$2 080

FourStroke Command Thrust ProKicker, remote & rigging bracket for starboard mounting w/DTS and Verado® rigging⁺ \$2 130

- Factory-installed Mercury® 9.9 FLHPT FourStroke Command Thrust ProKicker outboard w/4.5-gal. (17.03 L) EPA-compliant fuel tank \$4 110 & rigging bracket⁰.
- Factory-installed Mercury® 15 ELHPT FourStroke Command Thrust ProKicker outboard w/4.5-gal. (17.03 L) EPA-compliant fuel tank & rigging bracket⁰. \$4 625
- Factory-installed Mercury® 9.9 ELPT FourStroke Command Thrust ProKicker w/fuel tank attachment, remote & rigging bracket w/DTS and Verado® rigging⁴ \$5.350
- Factory-installed Mercury® 15 ELPT FourStroke Command Thrust ProKicker w/fuel tank, remote & rigging bracket
- . \$5,655 w/DTS and Verado® rigging^o

FUNCTIONAL

 10" (25.4 cm) Bob's Action Extreme hydraulic jack plate\$1,500 **COVERS**

- Mooring cover w/dual consoles—Charcoal \$930
- Mooring cover w/dual consoles—Black & White . \$930 - Canvas enclosure (must have windshield option; price shown does
- not include freight & dealer installation) ... \$795
- Canvas enclosure w/curtain (must have windshield option; price shown does not include freight & dealer installation) ... \$865

25 TRAILER

- Retractable trailer tie downs\$75 Fiberglass fenders \$1,125
- 18" (45.72 cm) custom silver machined aluminum wheel upgrade & Hercules RAPTIS R-T5 spare tire (must order fiberglass fenders) .. \$1,660
- 18" (45.72 cm) custom matte Black aluminum alloy wheel upgrade & Hercules RAPTIS R-T5 spare tire (must order fiberglass fenders) ...\$1,660

[†]Motor & battery sold separately ⁰Battery sold separately





HULL LENGTH	BEAM	TRANSOM HEIGHT	мах. нр
18'11'' (5.77 m)	8'6'' (2.59 m)	25" (63.50 cm)	225
MAX. PERSON CAPACITY	FUEL CAPACITY	MAX. WEIGHT CAPACITY	
6/1,050 IbS. (476.27 kg)	45 gal. (170.34 l)	2,000 Ibs. (907.18 kg)	

SPECIFICATIONS

Bottom width	6' 4" (1.93 m)
Depth inside	25.5" (64.77 cm)
Deadrise	17 degrees
Draft	19.75" (50.17 cm)
Average weight	2,300 lbs. (1,043.26 kg)
Average package weight	4,500 lbs. (2,041.17 kg)
Package width	8' 6" (2.59 m)

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

- NMMA[®] certified
- Flotation meets or exceeds NMMA® & U.S.C.G. requirements
- EPA-compliant fuel system Gunnels designed to maximize interior space & fishing room
- 3 stainless steel drink holders
- 4 stainless steel pull-up cleats
- Stainless steel bow & stern eyes
- Fold-down 4-step stainless steel reboarding ladder
- Passenger grab handle
- Fire extinguisher & horn
- LIVEWELL SYSTEM
- Bow 5.5-gal. (20.82 L) insulated baitwell w/removable bucket
- Aft 26-gal. (98.42 L) insulated GUARDIAN™, anti-slosh & rotomolded livewell w/removable divider, bait bucket & rounded corners
- Two 500 GPH (1,892.71 LPH) aerator/fill pumps w/timers (1 for baitwell, 1 for livewell) Two 750 GPH (2,839.06 LPH) recirculator pumps w/timers (1 for
- baitwell, 1 for livewell) Pump-out systems (baitwell & livewell)
- Livewell lid latching to keep lid closed at speed & in rough conditions - Insulated aluminum lids w/welded corners

TROLLING MOTOR

- Minn Kota[®] PowerDrive[™] 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m)
- composite shaft, foot-control trolling motor w/Universal Sonar 2
- Trolling motor pedal recess

CONSOLE

- Lowrance[®] HOOK² 5 Combo flush-mounted fishfinder
- Hvdraulic steering w/custom tilt wheel
- Heavy-duty molded, tinted windscreens
- Custom-molded port & starboard modular consoles w/2-tone
- gelcoat scheme
- Översized carpeted, lockable port glovebox
- Below-console footrest w/non-skid mat
- Port & starboard below-console shelves
- Veethree® multifunction instrumentation gauges w/speedometer/ fuel gauge, tach/trim gauge, voltmeter gauge & water pressure gauge
- Waterproof, capacitive touch digital keypad
- Side-mounted LED courtesy light
- Space to mount additional electronics

- ZV19 Pro
- 200 XL FourStroke w/DTS \$52 240 200 XL Pro XS® FourStroke w/DTS \$53,140 225 XL Pro XS[®] FourStroke w/DTS \$55,060 Plus freight and prep

MERCURY® MOTOR OPTIONS

\$42,240

\$46,995

\$47 895

\$49 815

ZV19

150 XL Pro XS® FourStroke

200 XL FourStroke w/DTS

200 XL Pro XS® FourStroke w/DTS

225 XL Pro XS® FourStroke w/DTS

- INTERIOR Bike seat w/nedestal
- Attwood[®] Centric X folding molded fishing seat w/pedestal
- **NEW** Attwood[®] Centric X driver & passenger seats
- Stainless steel bow & aft rails (port & starboard)
- Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray
- Bow & aft lockable storage compartments
- 3-level center rod locker for rods up to 8' (2.44 m) w/tapered rod
- tubes to protect rod tips
- Step to bow deck w/storage for two 3600 tackle boxes
- Extra-large integrated port net holder
- Midship in-floor storage for batteries Starboard tool holder
- 2 lift-out, molded aft storage boxes that will each accept seven
- 3700 tackle trays
- Easy access to rigging & pumps Insulated aluminum lids w/welded corners
- 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Room to RAM®-mount additional electronics at bow
- Stainless steel lockable latches

PERFORMANCE

- Deep V performance hull
- 10" (25.4 cm) adjustable jack plate
- Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application Riaaina tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR

- 100% composite deck core w/superior thermal stability & strengthto-weight ratio
- Deck & hull chemically bonded & mechanically fastened
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom
- Hand-laid, heavy-duty performance hull w/reinforced sides

ELECTRICAL

- Bow navigation lights integrated into gunnels
- · Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- Heavy-duty Interstate® starting battery
- 2 heavy-duty Interstate[®] trolling batteries
- 2-bank, 20-amp onboard battery charger w/exterior receptacle



OPTIONS

BOW FISHFINDER

BOM LISHLINDER	
- Lowrance® HOOK ² 5 Combo (flush mounted)	\$430
- Lowrance® HOOK ² 7 Combo (flush mounted)	\$775
- Lowrance® Elite-7 Ti ² (RAM® mounted)	\$875
- Lowrance® Elite-9 Ti ² (RAM® mounted)	\$1,475
- Lowrance® Elite-12 Ti ² (RAM® mounted)	\$2,795
- Lowrance® HDS LIVE 7 w/StructureScan® (dash StructureS	can®
must be chosen also; RAM® mounted)	
- Lowrance® HDS LIVE 9 w/StructureScan® (dash StructureS	can®
must be chosen also; RAM® mounted)	
- Lowrance® HDS LIVE 12 w/StructureScan® (dash Structure	Scan®
must be chosen also; RAM® mounted)	
- Add LiveSight real-time 3D sonar to Lowrance® fishfinder	\$1,275
- Humminbird® HELIX™ 7 SI G3N (gimbal mounted)	\$1,595
- Humminbird® HELIX™ 7 SI G3N (RAM® mounted)	
- Humminbird [®] HELIX [™] 9 SI G3N w/GPS (gimbal mounted)	\$2,350
- Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted)	\$2,350
- Humminbird [®] HELIX [™] 10 SI G3N w/GPS (gimbal mounted)	\$2,825
- Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted)	\$2,825
- Humminbird [®] HELIX [™] 12 SI G3N w/GPS (gimbal mounted)	\$3,595
- Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted)	\$3,595
- Humminbird [®] SOLIX [™] 10 SI G2 (gimbal mounted)	\$3,475
- Humminbird [®] SOLIX [™] 10 SI G2 (RAM [®] mounted)	\$3,475
- Humminbird [®] SOLIX [™] 12 SI G2 (gimbal mounted)	\$4,075
- Humminbird® SOLIX™ 12 SI G2 (RAM® mounted)	\$4,075
- Garmin [®] ECHOMAP [™] 93sv chartplotter (RAM [®] mounted)	\$1,495
- Garmin® GPSMAP® 7607 chartplotter (RAM® mounted)	\$1,695
- Garmin® GPSMAP® 7608 chartplotter (RAM® mounted)	\$2,600
- Garmin® GPSMAP® 7610 chartplotter (RAM® mounted)	\$3,350
- Garmin® GPSMAP® 7612 chartplotter (RAM® mounted)	
- Add Panoptix [™] real-time 3D sonar to Garmin [®] chartplotter	

CONSOLE EISHEINDER EXCHANGE

CONSOLE FISHFINDER EXCHANGE	
- Lowrance® HOOK ² 7 Combo (bracket mounted)	\$295
- Lowrance® HOOK ² 7 Combo (uninstalled)	\$235
- Lowrance® Elite-7 Ti ² (RAM® mounted)	\$800
 Lowrance[®] Elite-7 Ti² (uninstalled) 	
 Lowrance[®] Elite-9 Ti² (RAM[®] mounted) 	
- Lowrance® Elite-9 Ti ² (uninstalled)	\$1,190
- Lowrance® Elite-12 Ti ² (RAM® mounted)	
- Lowrance [®] Elite-12 Ti ² (uninstalled)	
- Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted)	
 Lowrance[®] HDS LIVE 7 w/StructureScan[®] (uninstalled) 	
- Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted)	
- Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled)	
- Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted)	
- Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled)	
- Humminbird® HELIX™ 7 SI G3N (RAM® mounted)	
- Humminbird® HELIX™ 7 SI G3N (uninstalled)	\$680
 Humminbird[®] HELIX[™] 9 SI G3N w/GPS (RAM[®] mounted) Humminbird[®] HELIX[™] 9 SI G3N w/GPS (uninstalled) 	\$1,565
 Humminbird[®] HELIX[™] 9 SI G3N w/GPS (uninstalled) 	\$1,505
- Humminbird® HELIX™ 10 SI G3N w/GPS (RAM® mounted)	
- Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled)	\$2,030
- Humminbird [®] HELIX [™] 12 SI G3N w/GPS (RAM [®] mounted)	
- Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled)	
- Humminbird® SOLIX™ 10 SI G2 (RAM® mounted)	
- Humminbird® SOLIX™ 10 SI G2 (uninstalled)	\$2,590
- Humminbird® SOLIX [™] 12 SI G2 (RAM [®] mounted)	\$3,225
- Humminbird® SOLIX™ 12 SI G2 (uninstalled)	
 Garmin® ECHOMAP[™] 93sv chartplotter (RAM[®] mounted) Garmin[®] ECHOMAP[™] 93sv chartplotter (uninstalled) 	
- Garmin [®] GPSMAP [®] 7607 chartplotter (RAM [®] mounted)	
- Garmin® GPSMAP® 7607 chartplotter (uninstalled)	
- Garmin [®] GPSMAP [®] 7608 chartplotter (RAM [®] mounted)	
- Garmin [®] GPSMAP [®] 7608 chartplotter (uninstalled)	
- Garmin [®] GPSMAP [®] 7610 chartplotter (RAM [®] mounted)	
- Garmin [®] GPSMAP [®] 7610 chartplotter (uninstalled)	
- Garmin [®] GPSMAP [®] 7612 chartplotter (RAM [®] mounted)	\$1 175
- Garmin [®] GPSMAP [®] 7612 chartplotter (uninstalled)	
	ψ+,+iJ
2ND CONSOLE FISHFINDER	
- Lowrance® HOOK ² 5 Combo. (bracket mounted)	
 Lowrance[®] HOOK² 7 Combo. (bracket mounted) 	\$625

-	Lowrance® HOOK ² 5 Combo. (bracket mounted)	\$370
-	Lowrance® HOOK ² 7 Combo. (bracket mounted)	\$625
-	Lowrance® Elite-7 Ti ² . (bracket mounted)	\$1,175
-	Lowrance® Elite-9 Ti ² . (bracket mounted)	\$1,295
-	Lowrance® Elite-12 Ti ² . (bracket mounted)	\$2,580
-	Lowrance® HDS LIVE 7 w/StructureScan®. (dash view only;	bracket
	mounted)	\$1,625
-	Lowrance® HDS LIVE 9 w/StructureScan®. (dash view only;	bracket
	mounted)	\$2,300
-	Lowrance® HDS LIVE 12 w/StructureScan®. (dash view only	; bracket
	mounted)	\$3,825
-	Humminbird® HELIX™ 7 SI G3N (gimbal mounted)	\$1,150
-	Humminbird® HELIX™ 9 SI G3N w/GPS (gimbal mounted)	\$1,990
-	Humminbird [®] HELIX [™] 10 SI G3N w/GPS (gimbal mounted)	\$2,595
-	Humminbird® HELIX™ 12 SI G3N w/GPS (gimbal mounted)	\$3,125

- E-Start emergency jump start system Master power switch Waterproof Deutsch gauge plug-in connectors
- Water/abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER

Custom-fit, tandem-axle NITRO® trailer powder-coated w/GALVASHIELD® Impact corrosion & chip protection for improved durability

7-pin connector

Submersible LED lights

ZVISPRO

Safety cables

- 14" (35.56 cm) custom NITRO® aluminum wheels w/radial tires
- Integrated boarding step w/safety handle for easier boarding/ reboarding at bow while boat is on trailer

Heavy-duty winch w/non-binding nylon strap & bow safety strap

Steel fenders w/diamond-tread step plates

fishfinder w/CHIRP Digital Sonar & GPS

- Factory-applied keel protector

4-bank, 40-amp battery charger

Retractable transom trailer tie downs

1 extra trolling battery

Carpeted bunks & fender boards to protect hull

Surge disc brakes on both axles All-welded rectangular GALVASHIELD® frame Space-saving swing-away tongue & fold-away jack

Spare tire carrier (spare tire available at additional cost)

Outboard motor support to reduce hull & transom stress

(w/Pro, some standard features or options may not be available)

- Bow Humminbird[®] HELIX[™] 9 DI G3N gimbal-mounted fishfinder

w/MEGA Down Imaging, CHIRP Digital Sonar & GPS **NEW** console Humminbird® HELIX[™] 10 SI G3N flush-mounted

Walk-thru windshield (or optional plexiglass windscreens)

KICKER[®] KMC1 Bluetooth[®]-capable stereo system

NEW Minn Kota® Ulterra[™] 36V, 112-lb. (50.80 kg) thrust, 72" (1.83 m)

shaft trolling motor w/MDI (MEGA Down Imaging) 2 & i-Pilot® Link™

3-way Ethernet communication between fishfinders & trolling motor

Humminbird® SOLIX [™] 10 SI G2 (gimbal mounted)
ELECTRONICS - KICKER® KMC1 Bluetooth®-capable stereo system\$525
BATTERY CHARGER EXCHANGE - GEN 3-bank, 30-amp battery charger\$95 - GEN 4-bank, 40-amp battery charger\$140

CUSHIONS & SEATING

Smooth Moves seat suspension	 \$995
ishing chair & pedestal	 \$350

ACCESSORIES

o o e o o o ni e o	
NEW remote drain plug	\$75
NEW aft livewell drain valve	\$100
Bimini top (factory installed)	\$995
Walk-thru windshield	\$1,125
2 oxygen generators	\$340
Anti-fatigue mat	\$325
Emergency ladder	\$225
Keel protector (Black or White)	\$325
Ski tow pylon	\$275
Thumbscrew rail mount rod holders (set of 2)	\$495
Thumbscrew rail mount rod holders (set of 4)	\$975
Thumbscrew rail mount rod holders (set of 6)	\$1,425
Tournament ruler	\$70

PERFORMANCE & STEERING

Lenco trim tabs	\$1,050
Trim lever on wheel	\$195
Dual trim lever on wheel (must order hydraulic jack plate)	\$295

TROLLING MOTOR

Minn Kota® Terrova™ 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® \$925

- Minn Kota® Terrova™ 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/Universal Sonar 2, i-Pilot[®] Link[™] & MEGA Down Imaging™ \$1 675

Minn Kota® Terrova™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot® . \$1.225

Minn Kota® Terrova™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot[®] Link[™] & MEGA Down Imaging[™] (does not include connections for Humminbird® fishfinders) \$1,975

- Minn Kota® Terrova™ 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/i-Pilot® . \$1 475 Minn Kota® Terrova™ 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft

trolling motor w/i-Pilot[®] Link[™] \$2,225 Minn Kota® Ultrex™ 36V, 112-Ib. (50.8 kg) thrust, 60" (1.52 m) shaft

trolling motor w/i-Pilot[®] Link[™] & MEGA Down Imaging[™]\$2,650 Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® \$1,925

- Minn Kota® Ulterra™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/Universal Sonar 2, i-Pilot® Link™ & MEGA Down

Imaging[™] (additional battery required & sold separately) \$2,625 Minn Kota® Ulterra[™] 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot®. \$2.225 Minn Kota® Ulterra™ 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® Link™ \$2,925

- MotorGuide® Xi5 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft \$1 250 trolling motor - MotorGuide® Xi5 36V, 105-Ib. (47.63 kg) thrust, 60" (1.52 m) shaft

trolling motor \$1.425 MotorGuide® Xi5 36V, 105-lb. (47.63 kg) thrust, 72" (1.83 m) shaft

trolling motor . .\$1.500

KICKER MOTOR

• Tiller handle rigging kit for starboard mounting of the Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker or Mercury® 15 ELHPT FourStroke Command Thrust ProKicker⁺ ... \$735 Factory-installed Mercury® 9.9 ELHPT FourStroke Command Thrust

ProKicker w/rigging bracket⁰. \$3 885 Factory-installed Mercury[®] 9.9 ELPT FourStroke Command Thrust ProKicker w/fuel tank attachment, remote & rigging bracket⁰ \$4,640 Factory-installed Mercury® 15 ELHPT FourStroke Command Thrust

ProKicker w/rigging bracket \$4.400 Factory-installed Mercury® 15 ELPT FourStroke Command Thrust ProKicker w/fuel tank attachment, remote & rigging bracket^o \$4,895

FUNCTIONAL

\$1,000 SmartCraft[®] gauges - 6" (15.24 cm) Bob's Action Extreme hydraulic jack plate\$1,275

COVERS

Mooring cover w/dual consoles—Charcoal ..\$875

- Mooring cover w/dual consoles—Black & White ...\$875
- Canvas enclosure (must have windshield option; price shown does not include freight & dealer installation) ... \$795 - Canvas enclosure w/curtain (must have windshield option; price
- shown does not include freight & dealer installation) \$865

TRAILER

-	Retractable trailer tie downs	.\$75
-	Spare tire kit\$	3170

[†]Motor & battery sold separately ⁰Battery sold separately







HULL LENGTH BEAM **TRANSOM HEIGHT** MAX. HP 225 **18' 11''** (5.77 m) **8'6''** (2.59 m) **25**" (63.50 cm) MAX. WEIGHT CAPACITY STORAGE LENGTH MAX. PERSON CAPACITY **FUEL CAPACITY** 6/1,050 lbs. (476.27 kg) 45 gal. (170.34 l) **2,000 lbs.** (907.18 kg) **22' 7"** (6.88 m)

SPECIFICATIONS

Bottom width	6' 4" (1.93 m)
Depth inside	25.5" (64.77 cm)
Deadrise	17 degrees
Draft	19.75" (50.17 cm)
Average weight	2,300 lbs. (1,043.26 kg)
Average package weight	4,500 lbs. (2,041.17 kg)
Package width	8' 6" (2.59 m)

STANDARD FEATURES

COMFORT, CONVENIENCE & PEACE OF MIND

NMMA[®] certified

- Flotation meets or exceeds NMMA® & U.S.C.G. requirements - EPA-compliant fuel system
- Gunnels designed to maximize interior space & fishing room
- Removable tournament-style ski pylon
- Fold-down 4-step stainless steel reboarding ladder
- 4 stainless steel drink holders
- 4 stainless steel pull-up cleats
- Passenger grab handle
- Stainless steel bow & stern eyes

- Fire extinguisher & horn

LIVEWELL SYSTEMS

- Bow 10-gal. (37.85 L) GUARDIAN[™] rotomolded & aerated livewell w/timer, recirculator, pump-out system & rounded corners Aft 26-gal. (98.42 L) insulated GUARDIAN™, anti-slosh & rotomolded
- livewell w/removable divider, bait bucket & rounded corners Two 500 GPH (1,892.71 LPH) aerator/fill pumps w/timers (1 for
- baitwell, 1 for livewell)
- Two 750 GPH (2,839.06 LPH) recirculator pumps w/timers (1 for baitwell, 1 for livewell)
- Pump-out systems (baitwell & livewell)
- Livewell lid latching to keep lid closed at speed & in rough conditions Insulated aluminum lids w/welded corners
- Trolling Motor
- Minn Kota[®] PowerDrive[™] 24V, 70-lb. (31.75 kg) thrust, 60" (1.52 m) composite shaft, foot-control trolling motor w/Universal Sonar 2
- Quick-release bracket for Minn Kota® or MotorGuide® trolling motor Trolling motor pedal recess

CONSOLE

- Lowrance[®] HOOK² 5 Combo flush-mounted fishfinder
- Hydraulic steering w/custom tilt wheel
- Heavy-duty molded, tinted windscreens
- Custom-molded port & starboard modular consoles w/2-tone gelcoat scheme
- Oversized carpeted, lockable port glovebox
- Veethree[®] multifunction instrumentation gauges w/speedometer/ fuel gauge, tach/trim gauge, voltmeter gauge & water pressure

Boat may be shown w/optional equipment. Motors, specs, features, options & pricing subject to change w/out notice.

- Waterproof, capacitive touch digital keypad
- Below-console footrest w/non-skid mat Port & starboard below-console shelves
- Helm below-console recess

MERCURY® MOTOR OPTIONS

OM to view more photos, see a complete list of motors, options, color combinations & features

ZV19 Sport	
150 XL Pro XS® FourStroke	\$42,995
200 XL FourStroke w/DTS	\$47,750
200 XL Pro XS® FourStroke w/DTS	\$48,650
225 XL Pro XS® FourStroke w/DTS	\$50,570
ZV19 Sport Pro	
200 XL FourStroke w/DTS	\$54,999
200 XL Pro XS® FourStroke w/DTS	\$55,899
225 XL Pro XS® FourStroke w/DTS	\$57,819
	Plus freight and prep

Side-mounted LED courtesy light Space to mount additional electronics

INTERIOR

Bike seat w/pedestal

- **NEW** Attwood[®] Centric X driver & passenger seats
- 2 folding jump seats integrated into aft fishing deck w/NEW
- upholstery styling
- Stainless steel bow & aft rails (port & starboard) Bow port & starboard lockers w/lift assists
- Bow port cooler w/removable tray
- Bow & aft lockable storage compartments
- Extra-large integrated port net holder
- Midship in-floor storage for batteries
- Starboard tool holder
- 2 lift-out, molded aft storage boxes that will each accept four 3700 tackle trays
- Easy access to rigging & pumps
- Insulated aluminum lids w/welded corners 24-oz. (.68 kg) plush, marine-grade, cut pile carpet on decks & floor
- Room to RAM[®]-mount additional electronics at bow Stainless steel lockable latches

PERFORMANCE

- Deep V performance hull
- 10" (25.4 cm) adjustable jack plate
- Lifting strakes to maximize overall handling & performance
- Transom designed for Kicker motor application
- Rigging tube
- Stainless steel propeller

CONSTRUCTION & EXTERIOR

- 100% composite deck core w/superior thermal stability & strengthto-weight ratio
- Deck & hull chemically bonded & mechanically fastened w/stainless steel fasteners
- Gelcoated stringer/liner system
- Foam-filled hull for optimal buoyancy & safety
- Full-width fiberglass-encapsulated composite transom Hand-laid, heavy-duty performance hull w/reinforced sides

ELECTRICAL

- Bow panel w/trolling motor receptacle, navigation light, anchor light & trim switches
- Manual LED-lighted bow storage compartments
- Heavy-duty Interstate® starting battery



- 2 heavy-duty Interstate® trolling batteries
- 2-bank, 20-amp onboard battery charger w/exterior receptacle
- 6-gauge trolling motor wiring w/50-amp circuit breaker E-Start emergency jump start system
- Master power switch
- Automotive-style labeled fuse panel w/cover
- Waterproof Deutsch gauge plug-in connectors
- Water/abrasion-resistant connectors
- Console-mounted 12V outlet

TRAILER

- Custom-fit, tandem-axle NITRO® trailer powder-coated w/GALVASHIELD® Impact corrosion & chip protection for improved durability 7-pin connector - 14" (35.56 cm) custom NITRO® aluminum wheels w/radial tires Integrated boarding step w/safety handle for easier boarding/ reboarding at bow while boat is on trailer Surge disc brakes on both axles All-welded rectangular GALVASHIELD® frame Space-saving swing-away tongue & fold-away tongue jack Outboard motor support to reduce hull & transom stress while towing Carpeted bunks & fender boards to protect hull Spare tire carrier (spare tire available at additional cost) Submersible LED lights Safety cables
- Heavy-duty winch w/non-binding nylon strap & bow safety strap Steel fenders w/diamond-tread step plates



- w/Pro, some standard features or options may not be available Bow Humminbird[®] HELIX[™] 9 DI G3N gimbal-mounted fishfinder
- w/MEGA Down Imaging, CHIRP Digital Sonar & GPS Console Humminbird® HELIX™ 10 SI G3N flush-mounted fishfinder
- w/CHIRP Digital Sonar & GPS
- **NEW** Minn Kota[®] Ulterra[™] 36V, 112-lb. (50.80 kg) thrust, 72" (1.83 m) shaft trolling motor w/MDI (MEGA Down Imaging) & i-Pilot[®] Link[™] 3-way Ethernet communication between fishfinders & trolling motor
- Bimini top (factory installed)
- Walk-thru windshield (or optional plexiglass windscreens)
- Factory-applied keel protector
- KICKER[®] KMC1 Bluetooth[®]-capable stereo system
- 4-bank, 40-amp battery charger
- Retractable transom trailer tie downs

OPTIONS

Lowrance® HOOK ² 5 Combo (flush mounted)\$ Lowrance® HOOK ² 7 Combo (flush mounted)\$ Lowrance® Elite-7 Ti ² (RAM® mounted)\$ Lowrance® Elite-9 Ti ² (RAM® mounted)\$ Lowrance® Elite-12 Ti ² (RAM® mounted)\$ Lowrance® HDS LIVE 7 w/StructureScan® (dash StructureScan® (
Lowrance [®] Elite-7 Ti ² (RAM [®] mounted)\$1, Lowrance [®] Elite-9 Ti ² (RAM [®] mounted)\$1, Lowrance [®] Elite-12 Ti ² (RAM [®] mounted)\$2, Lowrance [®] HDS LIVE 7 w/StructureScan [®] (dash StructureScan [®])	ררי
Lowrance® Elite-9 Ti ² (RAM® mounted)\$1, Lowrance® Elite-12 Ti ² (RAM® mounted)\$2, Lowrance® HDS LIVE 7 w/StructureScan® (dash StructureScan®	, , ,
 Lowrance[®] Elite-12 Ti² (RAM[®] mounted)	387
 Lowrance[®] HDS LIVE 7 w/StructureScan[®] (dash StructureScan[®]) 	,47
Lowrance® HDS LIVE / w/StructureScan® (dash StructureScan®	,/9
	47
must be chosen also; RAM® mounted)\$1, • Lowrance® HDS LIVE 9 w/StructureScan® (dash StructureScan®	,47
must be chosen also; RAM [®] mounted)\$2,	12
Lowrance [®] HDS LIVE 12 w/StructureScan [®] (dash StructureScan [®]	,4Z ®
must be chosen also; RAM [®] mounted)	70
 Add LiveSight real-time 3D sonar to Lowrance[®] fishfinder\$1, 	27
 Humminbird[®] HELIX[™] 7 SI G3N (gimbal mounted)\$1, 	
Humminbird [®] HELIX [™] 7 SI G3N (RAM [®] mounted)\$1,	
Humminbird® HELIX™ 9 SI G3N w/GPS (gimbal mounted)\$2,	,35
Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted)\$2,	,35
· Humminbird® HELIX™ 10 SI G3N w/GPS (gimbal mounted) \$2,	,82
Humminbird® HELIX [™] 10 SI G3N w/GPS (RAM® mounted)\$2,	,82
 Humminbird[®] HELIX[™] 12 SI G3N w/GPS (gimbal mounted)\$3, 	,59
Humminbird® HELIX™ 12 SI G3N w/GPS (RAM® mounted)\$3,	,59
Humminbird [®] SOLIX [™] 10 SI G2 (gimbal mounted)\$3,	
Humminbird [®] SOLIX [™] 10 SI G2 (RAM [®] mounted)\$3,	
Humminbird® SOLIX [™] 12 SI G2 (gimbal mounted)\$4, Humminbird® SOLIX [™] 12 SI G2 (RAM® mounted)\$4,	,U/
 Humminbird® SOLIX 12 SI G2 (RAM® mounted)	,U/ 40
• Garmin [®] GPSMAP [®] 7607 chartplotter (RAM [®] mounted)\$1,	,49 60
• Garmin® GPSMAP® 7608 chartplotter (RAM® mounted)\$1,	80, Na
• Garmin® GPSMAP® 8610 chartplotter (RAM® mounted)	
• Garmin [®] GPSMAP [®] 8612 chartplotter (RAM [®] mounted)	
 Add Panoptix[™] real-time 3D sonar to Garmin[®] chartplotter\$1, 	
CONSOLE FISHFINDER EXCHANGE	
 Lowrance[®] HOOK² 7 Combo (bracket mounted)\$ 	
• LOWLANCE TIOOK / GOUIDO (DIGCKEL IIIOUIILEU)	329
 Lowrance[®] HOOK² 7 Combo (uninstalled)\$ 	\$23
 Lowrance[®] HOOK² 7 Combo (uninstalled)\$ Lowrance[®] Elite-7 Ti² (RAM[®] mounted)\$ 	\$23 \$80
Lowrance® HOOK ² 7 Combo (uninstalled)\$ Lowrance® Elite-7 Ti ² (RAM® mounted)\$ Lowrance® Elite-7 Ti ² (uninstalled)\$	\$23 \$80 \$74
Lowrance® HOOK ² 7 Combo (uninstalled) \$ Lowrance® Lite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Lite-9 Ti ² (RAM® mounted) \$ Lowrance® Lite-9 Ti ² (RAM® mounted) \$	\$23 \$80 \$74 ,25
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Lite-7 Ti ² (RAM® mounted) \$ Lowrance® Lite-7 Ti ² (uninstalled) \$ Lowrance® Lite-9 Ti ² (RAM® mounted) \$ Lowrance® Lite-9 Ti ² (uninstalled) \$ Lowrance® Lite-9 Ti ² (uninstalled) \$	\$23 \$80 \$74 ,25 ,19
Lowrance® HOOK ² 7 Combo (uninstalled)	\$23 \$80 \$74 ,25 ,19 ,53
Lowrance® HOOK ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® Elite	\$23 \$80 \$74 ,25 ,19 ,53 ,45
Lowrance® HOOK ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® Hite-12 Ti ² (uninstalled) \$ Lowrance® H	23 80 74 ,25 ,19 ,53 ,45 ,27
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (Ininstalled) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (uninstalle	23 80 74 ,25 ,19 ,53 ,45 ,27
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$ Lowrance HDS LIVE 9 w/StructureScan® (RAM® HDS HDS \$ LOWRANCE HDS W/STRUE \$ LOWRANCE HDS W/STRUE \$ LOWRANCE \$ Lowrance HDS LIVE 9 w/STRUE \$ LOWRANCE \$ LOWRANCE \$ LOWRANCE \$ LOWRANCE \$ L	\$23 \$80 \$74 ,25 ,53 ,45 ,27 ,21 ,23
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$ Lowrance % HDS LIVE 9 w/StructureScan® (uninstalled	\$23 \$80 \$74 ,25 ,53 ,45 ,27 1,21 2,23
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$1 Lowrance® Elite-9 Ti ² (uninstalled) \$1 Lowrance® Elite-12 Ti ² (uninstalled) \$1 Lowrance® Elite-12 Ti ² (RAM® mounted) \$2 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1 Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$1 Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$2 Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$2 Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$3 HDS LIVE 12 w/StructureScan® (RAM® mounted) \$3 Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$3	\$23 80 74 ,25 ,53 ,45 ,27 ,27 ,27 ,23 ,74 ,74
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIV	\$23 80 74 ,25 ,25 ,45 ,45 ,27 ,23 2,17 3,74 ,68
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (Ininstalled) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (Ininstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$ Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$ Lowrance® LIVE 12 w/	\$23 80 74 ,25 ,19 ,53 ,45 ,27 ,23 ,74 ,68 \$74
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (Ininstalled) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$ Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$ Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$ Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mount	\$23 \$80 ,25 ,25 ,53 ,45 ,27 ,21 ,21 ,21 ,23 ,74 \$74 \$68
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$1 Lowrance® Elite-9 Ti ² (uninstalled) \$1 Lowrance® Elite-12 Ti ² (RAM® mounted) \$1 Lowrance® Elite-12 Ti ² (Ininstalled) \$1 Lowrance® Elite-12 Ti ² (Ininstalled) \$2 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1 Lowrance® HDS LIVE 7 w/StructureScan® (Ininstalled) \$1 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1 Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$2 Lowrance® HDS LIVE 9 SV/StructureScan® (Ininstalled) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$3 Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$3 Humminbird® HELIX™ 7 SI G3N (Ininstalled) \$3 Humminbird® HELIX™ 7 SI G3N (Ininstalled) \$1 Humminbird® HELIX™ 9 SI G3N w/GPS (RAM® mounted) \$1	\$23 \$80 \$74 ,25 ,19 ,53 ,45 ,27 1,21 2,17 2,17 3,74 ,68 \$74 \$68 ,56
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$1, Lowrance® Elite-9 Ti ² (uninstalled) \$1, Lowrance® Elite-12 Ti ² (Ininstalled) \$1, Lowrance® Elite-12 Ti ² (RAM® mounted) \$2, Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1, Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$1, Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$1, Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2, Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2, Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$2, Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$2, Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3, Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3, Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3, Humminbird® HELIX [™] 7 SI G3N (RAM® mounted) \$3, Humminbird® HELIX [™] 9 SI G3N w/GPS (RAM® mounted) \$1, Humminbird® HELIX [™] 9 SI G3N w/GPS (uninstalled) \$1, Humminbird® HELI	\$23 \$80 \$74 ,25 ,19 ,53 ,45 ,27 ,21 ,21 ,21 ,23 ,74 ,56 \$74 \$68 ,56 ,50
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti² (RAM® mounted) \$ Lowrance® Elite-7 Ti² (RAM® mounted) \$ Lowrance® Elite-9 Ti² (uninstalled) \$1 Lowrance® Elite-9 Ti² (uninstalled) \$1 Lowrance® Elite-9 Ti² (uninstalled) \$1 Lowrance® Elite-12 Ti² (uninstalled) \$2 Lowrance® Hibe 12 Ti² (RAM® mounted) \$2 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$2 Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3 Humminbird® HELIX [™] 7 SI G3N (RAM® mounted) \$3 Humminbird® HELIX [™] 7 SI G3N w/GPS (uninstalled) \$1 Humminbird® HELIX [™] 9 SI G3N w/GPS (RAM® mounted) \$1 Humminbird® HELIX [™] 9 SI G3N w/GPS (RAM® mounted) \$1 Humminbird® HELIX [™] 9 SI G3N w/GPS (MAM® mounted) \$1 Humminbird® HELIX [™] 9 SI G3N w/GPS (RAM® mounted) <td< td=""><td>\$23 \$80 ,25 ,19 ,25 ,45 ,27 ,27 ,27 ,23 ,74 ,50 ,50 ,50 ,09</td></td<>	\$23 \$80 ,25 ,19 ,25 ,45 ,27 ,27 ,27 ,23 ,74 ,50 ,50 ,50 ,09
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 10 SI G3N w/GPS (uninstalled) \$ Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 12 W/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 12 N/STRUESCAN® mounted) \$ Lowrance® HDS LIVE 12 N/STRUESCAN® mounted) \$ Lowrance® HDS LIVE 12 N/STRUESCAN® \$ Lowrance® HDS	\$23 \$80 ,25 ,19 ,53 ,45 ,27 ,21 ,21 ,23 ,217 ,23 ,68 \$74 ,50 ,09 ,03
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$1, Lowrance® Elite-9 Ti ² (IAM® mounted) \$1, Lowrance® Elite-12 Ti ² (Ininstalled) \$1, Lowrance® Elite-12 Ti ² (Ininstalled) \$2, Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1, Lowrance® HDS LIVE 7 w/StructureScan® (Ininstalled) \$1, Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$1, Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$2, Lowrance® HDS LIVE 9 w/StructureScan® (Ininstalled) \$2, Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$2, Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$3, Lowrance® HDS LIVE 12 w/StructureScan® (Ininstalled) \$3, Humminbird® HELIX™ 7 SI G3N (Ininstalled) \$3, Humminbird® HELIX™ 7 SI G3N w/GPS (RAM® mounted) \$1, Humminbird® HELIX™ 10 SI G3N w/GPS (Ininstalled) \$1, Humminbird® HELIX™ 10 SI G3N w/GPS (Ininstalled) \$2, Humminbird® HELIX™ 10 SI G3N w/GPS (Ininstalled) \$2, Humminbird® HELIX™ 12 SI G3N w	\$23 80 74 ,25 ,45 ,45 ,27 ,23 ,45 ,27 ,23 ,68 \$74 ,56 ,56 ,03 ,66 ,60
Lowrance® H00K² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti² (RAM® mounted) \$ Lowrance® Elite-7 Ti² (uninstalled) \$ Lowrance® Elite-9 Ti² (uninstalled) \$1, Lowrance® Elite-9 Ti² (uninstalled) \$1, Lowrance® Elite-12 Ti² (uninstalled) \$1, Lowrance® Elite-12 Ti² (RAM® mounted) \$2, Lowrance® Elite-12 Ti² (uninstalled) \$2, Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1, Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$1, Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$1, Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2, Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2, Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3, Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3, Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3, Humminbird® HELIX™ 7 SI G3N (MAM® mounted) \$3, Humminbird® HELIX™ 9 SI G3N w/GPS (uninstalled) \$1, Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled) \$1, Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled) \$2, Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled)	\$23 80 \$74 ,25 ,45 ,27 ,27 ,27 ,27 ,27 ,27 ,27 ,68 ,50 ,00 ,60 ,60 ,60 ,60 ,60 ,65
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® H1te-12 Ti ² (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$ Lowrance® HDS LI	\$23 80 \$74 ,25 ,45 ,27 ,23 ,74 ,68 ,50 ,60 ,60 ,60 ,60 ,60 ,60 ,65 ,50 ,60 ,65 ,50
Lowrance® H00K² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti² (RAM® mounted) \$ Lowrance® Elite-7 Ti² (uninstalled) \$ Lowrance® Elite-9 Ti² (uninstalled) \$1, Lowrance® Elite-9 Ti² (uninstalled) \$1, Lowrance® Elite-12 Ti² (RAM® mounted) \$2, Lowrance® Elite-12 Ti² (uninstalled) \$1, Lowrance® Elite-12 Ti² (uninstalled) \$2, Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1, Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$1, Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2, Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2, Lowrance® HDS LIVE 9 S/StructureScan® (uninstalled) \$2, Lowrance® HDS LIVE 9 SI G3N w/GPS (RAM® mounted) \$3, Humminbird® HELIX™ 7 SI G3N (MAM® mounted) \$3, Humminbird® HELIX™ 7 SI G3N w/GPS (uninstalled) \$1, Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled) \$1, Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled) \$2, Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled) \$2, Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled) \$2, Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled) \$2,<	\$23 \$74 ,29 ,74 ,29 ,45 ,45 ,27 ,21 ,23 ,45 ,27 ,23 ,66 ,65 ,65 ,65 ,65 ,22 ,65 ,22
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (uninstalled) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$1 Lowrance® Elite-9 Ti ² (uninstalled) \$1 Lowrance® Elite-12 Ti ² (RAM® mounted) \$2 Lowrance® Elite-12 Ti ² (uninstalled) \$1 Lowrance® Elite-12 Ti ² (uninstalled) \$2 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$2 Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$1 Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3 Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3 Humminbird® HELIX [™] 7 SI G3N (uninstalled) \$1 Humminbird® HELIX [™] 10 SI G3N w/GPS (RAM® mounted) \$1 Humminbird® HELIX [™] 12 SI G3N w/GPS (uninstalled) \$1 Humminbird® HELIX [™] 12 SI G3N w/GPS (uninstalled) \$2 Humminbird® HELIX [™] 12 SI G3N w/GPS (uninstall	\$23 \$74 ,25 ,19 ,53 ,45 ,27 ,23 ,21 ,23 ,21 ,23 ,21 ,23 ,23 ,53 ,53 ,53 ,53 ,53 ,53 ,53 ,5
Lowrance® H00K² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti² (RAM® mounted) \$ Lowrance® Elite-7 Ti² (uninstalled) \$ Lowrance® Elite-9 Ti² (uninstalled) \$1, Lowrance® Elite-12 Ti² (uninstalled) \$1, Lowrance® Elite-12 Ti² (uninstalled) \$1, Lowrance® Elite-12 Ti² (uninstalled) \$2, Lowrance® Elite-12 Ti² (uninstalled) \$2, Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1, Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$2, Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$2, Lowrance® HDS LIVE 9 w/StructureScan® (RAM® mounted) \$2, Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$3, Lowrance® HDS LIVE 12 w/StructureScan® (RAM® mounted) \$3, Humminbird® HELIX™ 7 SI G3N (uninstalled) \$3, Humminbird® HELIX™ 7 SI G3N w/GPS (uninstalled) \$1, Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled) \$2, Humminbird® HELIX™ 12 SI G3N w/GPS (uninstalled)	\$23 \$74 ,25 ,19 ,53 ,45 ,27 ,27 ,27 ,27 ,27 ,27 ,68 ,50 ,03 ,60 ,50 ,03 ,60 ,59 ,22 ,16 ,22 ,16 ,22 ,16 ,50 ,50 ,50 ,50 ,50 ,50 ,50 ,50
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (AMM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$ Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 9 w/StructureScan® (uninstalled) \$ Lowrance® HDS LIVE 12 w/StructureScan® (uninstalled) \$ Humminbird® HELIX [™] 7 SI G3N (RAM® mounted) \$ Humminbird® HELIX [™] 7 SI G3N w/GPS (uninstalled) \$ Humminbird® HELIX [™] 10 SI G3N w/GPS (uninstalled) \$ Lowrance® HDS LIVE 12 % StructureScan® (uninstalled) \$ Humminbird® HELIX [™] 12 SI G3N w/GPS (uninstalled) \$ Humminbird® HELIX [™] 12 SI G3N w/GPS (uninstalled) \$ Lowrance® HDS LIVE 12 % STructureScan® (uninstalled) \$ Lowrance® HDS LIVE 12 % STructureScan® (uninstalled) \$ Humminbird® HELIX [™] 12 SI G3N w/GPS (uninstalled) \$ Lowrance® HDS LIVE 12 % STructureScan® (uninstalled) \$ Liter 12 % 10 SI G3N w/GPS (uninstalled) \$ Liter 12 % 12 % 12 % 12 % 12 % 12 % 12 % 12	\$23 \$74 ,25 ,19 ,53 ,45 ,27 ,21 ,23 ,217 ,23 ,74 ,68 ,50 ,09 ,03 ,66 ,59 ,22 ,16 ,22 ,16 ,22 ,16 ,59 ,216 ,22 ,16 ,50 ,50 ,50 ,50 ,50 ,50 ,50 ,50
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® H12 Ti ² (uninstalled) \$ Lowrance® U12 Ui ² Uninstalled) \$ Lowrance® H12 Ti ² 1 G3N w/GPS (RAM® mounted) \$ Lowrance® H12 Ti ² 1 2 SI G3N w/GPS (uninstalled) \$ Limminbird® HELIX [™] 10 SI G3N w/GPS (uninstalled) \$ Lowrance® H12X [™] 12 SI G3N w/GPS (RAM® mounted) \$ Limminbird® HELIX [™] 12 SI G3N w/GPS (uninstalled) \$ Lowrance® U12 Ti ² 1 2 SI G3N w/GPS (uninstalled) \$ Lowrance® U12 Ti ² 1 2 SI G3N w/GPS (uninstalled) \$ Lowrance® U12 Ti ² 1 2 SI G3N w/GPS (uninstalled) \$ Limminbird® SOLIX [™] 10 SI G2 (uninstalled) \$ Limminbird® SOLIX [™] 12 SI G3N w/GPS (uninstalled) \$ Limminbird® SOLIX [™] 12 SI G2 (uninstalled) \$ Limminbird® SOLIX [™] 12 SI G3N w/GPS (uninstalled) \$ Lowrance® Elix [™] 12 SI G2 (uninstalled) \$ Limminbird® SOLIX [™]	\$23 \$74 ,25 ,45 ,53 ,277 ,217 ,237 ,217 ,237 ,68 ,509 ,03 ,660 ,522 ,16 ,522 ,16 ,522 ,16 ,522 ,16 ,37 ,216 ,522 ,16 ,374 ,522 ,16 ,522 ,16 ,374 ,522 ,16 ,522 ,16 ,522 ,16 ,522 ,16 ,522 ,16 ,374 ,16 ,522 ,16 ,374 ,16 ,522 ,16 ,374 ,16 ,522 ,16 ,374 ,16 ,522 ,16 ,374 ,16 ,16 ,522 ,16 ,374 ,16 ,374 ,16 ,16 ,522 ,16 ,374 ,16 ,374 ,16 ,16 ,522 ,16 ,374 ,16 ,374 ,16 ,374 ,16 ,374
Lowrance® H00K² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti² (RAM® mounted) \$ Lowrance® Elite-7 Ti² (uninstalled) \$ Lowrance® Elite-9 Ti² (uninstalled) \$1 Lowrance® Elite-9 Ti² (uninstalled) \$1 Lowrance® Elite-12 Ti² (RAM® mounted) \$2 Lowrance® Elite-12 Ti² (uninstalled) \$1 Lowrance® Elite-12 Ti² (uninstalled) \$2 Lowrance® HDS LIVE 7 w/StructureScan® (RAM® mounted) \$1 Lowrance® HDS LIVE 7 w/StructureScan® (uninstalled) \$2 Lowrance® HDS LIVE 7 SI G3N (RAM® mounted) \$3 Humminbird® HELIX™ 7 SI G3N w/GPS (RAM® mounted) \$3 Humminbird® HELIX™ 7 SI G3N w/GPS (uninstalled) \$1 Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled) \$1 Humminbird® HELIX™ 10 SI G3N w/GPS (uninstalled) \$2 Humminbird® HELIX™ 12 SI G2 (uninstalled) \$2 Humminbird® HELIX™ 12 SI G2 (uninstalled) \$2 Humminbird® SOLIX™ 12 SI G2 (uninstalled) \$2 Hummi	\$23 \$74 ,25 ,19 ,53 ,45 ,27 ,217 ,237 ,68 ,509 ,03 ,66 ,509 ,03 ,66 ,509 ,03 ,66 ,509 ,216 ,216 ,37 ,37 ,37 ,37 ,37 ,37 ,37 ,37
Lowrance® H00K ² 7 Combo (uninstalled) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-7 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (RAM® mounted) \$ Lowrance® Elite-9 Ti ² (uninstalled) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® Elite-12 Ti ² (RAM® mounted) \$ Lowrance® H12 Ti ² (uninstalled) \$ Lowrance® U12 Ui ² Uninstalled) \$ Lowrance® H12 Ti ² 1 G3N w/GPS (RAM® mounted) \$ Lowrance® H12 Ti ² 1 2 SI G3N w/GPS (uninstalled) \$ Limminbird® HELIX [™] 10 SI G3N w/GPS (uninstalled) \$ Lowrance® H12X [™] 12 SI G3N w/GPS (RAM® mounted) \$ Limminbird® HELIX [™] 12 SI G3N w/GPS (uninstalled) \$ Lowrance® U12 Ti ² 1 2 SI G3N w/GPS (uninstalled) \$ Lowrance® U12 Ti ² 1 2 SI G3N w/GPS (uninstalled) \$ Lowrance® U12 Ti ² 1 2 SI G3N w/GPS (uninstalled) \$ Limminbird® SOLIX [™] 10 SI G2 (uninstalled) \$ Limminbird® SOLIX [™] 12 SI G3N w/GPS (uninstalled) \$ Limminbird® SOLIX [™] 12 SI G2 (uninstalled) \$ Limminbird® SOLIX [™] 12 SI G3N w/GPS (uninstalled) \$ Lowrance® Elix [™] 12 SI G2 (uninstalled) \$ Limminbird® SOLIX [™]	\$23 \$74 ,25 ,19 ,53 ,45 ,27 ,21 ,23 ,74 ,27 ,23 ,74 ,50 ,03 ,66 ,59 ,216 ,27 ,216 ,27 ,216 ,27 ,216 ,27 ,216 ,27 ,216 ,27 ,217

Garmin [®] GPSMAP [®]	8610 chartplotter (RAM® mounted)	\$3,050
Garmin [®] GPSMAP [®]	8610 chartplotter (uninstalled)	\$2,990
Garmin [®] GPSMAP [®]	8612 chartplotter (RAM® mounted)	\$4,475
Garmin [®] GPSMAP [®]	8612 chartplotter (uninstalled)	.\$4,415

2ND CONSOLE FISHEINDER

ZND GUNSULE FISHFINDER
- Lowrance® HOOK ² 5 Combo (bracket mounted)\$370
- Lowrance® HOOK ² 7 Combo (bracket mounted)\$625
- Lowrance® Elite-7 Ti ² (bracket mounted)\$1,175
- Lowrance® Elite-9 Ti ² (bracket mounted)\$1,295
- Lowrance® Elite-12 Ti ² (bracket mounted)\$2,580
 Lowrance[®] HDS LIVE 7 w/StructureScan[®] (dash view only; bracket
mounted)\$1,625
mounted)\$1,625 - Lowrance® HDS LIVE 9 w/StructureScan® (dash view only; bracket
mounted)\$2,300 - Lowrance® HDS LIVE 12 w/StructureScan® (dash view only; bracket
- Lowrance® HDS LIVE 12 w/StructureScan® (dash view only; bracket
mounted)\$3,825
- Humminbird [®] HELIX [™] 7 SI G3N (gimbal mounted)\$1,150
- Humminbird® HELIX [™] 7 SI G3N (RAM® mounted)\$1,150
- Humminbird® HELIX [™] 9 SI G3N w/GPS (gimbal mounted)\$1,990
- Humminbird [®] HELIX [™] 9 SI G3N w/GPS (RAM [®] mounted)\$1,990
- Humminbird [®] HELIX [™] 10 SI G3N w/GPS (gimbal mounted) \$2,595
- Humminbird® HELIX [™] 10 SI G3N w/GPS (RAM® mounted) \$2,595
- Humminbird [®] HELIX [™] 12 SI G3N w/GPS (gimbal mounted)\$3,125
- Humminbird [®] HELIX [™] 12 SI G3N w/GPS (RAM [®] mounted)\$3,125
- Humminbird [®] . SOLIX [™] 10 SI G2 (gimbal mounted)\$2,970
- Humminbird [®] . SOLIX [™] 12 SI G2 (gimbal mounted)\$3,545
- Garmin [®] . ECHOMAP [™] 93sv chartplotter (gimbal mounted)\$1,490
- Garmin [®] . GPSMAP [®] 7607 chartplotter (gimbal mounted)\$1,665
- Garmin®. GPSMAP® 7608 chartplotter (gimbal mounted) \$2,590
- Garmin®. GPSMAP® 7610 chartplotter. (gimbal mounted) \$3,375
- Garmin®. GPSMAP® 7612 chartplotter. (gimbal mounted) \$4,775
ELECTRONICS
KICKER® KMC1 Bluetooth®-canable stereo system \$525

KICKER® KMC1	Bluetooth®-capable stereo system	\$525
--------------	----------------------------------	-------

BATTERY CHARGER EXCHANGE

CUSHIONS & SEATING	
- GEN 4-bank, 40-amp battery charger	\$140
 GEN 3-bank, 30-amp battery charger 	\$95

SITIOUTITIVIOVES SEAT SUSPENSION	. 4330
Fishing chair & pedestal	. \$350
Bow & aft sundeck cushions	\$1,275

ACCESSORIES

NEW remote drain plug	\$75
NEW aft livewell drain valve	\$100
Bimini top (factory installed)	\$995
Walk-thru windshield	\$1,125
2 oxygen generators	\$340
Anti-fatigue mat	\$325
Emergency ladder	\$225
Keel protector (Black or White)	\$325
Port or starboard under deck storage drawer	\$750
Thumbscrew rail mount rod holders (set of 2)	\$495
Thumbscrew rail mount rod holders (set of 4)	\$975
Thumbscrew rail mount rod holders (set of 6)	\$1,425
Tournament ruler	\$70

PERFORMANCE & STEERING

Lenco trim tabs	\$1,050
Trim lever on wheel	\$195
Dual trim lever on wheel (must order hydraulic jack plate)	\$295

TROLLING MOTOR

· Minn Kota® Terrova™ 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot®. \$925 Minn Kota® Terrova[™] 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor w/Universal Sonar 2, i-Pilot® Link™ & MEGA Down

Imaging[™].\$1.675 Minn Kota® Terrova™ 36V, 112-Ib. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot[®] Link[™] & MEGA Down Imaging[™] (does not

include connections for Humminbird® fishfinders) \$1.975 Minn Kota® Terrova[™] 36V, 112-Ib. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot®\$1.225

 Minn Kota® Terrova[™] 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/i-Pilot® \$1 475 Minn Kota® Terrova[™] 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft

.... \$2,225

trolling motor w/Universal Sonar 2, i-Pilot[®] Link[™] & MEGA Down \$2 625 Imaging[™]...

Minn Kota® Ulterra™ 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot® \$2 225 Minn Kota® Ulterra[™] 36V, 112-lb. (50.8 kg) thrust, 72" (1.83 m) shaft trolling motor w/Universal Sonar 2 & i-Pilot[®] Link[™] ... \$2.925

- Minn Kota® Ultrex™ 36V, 112-Ib. (50.8 kg) thrust, 60" (1.52 m) shaft
- trolling motor w/Universal Sonar 2 & i-Pilot[®] Minn Kota® Ultrex™ 36V, 112-lb. (50.8 kg) thrust, 60" (1.52 m) shaft trolling motor w/i-Pilot[®] Link[™] & MEGA Down Imaging[™] \$2,650
- MotorGuide® Xi5 24V, 80-lb. (36.29 kg) thrust, 60" (1.52 m) shaft trolling motor ... \$1.250
- MotorGuide® Xi5 36V, 105-lb. (47.63 kg) thrust, 60" (1.52 m) shaft trolling motor ... \$1 425
- MotorGuide[®] Xi5 36V, 105-lb. (47.63 kg) thrust, 72" (1.83 m) shaft trolling motor ...

KICKER MOTOR

- Tiller handle rigging kit for starboard mounting of the Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker or Mercury® 15 ELHPT FourStroke Command Thrust ProKicker[†] \$735
- Factory-installed Mercury® 9.9 ELHPT FourStroke Command Thrust ProKicker w/rigging bracket ...\$3.885
- Factory-installed Mercury® 9.9 ELPT FourStroke Command Thrust
- ProKicker w/fuel tank attachment, remote & rigging bracket⁰ \$4,640 Factory-installed Mercury® 15 ELHPT FourStroke Command Thrust
- ProKicker w/rigging bracket^o \$4 400 Factory-installed Mercury[®] 15 ELPT FourStroke Command Thrust
- ProKicker w/fuel tank attachment, remote & rigging bracket[◊] \$4,895

FUNCTIONAL

 SmartCraft[®] gauges
 6" (15.24 cm) Bob's Action Extreme hydraulic jack plate \$1,000\$1,275

COVERS


- Mooring cover w/dual consoles—Charcoal\$875
- Mooring cover w/dual consoles—Black & White\$875
- Mooring cover w/dual consoles & windshield—Charcoal\$875
- Mooring cover w/dual consoles & windshield—Black & White .\$875
- Canvas enclosure (must have windshield option; price shown does not include freight & dealer installation) \$795
- Canvas enclosure w/curtain (must have windshield option; price shown does not include freight & dealer installation) \$865

TRAILER

000

-	Retractable trailer tie downs	.\$7	5	j
-	Spare tire kit	\$17	C)

[†]Motor & battery sold separately ⁰Battery sold separately





THE RELENTLESS PURSUIT OF FICTURE FURSION OF FICTURE FURSION OF

At NITRO® Boats, our job is to build precision fishing machines that can make your fishing dreams into reality. We do so knowing that your boat is the most important tool in your angling arsenal. And we do so with the same passion you have—a love of the outdoors, of tradition, of family and of that feisty green fish on the end of your line. Because inside anyone that has ever fought and landed one resides a champion—this is why we design every NITRO boat to help you release the champion within.

We're constantly adding content online like fishing tips, outdoor events, amazing photos, special deals and more – and we invite you to share your memories with us on any of the social media channels below.



